



UC Berkeley
Computer Science
Lecturer SOE
Dan Garcia

CS39N The Beauty and Joy of Computing

Lecture #4 : Computational Game Theory

2009-09-14

CHECKERS SOLVED IN 2007!

A 19-year project led by Prof Jonathan Schaeffer, he used dozens (sometimes hundreds) of computers and AI to prove it is, in perfect play, a ... draw!
This means that if two Gods were to play, nobody would ever win!



www.cs.ualberta.ca/~chinook/

Computational Game Theory

- **History**
- **Definitions**
 - Game Theory
 - What Games We Mean
 - Win, Lose, Tie, Draw
 - Weakly / Strongly Solving
- **Gamesman**
 - Dan's Undergraduate R&D Group
 - Demo!!
- **Future**




Computer Science ... A UCB view

- CS research areas:
 - Artificial Intelligence
 - Biosystems & Computational Biology
 - Computer Architecture & Engineering
 - Database Management Systems
 - Graphics
 - Human-Computer Interaction
 - Operating Systems & Networking
 - Programming Systems
 - Scientific Computing
 - Security
 - Theory
 - ...



The Turk (1770)

- A Hoax!
- Built by Wolfgang von Kempelen
 - to impress the Empress
- Could play a strong game of Chess
 - Thanks to Master inside
- Toured Europe
 - Defeated Benjamin Franklin & Napoleon!
- Burned in an 1854 fire
 - Chessboard saved...



The Mechanical Turk (1770)



Claude Shannon's Paper (1950)

- **The "Father of Information Theory"**
 - Founded the digital computer
 - Defined fundamental limits on compressing/storing data
- **Wrote "Programming a Computer for Playing Chess" paper in 1950**
 - C. Shannon, *Philos. Mag.* 41, 256 (1950).
 - All chess programs today have his theories at their core



Claude Shannon (1916-2001)



Deep Blue vs Garry Kasparov (1997)

- **Kasparov World Champ**
- **1996 Tournament**
 - First game DB wins a classic!
 - But DB loses 3 and draws 2 to lose the 6-game match 4-2
 - In 1997 Deep Blue upgraded, renamed "Deeper Blue"
- **1997 Tournament**
 - GK wins game 1
 - GK resigns game 2
 - even though it was draw!
 - DB & GK draw games 3-5
 - Game 6 : 1997-05-11 (May 11th)
 - Kasparov blunders move 7, loses in 19 moves. Loses tournament 3 ½ - 2 ½
 - GK accuses DB of cheating. No rematch.



IBM's Deep Blue vs Garry Kasparov



▪ **Defining moment in AI history**



What is "Game Theory"?

Combinatorial

- Sprague and Grundy's 1939 Mathematics and Games
- Board games
- Nim, Domineering, dots and boxes
- Film: *Last Year in Marienbad*
- Complete info, alternating moves
- Goal: Last move

Computational

- R. C. Bell's 1988 Board and Table Games from many Civilizations
- Board games
- Tic-Tac-Toe, Chess, Connect 4, Othello
- Film : *Searching for Bobby Fischer*
- Complete info, alternating moves
- **Goal: Varies**

Economic

- von Neumann and Morgenstern's 1944 *Theory of Games and Economic Behavior*
- Matrix games
- Prisoner's dilemma, auctions
- Film : *A Beautiful Mind* (about John Nash)
- **Incomplete** info, simultaneous moves
- Goal: Maximize payoff







What “Board Games” do you mean?

- No chance, such as dice or shuffled cards
- Both players have **complete information**
 - No hidden information, as in Stratego & Magic
- **Two players (Left & Right) usually alternate moves**
 - Repeat & skip moves ok
 - Simultaneous moves not ok
- **The game can end in a pattern, capture, by the absence of moves, or ...**




Basic Definitions


- Games are graphs
 - Position are nodes
 - Moves are edges
- We **strongly solve** game by visiting every position
 - "Playing" every game ever
- Each position is (for player whose turn it is)
 - Winning (\exists losing child)
 - Losing (All children winning)
 - Tieing ($\neg \exists$ losing child, but \exists tieing child)
 - Drawing (can't force a win or be forced to lose)



What did you mean "strongly solve"?




Wargames (1983)



Thanks to Jonathan Schaeffer for this slide...

Weakly Solving A Game (Checkers)



Log of Search Space Size



Example: 1,2,...,10

- **Rules (on your turn):**
 - Running total = 0
- **Rules (on your turn):**
 - Add 1 or 2 to running total
- **Goal**
 - Be the FIRST to get to 10
- **Example**
 - Ana: "2 to make it 2"
 - Bob: "1 to make it 3"
 - Ana: "2 to make it 5"
 - Bob: "2 to make it 7" → photo
 - Ana: "1 to make it 8"
 - Bob: "2 to make it 10" I WIN!




7 ducks (out of 10)



Example: Tic-Tac-Toe

- **Rules (on your turn):**
 - Place your X or O in an empty slot on 3x3 board
- **Goal**
 - If you make 3-in-a-row first in any row / column / diag, win
 - Else if board is full with no 3-in-row, tie
- **Misère is tricky**
 - 3-in-row LOSES
 - Pair up and play now, then swap who goes 1st




Values Visualization for Tic-Tac-Toe



Tic-Tac-Toe Answer Visualized!

- Recursive Values Visualization Image
- Misère Tic-tac-toe
 - Outer rim is position
 - Inner levels moves
 - Legend

- Lose
- Tie
- Win



Misère Tic-Tac-Toe 2-ply Answer



Computational Game Theory

- **Large games**

- Can theorize strategies, build AI systems to play
 - Using “Endgame databases”
- Can study endgames, smaller version of orig
 - Examples: Quick Chess, 9x9 Go, 6x6 Checkers, etc.
- Can put 18 years into a game [Schaeffer, Checkers]

- **Small-to-medium games**

- Can have computer strongly solve and...
 - Play against it and teach us strategy
 - Allow us to test our theories on the database, analysis
 - Analyze human-human game and tell us where we erred!
- Big goal: *Hunt Big Game* – those not solved yet
- I wrote GAMESMAN in 1988 (almost 20 yrs ago!), the basis of my GamesCrafters research group



GamesCrafters

- **Undergraduate Computational Game Theory Research Group**
- **250+ students since 2001**
 - We now average 20/semester!
 - They work in teams of 2+
- **Most return, take more senior roles (sub-group team leads)**
 - Maximization (bottom-up solve)
 - Oh, DeepaBlue (parallelization)
 - GUI (graphical interface work)
 - Retro (GUI refactoring)
 - Architecture (core)
 - New/ice Games (add / refactor)
 - Documentation (games & code)



GamesCrafters



- **Projects span CS areas**
 - AI : Writing "intelligent" players
 - DB: How do we store results?
 - HCI: Implementing interfaces
 - Graphics: Values visualizations
 - SE: Lots of SE juice here, it's big!
 - Defining & implementing APIs
 - Managing open source SW
 - OS: We have our own VM
 - Also eHarmony & net DB
 - PL: We're defining languages to describes games and GUIs
 - THY: Lots of combinatorics here: position & move hash functions

- **Perennial Cal Day favorite!**

- **"Research and Development can be fun?!"**

Lines of Code:

8K	Java
80K	Tcl/Tk
155K	C



Garcia, Fall 2009



Future

- Board games are **exponential** in nature
 - So has been the progress of the speed / capacity of computers!
 - Therefore, every few years, we only get to solve one more “ply”
- One by one, we’re going to solve them and/or beat humans
 - We’ll never solve some
 - E.g., hardest game : Go

17408965065903192790718
8238070564367946602724
950263541194828118706801
05167618464984116279288
98871493861209698881632
07806137549871813550931
2951480336966057289307
5468180597603

Go’s search space $\sim 3^{361}$

