

Sharing Multimedia on the Internet and the Impact for Online Privacy



Dr. Gerald Friedland
Senior Research Scientist
International Computer Science Institute
Berkeley, CA
friedland@icsi.berkeley.edu



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Question

On average, how often are you posting images and videos on the Internet (e.g. Facebook, Flickr, Craigslist) ?

- a) Never
- b) About once a month or less
- c) About once a week
- d) About once a day
- e) More than once a day



A Popular Introduction to the Problem



Question

How would you judge the issue raised by Colbert?

- a) It's a comedy. I don't worry about any of this.
- b) There is some truth to it but its mostly exaggarated.
- c) It's a comedy depection of the reality but most of the stuff is becoming an issue.
- d) He only touched a small part of the problem. The actual issues are even more serious.



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Our Observations

- Many Internet sites and mobile apps encourage sharing of data too easily and users follow.
- Users **and** even engineers often unaware of (hidden) search and retrieval possibilities of shared data.
- Local privacy protection ineffective against inference across web-sites.

Social Cause

- People want to post on the Internet and like a highly-personalized web experience.
- Industry is improving search and retrieval techniques so that people can find the posts.
- Governments improve search and retrieval to do forensics and intelligence gathering



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Let's focus

- The previous described issues are a problem with any type of public or semi-public posts and are not specific to a certain type of information, e.g. text, image, or video.
- However, let's focus on multimedia data: images, audio, video.

Multimedia in the Internet is Growing

- YouTube claims ~~65k~~ 100k video uploads per day, or ~~48h~~ 72h per minute.
- Flickr claims 1M images uploads per day
- Twitter: up to 120M messages per day


Resulting Problem

- More multimedia data = Higher demand for retrieval and organization tools.
- But multimedia retrieval is hard
 - ➔ Researchers work on making retrieval better.
 - ➔ Industry develops workarounds to make retrieval easier right away.

Hypothesis

- Retrieval is already good enough to cause major issues for privacy that are not easy to solve.
- Let's take a look at some retrieval approaches:
 - Geotagging
 - Multimodal Location Estimation
 - Audio-based user matching

Workaround: Manual Tagging



Workaround: Geotagging



Jan Joubert's_Gat_Bridge.jpg (2/3)

File Edit View Go Bookmarks Image Tools Help

Jan Joubert's_Gat_Bridge.jpg Properties

General Comment Photo Data (EXIF) Histogram


GPS Coordinates

GPSLatitudeRef	S
GPSLatitude	33.00, 56.00, 17.82
GPSLongitudeRef	E
GPSLongitude	19.00, 9.00, 39.85
GPSAltitudeRef	0x00
GPSAltitude	0.00
GPSVersionID	0x00, 0x00, 0x02, 0x02

Image Structure

← Previous → Next ✕ Close

Geo-Tagging



Allows easier clustering of photo and video series as well as additional services.

Support for Geo-Tags

Social media portals provide APIs to connect geo-tags with metadata, accounts, and web content.

Portal	%	Total
YouTube (estimate)	3.0	3M
Flickr	4.5	180M

Allows easy search, retrieval, and ad placement.



Related Work



PLEASE ROB ME 

Raising awareness about over-sharing

Check out our [quest blog post](#) on the CDT website.



“Be careful when using social location sharing services, such as FourSquare.”




Related Work


I Can Stalk U
Raising awareness about inadvertent information sharing

Home How Why About Us Contact Us

If you came from the Social Media White Noise Podcast, see [our response](#)

What are people *really* saying in their tweets?

 [albeeta](#): I am currently nearby 10456 Riverside Dr Los Angeles CA
less than a minute ago · [Map Location](#) · [View Tweet](#) · [View Picture](#) · [Reply to albeeta](#)

 [chrisbeanland](#): I am currently nearby <http://maps.google.com/?q=51.5385,-0.133>
less than a minute ago · [Map Location](#) · [View Tweet](#) · [View Picture](#) · [Reply to chrisbeanland](#)

Links

- Mayhemic Labs
- PaulDotCom
- SANS ISC
- Electronic Frontier Foundation
- Center for Democracy & Technology

[How did you find me?](#)

Mayhemic Labs, June 2010: “Are you aware that Tweets are geo-tagged?”



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Question

Did you know about geo-tagging and it's potential?

- a) I had never heard about geo-tagging before.
- b) I knew about geo-tagging but never thought about what it could be used for.
- c) I knew about geo-tagging and knew the potential for photo organization and retrieval
- d) I know about geo-tagging, it's use and the privacy risks.
- e) I only heard about privacy risks of geo-tagging but never really thought about what it is good for.



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Hypothesis

Since geo-tagging is a workaround for multimedia retrieval, it allows us to peek into a future where multimedia retrieval works.

What if multimedia retrieval actually worked?

Can you do real harm?

- **Cybercasing: Using online (location-based) data and services to enable real-world attacks.**
- **Three Case Studies:**



G. Friedland and R. Sommer: "Cybercasing the Joint: On the Privacy Implications of Geotagging", Proceedings of the Fifth USENIX Workshop on Hot Topics in Security (HotSec 10), Washington, D.C, August 2010. ¹⁹



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Case Study 1: Twitter

- Pictures in Tweets can be geo-located
- From a tweet by a user of high popularity we found:
 - Home location
 - Where they work
 - The place where he/she walks the dog
 - “Secret” office



Celebs unaware of Geo-Tagging

twitpic

[Click here to login or](#)



Working with the very talented Adam Hamilton on creating a new album. My best, Bill

Source: ABC News ²¹



Celebs unaware of Geotagging

EXIF IFD1

- Compression {0x0103} = JPEG compression (6)
- X-Resolution {0x011A} = 4718592/65536 ==> 72
- Y-Resolution {0x011B} = 4718592/65536 ==> 72
- X/Y-Resolution Unit {0x0128} = inch (2)
- Y/Cb/Cr Positioning (Subsampling) {0x0213} = centered / center of pixel array (1)
- Embedded thumbnail image:



EXIF GPS IFD

- GPS Version ID {0x00} = 0x02,0x02,0x00,0x00
- GPS Latitude Reference {0x01} = N
- GPS Latitude {0x02} = 34/1,12/1,3/1 [degrees, minutes, seconds] ==> 34° 12' 3" == 34.200833°
- GPS Longitude Reference {0x03} = W
- GPS Longitude {0x04} = [redacted] [degrees, minutes, seconds] ==> [redacted]' == [redacted]



Google Maps shows Address...

Google maps

34.200833,-

Search Maps


Show search options

[Get Directions](#) [My Maps](#)

[Print](#) [Send](#)



[Directions](#) [Search nearby](#) [Save to...](#) [more](#)



Case Study 2: Craigslist

“For Sale” section of Bay Area Craigslist.com:
 4 days: 68729 pictures total, 1.3% geo-tagged

#	<i>Model</i>	#	<i>Model</i>
414	iPhone 3G	6	Canon PowerShot SD780
287	iPhone 3GS	3	MB200
98	iPhone	2	LG LOTUS
32	Droid	2	HERO200
26	SGH-T929	2	BlackBerry 9530
20	Nexus One	1	RAPH800
9	SPH-M900	1	N96
9	RDC-i700	1	DMC-ZS7
6	T-Mobile G1	1	BlackBerry 9630



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE


People are Unaware of Geo-Tagging

- Many ads with geo-location otherwise anonymized
- Sometimes selling high-valued goods, e.g. cars, diamonds
- Sometimes “call Sunday after 6pm”
- Multiple photos allow interpolation of coordinates for higher accuracy



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Craigslist: Real Example



Case Study 3: YouTube


Recall:

- Once data is published, the Internet keeps it (in potentially many copies).
- APIs are easy to use and allow quick retrieval of large amounts of data

Can we find people on vacation in YouTube?

Cybercasing on YouTube

Experiment: Cybercasing using the YouTube API (240 lines in Python)





INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Cybercasing on YouTube

Input parameters

Location: 37.869885, -122.270539

Radius: 100km

Keywords: kids

Distance: 1000km

Time-frame: this_week

10100101
101CS101
10100101

Cybercasing on YouTube

INTI
COMF
I N :

First Day of [redacted] Vacation

[redacted] videos


Subscribe

On

In



The Threat is Real!



Bits

Business ■ Innovation ■ Technology ■ Society

September 12, 2010, 10:24 AM

Burglars Picked Houses Based on Facebook Updates

By [NICK BILTON](#)

News Feed Top News · Most Recent **63**

Share: Status Question Photo Link Video

Going to the beach for the weekend! (Someone else will be home though so think again Facebook Bandits!)

Share

Illustration by Nick Bilton/The New York Times



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Question

Do you think geo-tagging should be illegal?

- a) No, people just have to be more careful. The possibilities still outweigh the risks.
- b) Maybe it should be regulated somehow to make sure no harm can be done.
- c) Yes, absolutely this information is too dangerous.



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

But...

Is this really about geo-tags?
(remember: hypothesis)

Ongoing Work:

The Berkeley Multimodal Location Estimation Project



<http://mmle.icsi.berkeley.edu>

Multimodal Location Estimation

We infer location of a Video based on visual, audio, and tags:

- Use geo-tagged data as training data
- Allows faster search, inference, and intelligence gathering even without GPS.


G. Friedland, O. Vinyals, and T. Darrell: "Multimodal Location Estimation," pp. 1245-1251, ACM Multimedia, Florence, Italy, October 2010.



MediaEval Benchmarking Initiative for Multimedia Evaluation

The "multi" in multimedia: speech, audio, visual content, tags, users, context

ICSI/UCB Estimation System at Placing Task 2012 (Cumulative)



Distance between estimation and ground truth

J. Choi, G. Friedland, V. Ekambaram, K. Ramchandran: "Multimodal Location Estimation of Consumer Media: Dealing with Sparse Training Data," in Proceedings of IEEE ICME 2012, Melbourne, Australia, July 2012.

YouTube Cybercasing Revisited

	Old Experiment	No Geotags
Initial Videos	1000 (max)	107
User Hull	~50k	~2000
Potential Hits	106	112
Actual Targets	> 12	> 12

YouTube Cybercasing with Geo-Tags vs Multimodal Location Estimation



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Question

Do you think research about geo-location should be abandoned?

- a) No, of course not.
- b) No, but regulated.
- c) Yes, absolutely.



INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

But...

Is this really only about geo-location?

No, it's about the privacy implications of multimedia retrieval in general.




INTERNATIONAL
COMPUTER SCIENCE
INSTITUTE

Example

Idea: Can one link videos across accounts?
(e.g. YouTube linked to Facebook vs
anonymized dating site)

User ID on Flickr videos

User-ID, i-vector system, 6.4 million trials (3287 true positive trials), 1239 train users, 2784 test users, 60-16000 Hz MFCC





Persona Linking using Internet Videos

Result:

On average having 20 videos in the test set leads to a 99% chance for a true positive match!

H. Lei, J. Choi, A. Janin, and G. Friedland: “Persona Linking: Matching Uploaders of Videos Across Accounts”, at IEEE International Conference on Acoustic, Speech, and Signal Processing (ICASSP), Prague, May 2011

Question

And now? What do you think has to be done?

- a) Nothing can be done. Privacy is dead.
- b) We need to educate people about this and try to save privacy. (fight)
- c) I will really think before I post, and I agree with b).
- d) I will really think before I post, and I agree with a).
- e) I won't post anything anymore! (flee)



More examples and more discussion

<http://cybercasing.blogspot.com>

Thank You!

Questions?

Work together with:
Robin Sommer, Jaeyoung Choi, Luke
Gottlieb, Howard Lei, Adam Janin,
Oriol Vinyals, Trevor Darrel, Dan
Garcia, K. Ramchandran, E.
Venketsan, and others.