



UC Berkeley EECS
Lecturer SOE
Dan Garcia

CS10 The Beauty and Joy of Computing

Lecture #5 : Programming Paradigms

2011-02-02

EGYPT CUTS OFF NET, CHINA CENSORS SEARCH WEB

Times like these make us all appreciate the value of freedom... China has blocked searches for "Egypt", and has tried to frame the demonstrations as "a chaotic affair that embodies the pitfalls of trying to plant democracy in countries that are not quite ready for it". Xiao Qiang (prof here) is local expert...



www.nytimes.com/2011/02/01/world/asia/01beijing.html

Programming Paradigms Lecture

- What are they?
 - Most are Hybrids!
- The Four Primary ones
 - Functional
 - Imperative
 - Object-Oriented
 - OOP Example: Sकेthpad
 - Declarative
- Turing Completeness
- Summary



What are Programming Paradigms?

- “The concepts and abstractions used to represent the elements of a program (e.g., objects, functions, variables, constraints, etc.) and the steps that compose a computation (assignment, evaluation, continuations, data flows, etc.).”
- Or, a way to **classify the style** of programming.



Of 4 paradigms, how many can BYOB be?



- a) 1 (functional)
- b) 1 (not functional)
- c) 2
- d) 3
- e) 4



Most Languages Are Hybrids!

- This makes it hard to teach to students, because most languages have facets of several paradigms!
 - Called “Multi-paradigm” languages
 - Scratch too!
- It’s like giving someone a juice drink (with many fruit in it) and asking to taste just one fruit!



Functional Programming (review)

- Computation is the evaluation of **functions**

$$f(x) = (2+3) * \sqrt{x}$$


- Plugging pipes together
- Each pipe, or function, has exactly 1 output
- Functions can be input!

- Features**

- No state
 - E.g., variable assignments
- No mutation
 - E.g., changing variable values
- No side effects

- Examples (tho not pure)**

- Scheme, Scratch BYOB



Imperative Programming


- “Sequential” Programming
- Computation a series of steps
 - Assignment allowed
 - Setting variables
 - Mutation allowed
 - Changing variables
- Like following a recipe. E.g.,
- Procedure $f(x)$
 - $ans = x$
 - $ans = \sqrt{ans}$
 - $ans = (2+3) * ans$
 - $return\ ans$
- Examples: (tho not pure)
 - Pascal, C

$$f(x) = (2+3) * \sqrt{x}$$



Object-Oriented Programming (OOP)

- **Objects as data structures**
 - With methods you ask of them
 - These are the behaviors
 - With local state, to remember
 - These are the attributes
- **Classes & Instances**
 - Instance an example of class
 - E.g., Fluffy is instance of Dog
- **Inheritance saves code**
 - Hierarchical classes
 - E.g., pianist special case of musician, a special case of performer
- **Examples (tho not pure)**
 - Java, C++




www3.ntu.edu.sg/home/ehchua/programming/java/images/OOP-Objects.gif




OOP Example : SketchPad

- **Dr. Ivan Sutherland**
 - "Father of Computer Graphics"
 - 1988 Turing Award ("Nobel prize" for CS)
 - Wrote Sketchpad for his foundational 1963 thesis
- **The most impressive software ever written**
- **First...**
 - Object-oriented system
 - Graphical user interface
 - non-procedural language



Spent the past few years doing research @ Berkeley in EECS dept!



OOP in BYOB

```
new counter
script variables count
set count to 0
report
  the script
  change count by 1
  report count
```

```
set counter1 to new counter
set counter2 to new counter
say call counter1 for 2 secs
say call counter1 for 2 secs
say call counter1 for 2 secs
think call counter2 for 2 secs
think call counter2 for 2 secs
say call counter1 for 2 secs
```




```
run Dance of Girl
```



Declarative Programming

- Express what computation desired without specifying how it carries it out
 - Often a series of assertions and queries
 - Feels like magic!
- **Sub-categories**
 - Logic
 - Constraint
 - We saw in Sketchpad!
- **Example: Prolog**



Anders Hejlsberg
"The Future of C#" @ PDC2008
channel9.msdn.com/pdc2008/TL16/



Declarative Programming Example

- Five schoolgirls sat for an examination. Their parents – so they thought – showed an undue degree of interest in the result. They therefore agreed that, in writing home about the examination, **each girl should make one true statement and one untrue one**. The following are the relevant passages from their letters:
 - **Betty**
 - Kitty was 2nd
 - I was 3rd
 - **Ethel**
 - I was on top
 - Joan was 2nd
 - **Joan**
 - I was 3rd
 - Ethel was last
 - **Kitty**
 - I came out 2nd
 - Mary was only 4th
 - **Mary**
 - I was 4th
 - Betty was 1st



Of 4 paradigms, what's the most powerful?




- a) Functional
- b) Imperative
- c) OOP
- d) Declarative
- e) All equally powerful




Turing Completeness

- A Turing Machine has an infinite tape of 1s and 0s and instructions that say whether to move the tape left, right, read, or write it
 - Can simulate any computer algorithm!
- A Universal Turing Machine is one that can simulate a Turing machine on any input
- A language is considered Turing Complete if it can simulate a Universal Turing Machine
 - A way to decide that one programming language or paradigm is just as powerful as another



Turing Machine by Tom Dunne



Xkcd comic "Candy Button Paper"

Garcia, Spring 2011



Ways to Remember the Paradigms

■ Functional

- Evaluate an expression and use the resulting value for something

■ Object-oriented

- Send messages between objects to simulate the temporal evolution of a set of real world phenomena

■ Imperative

- First *do this* and next *do that*

■ Declarative

- Answer a question via search for a solution

www.cs.aau.dk/~normark/prog3-03/html/notes/paradigms_themes-paradigm-overview-section.html



Summary

- Each paradigm has its unique benefits
 - If a language is Turing complete, it is equally powerful
 - Paradigms vary in efficiency, scalability, overhead, fun, “how” vs “what” to specify, etc.
- Modern languages usually take the best from all
 - E.g., Scratch
 - Can be functional
 - Can be imperative
 - Can be object-oriented
 - Can be declarative

