


Today	
 Texture Mapping 2D 3D Procedural Bump and Displacement Maps Environment Maps Shadow Maps 	
	2


Surface Detail

• Representing all detail in an image with polygons would be cumbersome




Surface Detail • Representing all detail in an image with polygons would be cumbersome - Specific details - Structured noise - Pattern w/ - randomness Section through - Source - Details - Structured noise - Structure






• Assign coordinates to each vertex

- Within each triangle use linear interpolation
- Correct for distortion!



MIP Map

- Pre-compute filtered versions of the texture
- A given UV rate is some level of the texture
- Tri-linear filtering UV \times map level





Procedural Textures


- Generate texture based on some function
- Well suited for "random" textures
- Often modulate some noise function








Assigning Texture Coordinates

- Map a simple shape onto object by projection
- Sphere, cylinder, plane, cube
- Assign by hand
- Use some optimization procedure











Bump Mapping

- Add offset to normal
- Offset is in texture coordinates S,T,N
- Store normal offsets in RGB image components
- Should use correctly orthonormal coordinate system
- Normal offsets from gradient of a grayscale image


$$\mathbf{b}(u,v) = [s,t,n](u,v) = \nabla i(u,v)$$
$$\nabla = \left[\frac{\partial}{\partial u}, \frac{\partial}{\partial v}\right]^{\mathsf{T}}$$






Environment Maps • Environment maps allow crude reflections • Treat object as infinitesimal • Reflection only based on surface normal

• Errors hard to notice for non-flat objects





Environment Maps

- Sphere based parameterization
- Wide angle image or
- Photo of a silver ball






Images by Paul Haeberli

Environment Maps

- Used in 1985 in movie Interface
- Effect by group from the New York Institute of Technology






Environment Maps

- Used in 1985 in movie Interface
 - Effect by group from the New York Institute of Technology



Shadow Maps

- Pre-render scene from perspective of light source
- Only render Z-Buffer (the shadow buffer)
- Render scene from camera perspective
- Compare with shadow buffer
- If nearer light, if further shadow



Deep Shadow Maps

- Some objects only partially occlude light
- A single shadow value will not work
- Similar to transparency in Z-Buffer



From Lokovic and Veach SIGGRAPH 2000