

The Entity-Relationship Model

R & G - Chapter 2

A relationship, I think, is like a shark, you know? It has to constantly move forward or it dies. And I think what we got on our hands is a dead shark.

Woody Allen (from Annie Hall, 1979)



Databases Model the Real World

- “Data Model” allows us to translate real world things into structures computers can store
- Many models: Relational, E-R, O-O, Network, Hierarchical, etc.
- Relational
 - Rows & Columns
 - Keys & Foreign Keys to link Relations

Enrolled			Students				
sid	cid	grade	sid	name	login	age	gpa
53666	Carnatic101	C	53666	Jones	jones@cs	18	3.4
53666	Reggae203	B	53688	Smith	smith@eecs	18	3.2
53650	Topology112	A	53650	Smith	smith@math	19	3.8
53666	History105	B					


Steps in Database Design

- Requirements Analysis
 - user needs; what must database do?
- Conceptual Design
 - high level descr (often done w/ER model)
- Logical Design
 - translate ER into DBMS data model
- Schema Refinement
 - consistency, normalization
- Physical Design - indexes, disk layout
- Security Design - who accesses what, and how

Conceptual Design


- What are the *entities* and *relationships* in the enterprise?
- What information about these entities and relationships should we store in the database?
- What are the *integrity constraints* or *business rules* that hold?
- A database `schema' in the ER Model can be represented pictorially (*ER diagrams*).
- Can map an ER diagram into a relational schema.

ER Model Basics



- **Entity:** Real-world object, distinguishable from other objects. An entity is described using a set of *attributes*.
- **Entity Set:** A collection of similar entities. E.g., all employees.
 - All entities in an entity set have the same set of attributes. (Until we consider hierarchies, anyway!)
 - Each entity set has a *key* (underlined).
 - Each attribute has a *domain*.


ER Model Basics (Contd.)



- **Relationship:** Association among two or more entities. E.g., Attishoo works in Pharmacy department.
 - relationships can have their own attributes.
- **Relationship Set:** Collection of similar relationships.
 - An n -ary relationship set R relates n entity sets $E_1 \dots E_n$; each relationship in R involves entities $e_1 \in E_1, \dots, e_n \in E_n$



ER Model Basics (Cont.)




- Same entity set can participate in different relationship sets, or in different "roles" in the same set.




Key Constraints

An employee can work in **many** departments; a dept can have **many** employees.




In contrast, each dept has **at most one** manager, according to the **key constraint** on Manages.



Participation Constraints


- Does every employee work in a department?
- If so, this is a **participation constraint**
 - the participation of Employees in Works_In is said to be **total (vs. partial)**
 - What if every department has an employee working in it?
- Basically means "at least one"



Weak Entities

A **weak entity** can be identified uniquely only by considering the primary key of another (**owner**) entity.

- Owner entity set and weak entity set must participate in a one-to-many relationship set (one owner, many weak entities).
- Weak entity set must have total participation in this **identifying** relationship set.



Weak entities have only a "partial key" (dashed underline)




Binary vs. Ternary Relationships

If each policy is owned by just 1 employee:


Key constraint on Policies would mean policy can only cover 1 dependent!

- Think through **all** the constraints in the 2nd diagram!




Binary vs. Ternary Relationships (Contd.)

- Previous example illustrated a case when two binary relationships were better than one ternary relationship.
- An example in the other direction: a ternary relation **Contracts** relates entity sets **Parts**, **Departments** and **Suppliers**, and has descriptive attribute **qty**. No combination of binary relationships is an adequate substitute.




- ### Summary so far
- **Entities and Entity Set (boxes)**
 - **Relationships and Relationship sets (diamonds)**
 - binary
 - n-ary
 - **Key constraints (1-1,1-M, M-M, arrows on 1 side)**
 - **Participation constraints (bold for Total)**
 - **Weak entities - require strong entity for key**
 - **Next, a couple more “advanced” concepts...**



- ### Conceptual Design Using the ER Model
- **ER modeling can get tricky!**
 - **Design choices:**
 - Should a concept be modeled as an **entity** or an **attribute**?
 - Should a concept be modeled as an **entity** or a **relationship**?
 - Identifying relationships: **Binary** or **ternary**? **Aggregation**?
 - **Note constraints of the ER Model:**
 - A lot of data semantics can (and should) be captured.
 - But some constraints cannot be captured in ER diagrams.
 - We'll refine things in our logical (relational) design

- ### Entity vs. Attribute
- Should **address** be an attribute of **Employees** or an **entity** (related to **Employees**)?
 - **Depends** upon how we want to use address information, and the semantics of the data:
 - If we have **several addresses per employee**, **address** must be an entity (since attributes cannot be set-valued).
 - If the **structure** (city, street, etc.) is **important**, **address** must be modeled as an entity (since attribute values are atomic).



Entity vs. Relationship

OK as long as a manager gets a separate discretionary budget (*dbudget*) for each dept.

What if manager's *dbudget* covers *all* managed depts?
(can repeat value, but such redundancy is problematic)

Now you try it

Try this at home - Courses database:

- Courses, Students, Teachers
- Courses have ids, titles, credits, ...
- Courses have multiple sections that have time/rm and exactly one teacher
- Must track students' course schedules and transcripts including grades, semester taken, etc.
- Must track which classes a professor has taught
- Database should work over multiple semesters

These things get pretty hairy!

- Many E-R diagrams cover entire walls!
- A modest example:

A Cadastral E-R Diagram

cadastral: showing or recording property boundaries, subdivision lines, buildings, and related details

Source: US Dept. Interior Bureau of Land Management, Federal Geographic Data Committee Cadastral Subcommittee
<http://www.fairview-industries.com/standardmodule/cad-erd.htm>

Converting ER to Relational

- Fairly analogous structure
- But many simple concepts in ER are subtle to specify in relations

Logical DB Design: ER to Relational

- Entity sets to tables.

ssn	name	lot
123-22-3666	Attishoo	48
231-31-5368	Smiley	22
131-24-3650	Smethurst	35

```
CREATE TABLE Employees
(ssn CHAR(11),
name CHAR(20),
lot INTEGER,
PRIMARY KEY (ssn))
```

Relationship Sets to Tables



- In translating a **many-to-many** relationship set to a relation, attributes of the relation must include:
 - Keys for each participating entity set (as foreign keys). This set of attributes forms a **superkey** for the relation.
 - All descriptive attributes.

```
CREATE TABLE Works_In(
  ssn CHAR(11),
  did INTEGER,
  since DATE,
  PRIMARY KEY (ssn, did),
  FOREIGN KEY (ssn)
  REFERENCES Employees,
  FOREIGN KEY (did)
  REFERENCES Departments)
```

ssn	did	since
123-22-3666	51	1/1/91
123-22-3666	56	3/3/93
231-31-5368	51	2/2/92


Review: Key Constraints

- Each dept has at most one manager, according to the **key constraint on Manages**.



Translation to relational model?

Translating ER with Key Constraints



- Since each department has a unique manager, we could instead combine Manages and Departments.


```
CREATE TABLE Manages(
  ssn CHAR(11),
  did INTEGER,
  since DATE,
  PRIMARY KEY (did),
  FOREIGN KEY (ssn)
  REFERENCES Employees,
  FOREIGN KEY (did)
  REFERENCES Departments)
```

vs.

```
CREATE TABLE Dept_Mgr(
  did INTEGER,
  dname CHAR(20),
  budget REAL,
  ssn CHAR(11),
  since DATE,
  PRIMARY KEY (did),
  FOREIGN KEY (ssn)
  REFERENCES Employees)
```

Review: Participation Constraints

- Does every department have a manager?
 - If so, this is a **participation constraint**: the participation of Departments in Manages is said to be **total (vs. partial)**.
 - Every *did* value in Departments table must appear in a row of the Manages table (with a non-null *ssn* value!)




Participation Constraints in SQL

- We can capture participation constraints involving one entity set in a binary relationship, but little else (without resorting to CHECK constraints which we'll learn later).

```
CREATE TABLE Dept_Mgr(
  did INTEGER,
  dname CHAR(20),
  budget REAL,
  ssn CHAR(11) NOT NULL,
  since DATE,
  PRIMARY KEY (did),
  FOREIGN KEY (ssn) REFERENCES
  Employees,
  ON DELETE NO ACTION)
```

Review: Weak Entities

- A **weak entity** can be identified uniquely only by considering the primary key of another (**owner**) entity.
 - Owner entity set and weak entity set must participate in a one-to-many relationship set (1 owner, many weak entities).
 - Weak entity set must have total participation in this **identifying** relationship set.





Translating Weak Entity Sets

- **Weak entity set and identifying relationship set are translated into a single table.**
 - When the owner entity is deleted, all owned weak entities must also be deleted.

```
CREATE TABLE Dep_Policy (  
  pname CHAR(20),  
  age INTEGER,  
  cost REAL,  
  ssn CHAR(11) NOT NULL,  
  PRIMARY KEY (pname, ssn),  
  FOREIGN KEY (ssn) REFERENCES Employees,  
  ON DELETE CASCADE)
```



Summary of Conceptual Design

- *Conceptual design* follows *requirements analysis*,
 - Yields a high-level description of data to be stored
- ER model popular for conceptual design
 - Constructs are expressive, close to the way people think about their applications.
 - Note: There are many variations on ER model
 - Both graphically and conceptually
- Basic constructs: *entities*, *relationships*, and *attributes* (of entities and relationships).
- Some additional constructs: *weak entities*, *ISA hierarchies* (see text if you're curious), and *aggregation*.



Summary of ER (Cont.)

- Several kinds of integrity constraints:
 - *key constraints*
 - *participation constraints*
- Some *foreign key constraints* are also implicit in the definition of a relationship set.
- Many other constraints (notably, *functional dependencies*) cannot be expressed.
- Constraints play an important role in determining the best database design for an enterprise.



Summary of ER (Cont.)

- ER design is *subjective*. There are often many ways to model a given scenario!
- Analyzing alternatives can be tricky, especially for a large enterprise. Common choices include:
 - Entity vs. attribute, entity vs. relationship, binary or n-ary relationship, whether or not to use ISA hierarchies, aggregation.
- Ensuring good database design: resulting relational schema should be analyzed and refined further.
 - Functional Dependency information and normalization techniques are especially useful.