

## Storing Data: Disks and Files

### Lecture 3 (R&G Chapter 9)

"Yea, from the table of my memory  
I'll wipe away all trivial fond records."  
-- Shakespeare, *Hamlet*




## Review

- Aren't Databases Great?
- Relational model
- SQL



## Disks, Memory, and Files

The BIG picture...



## Disks and Files

- DBMS stores information on disks.
  - In an electronic world, disks are a mechanical anachronism!
- This has major implications for DBMS design!
  - **READ:** transfer data from disk to main memory (RAM).
  - **WRITE:** transfer data from RAM to disk.
  - Both are high-cost operations, relative to in-memory operations, so must be planned carefully!





## Why Not Store Everything in Main Memory?

- **Costs too much.** For ~\$1000, PC Connection will sell you either
  - ~7GB of RAM
  - ~30GB of flash
  - ~2.5 TB of disk
- **Main memory is volatile.** We want data to be saved between runs. (Obviously!)




## The Storage Hierarchy






### Disks

- Secondary storage device of choice.
- Main advantage over tapes: *random access* vs. *sequential*.
- Data is stored and retrieved in units called *disk blocks* or *pages*.
- Unlike RAM, time to retrieve a disk block varies depending upon location on disk.
  - Therefore, relative placement of blocks on disk has major impact on DBMS performance!



### Accessing a Disk Page

- Time to access (read/write) a disk block:
  - seek time* (moving arms to position disk head on track)
  - rotational delay* (waiting for block to rotate under head)
  - transfer time* (actually moving data to/from disk surface)
- Seek time and rotational delay dominate.
  - Seek time varies between about 0.3 and 10 msec
  - Rotational delay varies from 0 to 4 msec
  - Transfer rate around .08 msec per 8K block
- Key to lower I/O cost: *reduce seek/rotation delays!* Hardware vs. software solutions?




### Disk Space Management

- Lowest layer of DBMS software manages space on disk (*using OS file system or not?*).
- Higher levels call upon this layer to:
  - allocate/de-allocate a page
  - read/write a page
- Best if a request for a *sequence* of pages is satisfied by pages stored sequentially on disk!
  - Responsibility of disk space manager.
  - Higher levels don't know how this is done, or how free space is managed.
  - Though they may make performance assumptions!
    - Hence disk space manager should do a decent job.




## Context



## Buffer Management in a DBMS

Page Requests from Higher Levels



- Data must be in RAM for DBMS to operate on it!
- Buffer Mgr hides the fact that not all data is in RAM



## When a Page is Requested ...

- Buffer pool information table contains:  $\langle \text{frame\#}, \text{pageid}, \text{pin\_count}, \text{dirty} \rangle$
- If requested page is not in pool:
  - Choose a frame for replacement. *Only "un-pinned" pages are candidates!*
  - If frame is "dirty", write it to disk
  - Read requested page into chosen frame
  - Pin the page and return its address.
- If requests can be predicted (e.g., sequential scans) pages can be *pre-fetched* several pages at a time!



## More on Buffer Management

- Requestor of page must eventually unpin it, and indicate whether page has been modified:
  - *dirty* bit is used for this.
- Page in pool may be requested many times,
  - a *pin count* is used.
  - To pin a page, *pin\_count++*
  - A page is a candidate for replacement iff *pin count == 0* ("unpinned")
- CC & recovery may entail additional I/O when a frame is chosen for replacement.
  - *Write-Ahead Log* protocol; more later!



## Buffer Replacement Policy

- Frame is chosen for replacement by a *replacement policy*:
  - Least-recently-used (LRU), MRU, Clock, etc.
- Policy can have big impact on # of I/O's; depends on the *access pattern*.




## LRU Replacement Policy

- *Least Recently Used (LRU)*
  - for each page in buffer pool, keep track of time when last *unpinned*
  - replace the frame which has the oldest (earliest) time
  - very common policy: intuitive and simple
    - Works well for repeated accesses to popular pages
- Problems?
  - *Problem: Sequential flooding*
    - LRU + repeated sequential scans.
    - # buffer frames < # pages in file means each page request causes an I/O.
    - Idea: MRU better in this scenario? We'll see in HW1!



## "Clock" Replacement Policy

- An approximation of LRU
- Arrange frames into a cycle, store one *reference bit per frame*
  - Can think of this as the *2nd chance* bit
- When pin count reduces to 0, turn on ref. bit
- When replacement necessary
  - do for each page in cycle {
    - if (pincount == 0 && ref bit is on)
    - turn off ref bit;
    - else if (pincount == 0 && ref bit is off)
    - choose this page for replacement;
- } until a page is chosen;



Questions:  
How like LRU?  
Problems?




## DBMS vs. OS File System

OS does disk space & buffer mgmt: why not let OS manage these tasks?

- Some limitations, e.g., files can't span disks.
- Buffer management in DBMS requires ability to:
  - pin a page in buffer pool, force a page to disk & order writes (important for implementing CC & recovery)
  - adjust *replacement policy*, and *pre-fetch pages* based on access patterns in typical DB operations.



## Context



## Files of Records


- Blocks are the interface for I/O, but...
- Higher levels of DBMS operate on *records*, and *files of records*.
- **FILE:** A collection of pages, each containing a collection of records. Must support:
  - insert/delete/modify record
  - fetch a particular record (specified using *record id*)
  - scan all records (possibly with some conditions on the records to be retrieved)



- Simplest file structure contains records in no particular order.
- As file grows and shrinks, disk pages are allocated and de-allocated.
- To support record level operations, we must:
  - keep track of the *pages* in a file
  - keep track of *free space* on pages
  - keep track of the *records* on a page
- There are many alternatives for keeping track of this.
  - We'll consider 2




## Heap File Implemented as a List



- The header page id and Heap file name must be stored somewhere.
  - Database "catalog"
- Each page contains 2 'pointers' plus data.



## Heap File Using a Page Directory



- The entry for a page can include the number of free bytes on the page.
- The directory is a collection of pages; linked list implementation is just one alternative.  
– *Much smaller than linked list of all HF pages!*




## Indexes (a sneak preview)

- A Heap file allows us to retrieve records:
  - by specifying the *rid*, or
  - by scanning all records sequentially
- Sometimes, we want to retrieve records by specifying the *values in one or more fields*, e.g.,
  - Find all students in the "CS" department
  - Find all students with a gpa > 3
- Indexes are file structures that enable us to answer such *value-based queries* efficiently.



## Record Formats: Fixed Length




- Information about field types same for all records in a file; stored in *system catalogs*.
- Finding *i*'th field done via arithmetic.



## Record Formats: Variable Length


- Two alternative formats (# fields is fixed):



– Second offers direct access to *i*'th field, efficient storage of *nulls* (special *don't know* value); small directory overhead.




## Page Formats: Fixed Length Records



– *Record id = <page id, slot #>*. In first alternative, moving records for free space management changes rid; may not be acceptable.



## Page Formats: Variable Length Records



– Can move records on page without changing rid; so, attractive for fixed-length records too.



## System Catalogs

- For each relation:
  - name, file location, file structure (e.g., Heap file)
  - attribute name and type, for each attribute
  - index name, for each index
  - integrity constraints
- For each index:
  - structure (e.g., B+ tree) and search key fields
- For each view:
  - view name and definition
- Plus statistics, authorization, buffer pool size, etc.

*Catalogs are themselves stored as relations!*



## Attr\_Cat(attr\_name, rel\_name, type, position)

attr_name	rel_name	type	position
attr_name	Attribute_Cat	string	1
rel_name	Attribute_Cat	string	2
type	Attribute_Cat	string	3
position	Attribute_Cat	integer	4
sid	Students	string	1
name	Students	string	2
login	Students	string	3
age	Students	integer	4
gpa	Students	real	5
fid	Faculty	string	1
fname	Faculty	string	2
sal	Faculty	real	3



## pg\_attribute

Sort field	pg_catalog.pg_attribute					
attrid	attrelid	attname	atttypid	attstattarget	attnum	attnum
1247		typname	19	-1	64	1
1247		typnamespace	26	-1	4	2
1247		typowner	26	-1	4	3
1247		typolen	21	-1	2	4
1247		typbyval	16	-1	1	5
1247		typnotnull	16	-1	1	6
1247		typisdefined	16	-1	1	7
1247		typislocal	16	-1	1	8
1247		typisdist	26	-1	4	9
1247		typ�id	24	-1	4	10
1247		typ�len	24	-1	4	11
1247		typ�output	24	-1	4	12
1247		typ�private	24	-1	4	13
1247		typ�read	24	-1	4	14
1247		typ�analyze	24	-1	4	15
1247		typ�update	16	-1	1	16
1247		typ�storage	18	-1	1	17
1247		typ�null	16	-1	1	18
1247		typ�settype	26	-1	4	19
1247		typ�yield	23	-1	4	20
1247		typ�multimap	23	-1	4	21
1247		typ�defaultthin	25	-1	-1	22
1247		typ�default	25	-1	-1	23
1247		c oid	27	0	6	-1
1247		oid	26	0	4	-2
1247		name	29	0	4	-3
1247		cain	29	0	4	-4



## Summary

- Disks provide cheap, non-volatile storage.
  - Random access, but cost depends on location of page on disk; important to arrange data sequentially to minimize seek and rotation delays.
- Buffer manager brings pages into RAM.
  - Page stays in RAM until released by requestor.
  - Written to disk when frame chosen for replacement (which is sometime after requestor releases the page).
  - Choice of frame to replace based on *replacement policy*.
  - Tries to pre-fetch several pages at a time.



## Summary (Contd.)

- DBMS vs. OS File Support
  - DBMS needs features not found in many OS's, e.g., forcing a page to disk, controlling the order of page writes to disk, files spanning disks, ability to control pre-fetching and page replacement policy based on predictable access patterns, etc.
- Variable length record format with field offset directory offers support for direct access to i'th field and null values.
- Slotted page format supports variable length records and allows records to move on page.



## Summary (Contd.)

- File layer keeps track of pages in a file, and supports abstraction of a collection of records.
  - Pages with free space identified using linked list or directory structure (similar to how pages in file are kept track of).
- Indexes support efficient retrieval of records based on the values in some fields.
- Catalog relations store information about relations, indexes and views. (*Information that is common to all records in a given collection.*)