


CS 188: Artificial Intelligence

Reinforcement Learning II



Reinforcement Learning: Overview of this week

Last Lecture:

- **Passive Reinforcement Learning:** how to learn from already given experiences

This Lecture:

- **Active Reinforcement Learning:** how to collect new experiences
- **Approximate Reinforcement Learning:** to handle large state spaces
- **Case studies:** game playing, robot locomotion, language assistants

Reinforcement Learning

- We still assume an MDP:
 - A set of states $s \in S$
 - A set of actions (per state) A
 - A model $T(s,a,s')$
 - A reward function $R(s,a,s')$
- Still looking for a policy $\pi(s)$
- New twist: don't know T or R , so must try out actions
- Big idea: Compute all averages over T using sample outcomes



The Story So Far: MDPs and RL

Known MDP: Offline Solution

Goal

Compute V^* , Q^* , π^*

Evaluate a fixed policy π

Technique

Value / policy iteration

Policy evaluation

Unknown MDP: Model-Based

Goal

Compute V^* , Q^* , π^*

Evaluate a fixed policy π

Technique

VI/PI on approx. MDP

PE on approx. MDP

Unknown MDP: Model-Free

Goal

Compute V^* , Q^* , π^*

Evaluate a fixed policy π


Technique

Q-learning

Value Learning

Model-Free Learning

- Model-free (temporal difference) learning
 - Receive stream of experiences from the world:
 $(s, a, r, s', a', r', s'', a'', r'', s'''' \dots)$
 - Update estimates each transition (s, a, r, s')




Model-Free Learning

- Model-free (temporal difference) learning
 - Receive stream of experiences from the world:

(s, a, r, s')

- Update estimates each transition (s, a, r, s')




Model-Free Learning

- Model-free (temporal difference) learning
 - Receive stream of experiences from the world:

$$(s, a, r, s', a', r', s'')$$

- Update estimates each transition (s, a, r, s')




Model-Free Learning

- Model-free (temporal difference) learning
 - Receive stream of experiences from the world:


$(s, a, r, s', a', r', s'', a'', r'', s''')$

- Update estimates each transition (s, a, r, s')



Model-Free Learning

- Model-free (temporal difference) learning
 - Receive stream of experiences from the world:
 $(s, a, r, s', a', r', s'', a'', r'', s'''' \dots)$
 - Update estimates each transition (s, a, r, s')
 - Over time, updates will mimic Bellman updates



Q-Learning

- **Q-Iteration:** do Q-value updates to each Q-state:

- Initialize $Q_0(s,a) = 0$, then iterate:

$$Q_{k+1}(s, a) \leftarrow \sum_{s'} T(s, a, s') \left[R(s, a, s') + \gamma \max_{a'} Q_k(s', a') \right]$$

- But can't compute this update without knowing T, R

- **Q-Learning:** Instead, compute average as we go

- Receive a sample transition (s,a,r,s')
- This sample suggests:


$$Q(s, a) \approx r + \gamma \max_{a'} Q(s', a')$$

- But we want to average over results from (s,a)
- So keep a running average:

$$Q(s, a) \leftarrow (1 - \alpha)Q(s, a) + (\alpha) \left[r + \gamma \max_{a'} Q(s', a') \right]$$

Q-Learning Properties


- Amazing result: Q-learning converges to optimal policy -- even if you're acting suboptimally!
- Gives us optimal way to act! $\pi^*(s) = \operatorname{argmax}_a Q(s,a)$
- This is called **off-policy learning**
- Caveats:
 - You have to **explore** enough
 - You have to eventually make the learning rate small enough (but not decrease it too quickly)
 - Basically, in the limit, it doesn't matter how you select actions (!)



Video of Demo Q-Learning Auto Cliff Grid




Active Reinforcement Learning



Acting according to policy $\pi^*(s) = \underset{a}{\operatorname{argmax}} Q(s,a)$

Exploration vs. Exploitation



How to Explore?

- Several schemes for forcing exploration
 - Simplest: random actions (ϵ -greedy)
 - Every time step, flip a coin
 - With (small) probability ϵ , act randomly
 - With (large) probability $1-\epsilon$, act on current policy
 - Problems with random actions?
 - You do eventually explore the space, but keep thrashing around once learning is done
 - One solution: lower ϵ over time
 - Another solution: exploration functions



Video of Demo Q-learning – Epsilon-Greedy – Crawler



Exploration Functions

- When to explore?

- Random actions: explore a fixed amount
- Better idea: explore areas whose badness is not (yet) established, eventually stop exploring

- Exploration function

- Takes a value estimate u and a visit count n , and returns an optimistic utility, e.g. $f(u, n) = u + k/n$

Regular Q-Update: $Q(s, a) \leftarrow_{\alpha} R(s, a, s') + \gamma \max_{a'} Q(s', a')$

Modified Q-Update: $Q(s, a) \leftarrow_{\alpha} R(s, a, s') + \gamma \max_{a'} f(Q(s', a'), N(s', a'))$

$x \leftarrow_{\alpha} v$ is shorthand for $x \leftarrow (1 - \alpha)x + \alpha v$




Video of Demo Q-learning – Exploration Function – Crawler



Greedily Follow Exploration Function – 2D Point


Random Actions



Exploration Function




How Can we Evaluate Exploration Methods?



Regret


- Even if you learn the optimal policy, you still make mistakes along the way
- *Regret* is a measure of your total mistake cost:
 - Difference between all your (expected) rewards, including youthful suboptimality, and optimal (expected) rewards
- Minimizing regret goes beyond learning to be optimal – it requires optimally learning to be optimal
- **For example:** random exploration and exploration functions both end up optimal, but random exploration has higher regret



Are We Done?




- Large and complex state spaces are still a problem!

Approximate Q-Learning




Generalizing Across States

- Basic Q-Learning keeps a table of all q-values
- In realistic situations, we cannot possibly learn about every single state!
 - Too many states to visit them all in training
 - Too many states to hold the q-tables in memory
- Instead, we want to generalize:
 - Learn about some small number of training states from experience
 - Generalize that experience to new, similar situations
 - This is a fundamental idea in machine learning, and we'll see it over and over again




Recall Lecture 2: State Space Sizes

- World state:
 - Agent positions: 120
 - Food count: 30
 - Ghost positions: 12
 - Agent facing: NSEW
- How many
 - World states?
 $120 \times (2^{30}) \times (12^2) \times 4$
 - States for pathing?
120
 - States for eat-all-dots?
 $120 \times (2^{30})$




Example: Pacman


Let's say we discover through experience that this state is bad:



In naïve q-learning, we know nothing about this state:




Or even this one!




Example: Pacman

Let's say we discover through experience that this state is bad:



In naïve q-learning, we know nothing about this state:




Or even this one!



Feature-Based Representations

- Solution: describe a state using a vector of features (properties) f_1, f_2, \dots
 - Features are functions from states to real numbers (often 0/1) that capture important properties of the state
 - Example features:
 - Distance to closest ghost
 - Distance to closest dot
 - Number of ghosts
 - $1 / (\text{dist to dot})^2$
 - Is Pacman in a tunnel? (0/1)
 - etc.
 - Is it the exact state on this slide?
 - Can also describe a q-state (s, a) with features (e.g. action moves closer to food)




Linear Value Functions

- Using a feature representation f_1, f_2, \dots we can write a q function (or value function) for any state using a few weights w_1, w_2, \dots :

$$V(s) = w_1 f_1(s) + w_2 f_2(s) + \dots + w_n f_n(s)$$

$$Q(s, a) = w_1 f_1(s, a) + w_2 f_2(s, a) + \dots + w_n f_n(s, a)$$

- Advantage: our experience is summed up in a few powerful numbers w_1, w_2, \dots
- Disadvantage: states may share features but actually be very different in value!
 - Ex: these two states would have the same value if we don't include ghost positions as a feature:



Approximate Q-Learning

$$Q(s, a) = w_1 f_1(s, a) + w_2 f_2(s, a) + \dots + w_n f_n(s, a)$$

- Q-learning with linear Q-functions:

transition = (s, a, r, s')


difference = $\left[r + \gamma \max_{a'} Q(s', a') \right] - Q(s, a)$

$Q(s, a) \leftarrow Q(s, a) + \alpha [\text{difference}]$

$w_i \leftarrow w_i + \alpha [\text{difference}] f_i(s, a)$

Exact Q's

Approximate Q's



- Intuitive interpretation:


- Adjust weights of active features
- E.g., if something unexpectedly bad happens, blame the features that were on: disprefer all states with that state's features

- Formal justification: online least squares, gradient descent


Example: Q-Pacman

$$Q(s, a) = 4.0 f_{DOT}(s, a) - 1.0 f_{GST}(s, a)$$


s



$f_{DOT}(s, \text{NORTH}) = 0.5$
 $f_{GST}(s, \text{NORTH}) = 1.0$



s'




$Q(s', \cdot) = 0$

$$Q(s, \text{NORTH}) = +1$$

$$r + \gamma \max_{a'} Q(s', a') = -500 + 0$$

$$w_i \leftarrow w_i + \alpha [\text{difference}] f_i(s, a)$$

difference = -501



$$w_{DOT} \leftarrow 4.0 + \alpha [-501] 0.5$$

$$w_{GST} \leftarrow -1.0 + \alpha [-501] 1.0$$


$$Q(s, a) = 3.0 f_{DOT}(s, a) - 3.0 f_{GST}(s, a)$$

[Demo: approximate Q-learning pacman (L11D10)]

Video of Demo Approximate Q-Learning -- Pacman



Policy Search



Policy Search

- Problem: often the feature-based policies that work well (win games, maximize utilities) aren't the ones that approximate V / Q best
 - Q-learning's priority: get Q-values close (modeling)
 - Action selection priority: get ordering of Q-values right (prediction)
 - We'll see this distinction between modeling and prediction again later in the course
- Solution: learn policies π that maximize rewards, not the Q values that predict them
- Policy search: start with an ok solution (e.g. Q-learning) then fine-tune by hill climbing on feature weights

Policy Search


- Simplest policy search:
 - Start with an initial linear value function or Q-function
 - Nudge each feature weight up and down and see if your policy is better than before
- Problems:
 - How do we tell the policy got better?
 - Need to run many sample episodes!
 - If there are a lot of features, this can be impractical
- Better methods exploit lookahead structure, sample wisely, change multiple parameters...
 - *Policy Gradient, Proximal Policy Optimization (PPO)* are examples

Case Studies of Reinforcement Learning!

- Atari game playing
- Robot Locomotion
- Language assistants


Case Studies: Atari Game Playing

- MDP:
 - **State**: image of game screen
 - $256^{84 \times 84}$ possible states
 - Processed with hand-designed feature vectors or neural networks
 - **Action**: combination of arrow keys + button (18)
 - **Transition T**: game code (don't have access)
 - **Reward R**: game score (don't have access)
- Very similar to our pacman MDP
- Use approximate Q learning with neural networks and ϵ -greedy exploration to solve



[Human-level control through deep reinforcement learning, Mnih et al, 2015]

Case Studies: Robot Locomotion



[Extreme Parkour with Legged Robots, Cheng et al, 2023]

Case Studies: Robot Locomotion

- MDP:

- **State:** image of robot camera + N joint angles + accelerometer + ...
 - Angles are N-dimensional continuous vector!
 - Processed with hand-designed feature vectors or neural networks
- **Action:** N motor commands (continuous vector!)
 - Can't easily compute $\max_a Q(s', a)$ when a is continuous
 - Use policy search methods or adapt Q learning to continuous actions
- **Transition T:** real world (don't have access)
- **Reward R:** hand-designed rewards
 - Stay upright, keep forward velocity, etc




- Learning in the real world may be slow and unsafe

- Build a simulator and learn there first, then deploy in real world



Case Studies: Language Assistants



Case Studies: Language Assistants

- Step 1: train large language model to mimic human-written text
 - Query: "What is population of Berkeley?"
 - Human-like completion: "This question always fascinated me!"
- Step 2: fine-tune model to generate **helpful** text
 - Query: "What is population of Berkeley?"
 - Helpful completion: "It is 117,145 as of 2021 census"
- Use Reinforcement Learning in Step 2

Case Studies: Language Assistants

- **MDP:**
 - **State:** sequence of words seen so far (ex. "What is population of Berkeley? ")
 - $100,000^{1,000}$ possible states
 - Huge, but can be processed with feature vectors or neural networks
 - **Action:** next word (ex. "It", "chair", "purple", ...) (so 100,000 actions)
 - Hard to compute $\max_a Q(s', a)$ when \max is over 100K actions!
 - **Transition T:** easy, just append action word to state words
 - s: "My name" a: "is" s': "My name is"
 - **Reward R: ???**
 - Humans rate model completions (ex. "What is population of Berkeley? ")
 - "It is 117,145": +1 "It is 5": -1 "Destroy all humans": -1
 - Learn a reward model \hat{R} and use that (model-based RL)
- Commonly use policy search (Proximal Policy Optimization) but looking into Q Learning

Conclusion

- We're done with Part I: Search and Planning!
- We've seen how AI methods can solve problems in:
 - Search
 - Constraint Satisfaction Problems
 - Games
 - Markov Decision Problems
 - Reinforcement Learning
- Next up: Part II: Uncertainty and Learning!

