

*The design of efficient storage hierarchies generally involves the repeated running of "typical" program address traces through a simulated storage system while various hierarchy design parameters are adjusted.*

*This paper describes a new and efficient method of determining, in one pass of an address trace, performance measures for a large class of demand-paged, multilevel storage systems utilizing a variety of mapping schemes and replacement algorithms.*

*The technique depends on an algorithm classification, called "stack algorithms," examples of which are "least frequently used," "least recently used," "optimal," and "random replacement" algorithms. The techniques yield the exact access frequency to each storage device, which can be used to estimate the overall performance of actual storage hierarchies.*

## Evaluation techniques for storage hierarchies

by R. L. Mattson, J. Gecsei, D. R. Slutz, and I. L. Traiger

Increasing speed and size demands on computer systems have resulted in corresponding demands on storage systems. Since it has been generally recognized that the speed and capacity requirements of storage systems cannot be fulfilled at an acceptable cost-performance level within any single technology, storage hierarchies that use a variety of technologies have been investigated.

Several previous papers describe the general concepts of hierarchy design<sup>1-3</sup> and evaluation,<sup>4-6</sup> whereas others deal with specific hierarchy systems, such as the core-drum combination on the ICT Atlas computer<sup>7-9</sup> and the cache-core combination on the IBM System/360, Model 85.<sup>10,11</sup>

This paper introduces an efficient technique called "stack processing" that can be used in the cost-performance evaluation of a large class of storage hierarchies. The technique depends on a classification of page replacement algorithms as "stack algorithms" for which various properties are derived. These properties may be of use in the general areas of program modeling and system analysis, as well as in the evaluation of storage hierarchies. For a better understanding of storage hierarchies, we briefly review some basic concepts of their design.

The purpose of a storage hierarchy is to associate the information of the remainder of the system with instruction associated with a single device, then to the physical address system with the same of storage devices relatively inexpensive logical address space (or unequal-size segments) being moved between

A hierarchy manager manages the movement of pages and instructions between the logical and physical address spaces of the hierarchy. When a page is requested, the hierarchy management directs the corresponding page to a fast storage device. These actions are "transparent" to the user system (except for timing) and are indistinguishable from

The goal of the hierarchy is to minimize the number of times logical addresses are being referenced. As the hierarchy is directed to the fast, small storage space is distributed across the hierarchy system then acquires the information while maintaining the least expensive stores. The primary justification for

Clearly, many factors influence the design of a hierarchy. On the performance and characteristics of the hierarchy, the hierarchy management references. On the cost to find and move logical addresses as the cost-per-bit and access time factors, it is quite difficult

The typical approach to hierarchy design has been to simulate at various levels of detail a large number of rela

hierarchy  
concepts

The purpose of a storage system is to hold information and to associate the information with a logical address space known to the remainder of the computer system. For example, the Central Processing Unit (CPU) may present a logical address to the storage system with instructions to either retrieve or modify the information associated with that address. If the storage system consists of a single device, then the logical address space corresponds directly to the physical address space of the device. Alternatively, a storage system with the same address space can be realized by a hierarchy of storage devices ranging from fast but expensive to slower but relatively inexpensive devices. In such storage hierarchies, the logical address space is often partitioned into equal-size pages (or unequal-size segments) that represent the blocks of information being moved between devices in the hierarchy.


A hierarchy management facility is included to control the movement of pages and to effect the (generally dynamic) association between the logical address space and the physical address space of the hierarchy. When the CPU references a logical address, the hierarchy management facility first determines the physical location of the corresponding logical page and may then move the page to a fast storage device where the reference is effected. Since these actions are "transparent" to the remainder of the computer system (except for timing), the logical operation of the hierarchy is indistinguishable from that of a single-device system.

The goal of the hierarchy management facility is to maximize the number of times logical information is in the faster devices when being referenced. As this goal is approached, most references are directed to the fast, small stores whereas most of the logical address space is distributed over the slower, large stores. The storage system then acquires the approximate speed of the fast stores while maintaining the approximate cost-per-bit of the slower and less expensive stores. This increase in cost-performance is the primary justification for storage hierarchies.

Clearly, many factors can affect the cost-performance of a storage hierarchy. On the performance side, one must consider the capacity and characteristics of each storage device, the physical structure of the hierarchy, the way in which information is moved by the hierarchy management facility, and the expected pattern of storage references. On the cost side, the hardware and/or software required to find and move logical information must be considered, as well as the cost-per-bit and capacity of each device. Because of these factors, it is quite difficult to design an "optimal" hierarchy.

The typical approach to hierarchy evaluation employed by computer designers has been to simulate as many hierarchy systems as possible, at various levels of detail.<sup>9-12</sup> During the first stages of design, a large number of relatively simple simulations may be run with

Figure 1 Linear storage hierarchy



objectives  
of the  
paper

basic  
model  
concepts

fixed, standard address traces. These traces are assumed to be "typical" sequences of storage references obtained from existing computer systems, and they are used to approximate the reference behavior of future systems. The purpose of these simulations is to measure such statistics as data flow and frequency of access to each device in order to estimate the overall performance of an actual system. The resulting performance estimates can then be used to narrow the field of possible designs, which then receive more detailed examination.

Alternatively, one may try to develop analytical techniques that avoid point-by-point simulation but still yield accurate statistics for data flow and access frequencies. Several papers deal with such techniques for hierarchy evaluation.<sup>4-6</sup> In general, the approach here is to run a relatively small number of simulations and extrapolate the measured statistics to a larger class of hierarchies. The difficulty with this approach is the need for various assumptions about the statistical properties of address traces and data flows required to formulate the analytical equations. Moreover, it is difficult to include a quantitative dependence on such factors as data path structure, page replacement algorithm,<sup>13</sup> and address mapping scheme,<sup>3</sup> so that many simulations may still be necessary.

This paper presents a technique that can be used to circumvent much of the simulation effort required in hierarchy evaluation. Specifically, we present an efficient procedure that determines, for a given address trace, the exact frequency of access to each level of a hierarchy as a function of page size, replacement algorithm, number of levels, and capacity at each level. In the following, we consider a class of multilevel, demand-paging hierarchies<sup>14</sup> with the same replacement algorithm at every level. The procedures developed here are applicable to a large class of well-known replacement algorithms having certain inclusion properties defined later. These algorithms—which we call stack algorithms—include "least frequently used," "least recently used," "optimal," and a "random" replacement algorithm.

### The system model

An  $H$ -level paged storage hierarchy consists of a collection of storage devices  $M_1, M_2, \dots, M_H$ , a network of data paths connecting the devices, and a hierarchy management facility. Each device is partitioned into physical blocks called *page frames*. For convenience, the highest-level store  $M_1$  is called the *local store* and the lowest-level store  $M_H$  is the *backing store* as shown in Figure 1. The hierarchy management facility controls page movement between the devices and associates each logical page with a physical page frame. Special storage and processing hardware may be required, but they are not included in our model.

References to the hierarchy are called the *general* in which they are used. They may represent the address reference where each address set of  $2^n$  possible logical addresses represent the number of low-order  $n$  bits of the address with the hierarchy is accurate. We can analyze the hierarchy by considering a set of  $x_i^k$  where each  $x_i^k$  is a page. When we consider and denote page

A reference from local store  $M_1$ . device  $M_i$ , i.e. must bring that a path for bringing staging through for bringing a page to the replacement hardware. In this paper we consider the one in which the on direct ones from  $H - 1$ . The replacement algorithm. Note the hierarchy.

The capacity of frames, and all. At any time, each level of the hierarchy at each hierarchical level, it may occupy in as:

- *Unconstrained* storage device
- *Fully constrained* frame.
- *Partially constrained*

In a later section that generates a

References to the storage hierarchy are presented by a single device called the *generator*, and they are sequentially serviced in the order in which they are presented. References from the generator may represent the requests of several devices, such as the CPU and the channel, in an actual system. The time sequence of logical-address references  $X = x_1, x_2, \dots, x_L$  is called an *address trace*, where each address consists of  $n$  bits as shown in Figure 2. The set of  $2^n$  possible addresses is partitioned into  $2^k$  pages of  $2^{n-k}$  logical addresses each. The high-order  $k$  bits of each address represent the number of the page containing the address, and the low-order  $n - k$  bits represent the location or displacement of the address within the page. Since information movement on the hierarchy is accomplished by transferring pages between levels, we can analyze space allocation and data movement for a trace  $X$  by considering a corresponding *page trace*  $X^k = x_1^k, x_2^k, \dots, x_L^k$ —where each  $x_i^k$  is the number of the page containing address  $x_i$ . When we consider a given fixed page size, we omit the superscript  $k$ , and denote pages by  $x_i$ .


A reference from the generator can be serviced only from the local store  $M_i$ . Thus if the desired page resides in a lower level device  $M_i$ , i.e. where  $i > 1$ , the hierarchy management facility must bring that page up to  $M_1$  for servicing. The hierarchy provides a path for bringing pages up to  $M_1$ , which may or may not require staging through intermediate levels. Any temporary storage required for bringing a page up to  $M_1$  is included in the hierarchy management hardware, and is therefore not represented in our model. In this paper we restrict our attention to *linear storage hierarchies* in which the only paths for moving pages down the hierarchy are direct ones from each level  $M_i$  to level  $M_{i+1}$ , where  $i = 1, 2, \dots, H - 1$ . The reasons for this restriction are discussed later in this paper. Note that the four-level hierarchy in Figure 1 is a linear hierarchy.

The capacity of the backing store is assumed to be at least  $2^k$  page frames, and all logical pages initially reside in the backing store. At any time, each logical page resides in exactly one page frame of the hierarchy. A *mapping function* is associated with each hierarchical level, and specifies for each logical page the page frames it may occupy in that level. The mapping function is further defined as:

- *Unconstrained* if any page can occupy any page frame of the storage device.
- *Fully constrained* if each page can occupy only a single page frame.
- *Partially constrained* in all other cases.

In a later section, we define a technique called "congruence mapping" that generates a whole spectrum of mapping functions.

Figure 2 Logical address




ned to be  
n existing  
reference  
tions is to  
access to  
nce of an  
n then be  
en receive

ques that  
statistics  
with such  
approach  
and ex-  
erarchies.  
umptions  
ata flows  
ver, it is  
actors as  
l address  
necessary.

rcumvent  
aluation.  
ines, for  
ach level  
lgorithm,  
wing, we  
es<sup>14</sup> with  
cedures  
nown re-  
s defined  
—include  
," and a

ection of  
uths con-  
ty. Each  
nes. For  
cal store  
hown in  
ge move-  
age with  
hardware

Figure 3 Two-level hierarchy



For simplicity in developing techniques for analyzing storage hierarchies, we first consider a two-level, demand-paged hierarchy with unconstrained mapping. Later, our results are extended to certain classes of multilevel linear hierarchies employing the three types of mapping functions. The local store or buffer has a capacity of  $C$  pages, and is directly connected to the backing store as shown in Figure 3. At time  $t$ , the generator presents a request for page  $x_t$  to the hierarchy. Under *demand paging*, if  $x_t$  is in the buffer, the reference proceeds and no page movement occurs. Otherwise,  $x_t$  is brought to the buffer from the backing store. If the buffer is already full,  $x_t$  replaces some page  $y_t$  in the buffer. The selection of the particular page  $y_t$  is performed by the *buffer replacement algorithm*. This operation is a key element of storage management.

In the two-level hierarchy shown in Figure 3, a reference to a page residing either at level  $M_1$  or at  $M_2$  is called an access to that level.

For a given hierarchy and page trace, we define the *access frequencies*  $F_1$  and  $F_2$  where  $F_i$  is the relative number of accesses to level  $M_i$  during the processing of the trace. Thus, if  $N_1$  accesses are made to level  $M_1$ , and  $N_2 = L - N_1$  accesses are made to level  $M_2$ , we obtain  $F_1 = N_1/L$  and  $F_2 = N_2/L$ .

Some important measures of storage hierarchy performance can be obtained from these access frequencies. For example, one can combine access frequencies with a set of effective access times  $\{T_i\}$  to obtain an effective (or average) hierarchy access time

$$\bar{T} = F_1 T_1 + F_2 T_2$$

In general, access times depend on the access paths, device access times, and characteristics of the hierarchy management facility. The access frequencies depend only on the page trace, capacity of the buffer, and replacement algorithm.

For a two-level hierarchy, accesses to the buffer are called *successes*; the relative frequency of successes as a function of capacity is given by the *success function*  $F(C)$ . For a given capacity  $C$ , page trace  $X = x_1, x_2, \dots, x_L$ , replacement algorithm, and arbitrary time  $t$  (where  $1 \leq t \leq L$ ), the set of pages in the buffer just after the completed reference to  $x_t$  is denoted by  $B_t(C)$ . The initial buffer contents is represented by  $B_0(C)$ . By convention

$$B_0(C) = \phi$$

for all  $C$  where  $\phi$  is the empty set. The set of distinct pages referenced in  $x_1, x_2, \dots, x_t$  is denoted by  $\Gamma_t$ , and the number of pages in  $\Gamma_t$  is denoted by

$$\gamma_t = |\Gamma_t|$$

Demand paging in the following requires the union of disjoint sets

1. If  $x_t \in B_{t-1}(C)$
2. If  $x_t \notin B_{t-1}(C)$   
 $B_t(C) = B_{t-1}(C) \cup \{x_t\}$
3. If  $x_t \in B_{t-1}(C)$   
 $B_t(C) = B_{t-1}(C)$

where  $y_t \in B_{t-1}(C)$ . Under demand paging by 1 and 2, while  $t$  sequentially, referenced

### Least recently used

We now consider a "least recently used" (LRU) replacement algorithm. It can be obtained by maintaining a stack of pages, and on this stack for every reference, the distances are used to replace the page at the bottom of the LRU stack. For LRU replacement, the page at the bottom of the stack is the least recently used page.

Under LRU, the page that has not been referenced for the longest time is replaced (used page). One way to simulate LRU is to maintain a stack of capacity  $C$ . Such a simulation procedure is as follows: at time  $t$ , and counts the number of times each page is found in the buffer. The page with the highest count is found in the buffer. The simulation procedure is as follows: for  $C = 1, 2, 3, 4$ . Page successes are marked.

A greatly simplified simulation procedure under LRU replacement is as follows: of that replacement algorithm, for a given capacity  $C$ , the buffer fills up with the pages referenced. At time  $\tau$ , the buffer is full. Through time  $\tau$ , the buffer is full. When  $t > \tau$ , this page is replaced.

Demand paging in the two-level hierarchy is formally defined by the following requirements, wherein the operator "+" denotes the union of disjoint sets:

1. If  $x_i \in B_{i-1}(C)$  then  $B_i(C) = B_{i-1}(C)$
2. If  $x_i \notin B_{i-1}(C)$  and  $|B_{i-1}(C)| < C$  then  

$$B_i(C) = B_{i-1}(C) + \{x_i\}$$
3. If  $x_i \notin B_{i-1}(C)$  and  $|B_{i-1}(C)| = C$  then  

$$B_i(C) = B_{i-1}(C) - \{y_i\} + \{x_i\}$$

where  $y_i \in B_{i-1}(C)$  is determined by the replacement algorithm. Under demand paging, a buffer of capacity  $C$  simply fills as required by 1 and 2, while the first  $C$  distinct pages are referenced. Subsequently, referenced pages are swapped in, as required by 1 and 3.

### Least recently used replacement

We now consider a particular replacement algorithm called "least recently used" (LRU), and show that the entire success function can be obtained by stack processing in a single pass of the address trace. Briefly, the single-pass technique requires the maintaining of a list of pages, called an LRU stack, and measuring a distance on this stack for every page reference. Frequencies of these stack distances are used to calculate the success function. The existence of the LRU stack follows from an inclusion property satisfied by LRU replacement, whereas the use of distance frequencies hinges on the related concept of critical capacity.

Under LRU, the page selected for replacement is the one that has not been referenced for the longest time (i.e., the least recently used page). One way to obtain the success function for a given trace is to simulate the two-level hierarchy system for each buffer capacity. Such a simulation determines the buffer contents at every time  $t$ , and counts the number of times the current reference  $x_i$  is found in the buffer. In Figure 4, we show an example of this simulation procedure for a given page trace and buffer capacities  $C = 1, 2, 3, 4$ . Pages are denoted by lower-case letters, and page successes are marked by asterisks.

A greatly simplified method for obtaining the success function under LRU replacement can be derived from certain properties of that replacement algorithm. For any page trace and buffer capacity  $C$ , the buffer is initially empty, and in say  $\tau$  time units, it fills up with the first  $C$  distinct pages referenced by the trace. At time  $\tau$ , the buffer contains the  $C$  pages most recently referenced through time  $\tau$ . When a new page is referenced at a later time ( $t > \tau$ ), this page replaces the least recently used page in the buffer.

success  
function

Figure 4 Determining success function by buffer simulation

| TIME             | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|---|---|---|---|---|---|---|---|---|----|
| PAGE TRACE       | a | b | b | c | b | a | d | c | a | a  |
| SIMULATIONS      |   |   |   |   |   |   |   |   |   |    |
| C=1<br>F(1)=0.20 | a | b | b | c | b | a | d | c | a | a  |
| C=2<br>F(2)=0.30 | a | a | a | c | c | a | a | c | c | c  |
| C=3<br>F(3)=0.50 | a | a | a | a | a | a | a | a | a | a  |
| C=4<br>F(4)=0.60 | a | a | a | a | a | a | a | a | a | a  |

Thus at time  $t$ , the buffer still contains the  $C$  most recently referenced pages. It is easy to see that under LRU the buffer contains the  $C$  most recently referenced pages for all subsequent times, and that this property holds for all page traces and buffer capacities. One can generate the buffer contents  $B_i(C)$  for any time  $t$  on a trace and any capacity by scanning backward from point  $t$  and collecting the first  $C$  distinct pages encountered.

Since the set of  $C$  most recently referenced pages is always contained in the set of  $C + 1$  most recently referenced pages, the buffer contents  $B_i(C)$  at any time must be a subset of  $B_i(C + 1)$ . In fact,  $B_i(C)$  is a proper subset of  $B_i(C + 1)$  if at least  $C + 1$  distinct pages have been referenced through time  $t$ . More formally, under LRU replacement, the buffer contents for any page trace  $X = x_1, x_2, \dots, x_L$  and any time  $t$  (where  $1 \leq t \leq L$ ) satisfy the following inclusion property:

$$B_i(1) \subset B_i(2) \subset \dots \subset B_i(\gamma_i) = B_i(\gamma_i + 1) = \dots \quad (1)$$

where

$$|B_i(C)| = C \quad \text{for } 1 \leq C \leq \gamma_i$$

and

$$|B_i(C)| = \gamma_i$$

The inclusion  $t = 5$ , for ex

$$B_i(1) = \{b\}$$

$$B_i(2) = \{c, b\}$$

$$B_i(3) = \{a, b\}$$

and

$$B_i(4) = \{a, b\}$$

Because of tl  
and for all c  
and useful w  
 $s_i(2), \dots, s_i(\gamma_i)$

$$s_i(i) = B_i(i)$$

Hence

$$B_i(C) = \begin{cases} \{s_i\} \\ \{s_i\} \end{cases}$$

The list  $S_i$  is  
entry and  $s_i(\gamma_i)$   
for  $t = 5$  in F

$$S_5 = [b, c, a]$$

The stack  $S_0$   
null stack, th  
LRU stacks c

Besides repres  
stack can be  
 $F(C)$ . Let us  
referenced and  
 $1 \leq C \leq \gamma_i$

$$x_i \in B_{i-1}(C)$$

We call  $C_i$  th  
given in Equa  
not been prev  
contained in a

From the defi  
that  $C_i$  is sim

and

$$|B_i(C)| = \gamma_i \quad \text{for } C \geq \gamma_i$$

The inclusion property can be observed in Figure 4 where at time  $t = 5$ , for example

$$B_i(1) = \{b\}$$

$$B_i(2) = \{c, b\}$$

$$B_i(3) = \{a, b, c\}$$

and

$$B_i(4) = \{a, b, c\}$$

Because of the inclusion property, the buffer contents at any time and for all capacities can be represented in the following compact and useful way. We order the set of pages  $\Gamma_i$  into a list  $S_i = s_i(1), s_i(2), \dots, s_i(\gamma_i)$ , where

$$s_i(i) = B_i(i) - B_i(i-1) \quad \text{for } i = 1, 2, \dots, \gamma_i \quad (2)$$

Hence

$$B_i(C) = \begin{cases} \{s_i(1), s_i(2), \dots, s_i(C)\} & \text{for } C \leq \gamma_i \\ \{s_i(1), s_i(2), \dots, s_i(\gamma_i)\} & \text{for } C \geq \gamma_i \end{cases} \quad (3)$$

The list  $S_i$  is referred to as the *LRU stack*, with  $s_i(1)$  as the top entry and  $s_i(\gamma_i)$  as the bottom entry. As an example, the LRU stack for  $t = 5$  in Figure 4 is

$$S_5 = [b, c, a]$$

The stack  $S_i$  at time  $t = 0$  has no entries and is therefore called a null stack, that is, one with no entries. The entire sequence of LRU stacks corresponding to Figure 4 is included in Figure 5.

Besides representing the buffer contents for all capacities, the LRU stack can be used to efficiently determine the success function  $F(C)$ . Let us suppose that at time  $t$ , page  $x_t$  has been previously referenced and thus is a member of at least one set  $B_{t-1}(C)$ , where  $1 \leq C \leq \gamma_{t-1}$ . Let  $C_t$  denote the least buffer capacity such that  $x_t \in B_{t-1}(C)$

We call  $C_t$  the *critical capacity* since, from the inclusion property given in Equation 1,  $x_t \in B_{t-1}(C)$  if and only if  $C \geq C_t$ . If  $x_t$  has not been previously referenced, we set  $C_t = \infty$  because  $x_t$  is not contained in a buffer of any finite capacity.

From the definition of LRU stacks in Equation 2, it may be seen that  $C_t$  is simply the position of page  $x_t$  in the stack  $S_{t-1}$ , so that

referenced  
is the  $C$   
and that  
ies. One  
a trace  
collecting

contained  
the buffer  
In fact,  
distinct  
y, under  
ce  $X =$   
the fol-


(1)



Figure 5 Sequence of LRU stacks

| TIME                          | 1        | 2        | 3           | 4           | 5           | 6           | 7           | 8           | 9           | 10          |
|-------------------------------|----------|----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PAGE TRACE                    | a        | b        | b           | c           | b           | a           | d           | c           | a           | a           |
| LRU STACK                     | a        | b<br>a   | b<br>a<br>a | c<br>b<br>a | b<br>c<br>a | a<br>b<br>c | d<br>a<br>b | c<br>d<br>a | a<br>c<br>b | a<br>c<br>b |
| STACK DISTANCE                | $\infty$ | $\infty$ | 1           | $\infty$    | 2           | 3           | $\infty$    | 4           | 3           | 1           |
| DISTANCE COUNTERS $n(\Delta)$ |          |          |             |             |             |             |             |             |             |             |
| 1                             | 0        | 0        | 1           | 1           | 1           | 1           | 1           | 1           | 1           | (2)         |
| 2                             | 0        | 0        | 0           | 0           | 1           | 1           | 1           | 1           | 1           | (1)         |
| 3                             | 0        | 0        | 0           | 0           | 0           | 1           | 1           | 1           | 2           | (2)         |
| 4                             | 0        | 0        | 0           | 0           | 0           | 0           | 0           | 1           | 1           | (1)         |
| $\infty$                      | 1        | 2        | 2           | 3           | 3           | 3           | 4           | 4           | 4           | (4)         |

Figure 6 Obtaining success function from distance frequencies



$$x_t = s_{t-1}(C_t)$$

We call this page position the *stack distance*  $\Delta_t$ , since  $\Delta_t$  is essentially the "distance" from the top of the stack to

$$x_t = s_{t-1}(\Delta_t)$$

(Note that here  $\Delta_t = C_t$ . When constrained mapping functions are considered, the stack distance may not always equal the critical capacity.) If  $x_t$  has not been previously referenced, then  $\Delta_t$  is set to infinity. The sequence of stack distances for our example is included in Figure 5.

The significance of stack distances is that they lead directly to the success function. To see this, let  $n(\Delta)$  be the number of times the stack distance  $\Delta$  is observed in processing a trace. Since the stack distance equals the critical capacity, the number of times that the referenced page is found in the buffer is

$$N(C) = \sum_{\Delta=1}^C n(\Delta) \quad (4)$$

and the success function is given by the expression

$$F(C) = N(C)/L \quad (5)$$

In practice, the set  $\{n(\Delta)\}$  can be determined from a set of distance counters, as shown in Figure 5. All counters are set initially to zero, and the counter for each distance  $\Delta$  is incremented whenever

that distance  $2^k + 1$  count the conclusion: counters are 4 and 5.

We now calculate example. For counter value: is shown in Figure 6B. On Figure 6B agree

To find the average  $C$ , we take  $F_1$  pages,  $F_1 = F(0.50)$ , and the  $0.50T_2$ .

Note that  $F(C)$  of  $C$  for LRU summation as  $(L - \gamma_L)/L$  in the backing

To avoid confusion an iterative count every time  $t$ , then to their most is  $s_t(1)$  since  $s_t$  is  $s_t(2)$ , and  $s_t($

Let us suppose appears at position must be the top page. Consider  $1 \leq j < \Delta$ . At page, and the is added to this on stack  $S_t$ . If  $j$  at time  $t$ , since changed from  $t$

The net effect is moved to the down-shifted position. If  $x_t$  on the top and shown in Figure

that distance occurs. For  $k$ -bit page numbers, we need at most  $2^k + 1$  counters, corresponding to  $1 \leq \Delta \leq 2^k$  and  $\Delta = \infty$ . At the conclusion of a page trace, the final values of the distance counters are the values  $\{n(\Delta)\}$ , and  $F(C)$  is obtained from Equations 4 and 5.

We now calculate the value of the success function in a numerical example. For  $\Delta$ 's of 1, 2, 3, 4, and  $\infty$ , the corresponding final counter values in Figure 5 are 2, 1, 2, 1, and 4. This distribution is shown in Figure 6A. Dividing by  $L$  equals 10 in Figure 5, and summing cumulatively, we obtain the success function shown in Figure 6B. One can verify that the  $F(C)$  values for the curve in Figure 6B agree with those obtained in the simulations of Figure 4.

To find the access frequencies  $F_1$  and  $F_2$ , for a given buffer capacity  $C$ , we take  $F_1 = F(C_1)$  and  $F_2 = 1 - F_1$ . As an example, for  $C = 3$  pages,  $F_1 = F(3) = 0.50$  as indicated in Figure 6B,  $F_2 = 1 - 0.50 = 0.50$ , and the average access time  $\bar{T}$  of the hierarchy is  $0.50T_1 + 0.50T_2$ .

Note that  $F(C)$  is always a monotonic, non-decreasing function of  $C$  for LRU replacement, since  $F(C)$  is obtained by cumulative summation as shown in Equation 4. Also,  $F(C)$  never exceeds  $(L - \gamma_L)/L$  for any capacity, because all pages initially reside in the backing store.


To avoid constructing each LRU stack separately, we now give an iterative construction of  $S_t$  from  $S_{t-1}$  and  $x_t$ . Observe that at every time  $t$ , the stack  $S_t$  is simply the list of pages in  $\Gamma_t$ , according to their most recent reference. The most recently referenced page is  $s_t(1)$  since  $s_t(1) = x_t$ . The second most recently referenced page is  $s_t(2)$ , and  $s_t(\gamma_t)$  is the least recently referenced page in  $\Gamma_t$ .

Let us suppose that page  $x_t$  has been previously referenced and appears at position  $\Delta$  on stack  $S_{t-1}$ . For time  $t$ , we know that  $x_t$  must be the top entry in  $S_t$ , because it is the most recently referenced page. Consider now a page  $b$  at some position  $j$  on  $S_{t-1}$  where  $1 \leq j < \Delta$ . At time  $t - 1$ , page  $b$  is the  $j$ th most recently referenced page, and the intervening pages do not include  $x_t$ . At time  $t$ , page  $x_t$  is added to this set so that page  $b$  must now be at position  $j + 1$  on stack  $S_t$ . If  $j$  is greater than  $\Delta$ , page  $b$  must remain at position  $j$  at time  $t$ , since the set of more recently referenced pages is unchanged from time  $t - 1$ .

The net effect of this page motion is shown in Figure 7A. Page  $x_t$  is moved to the top of the stack, pages previously above  $x_t$  are down-shifted one position, and all other pages retain the same position. If  $x_t$  were not previously referenced,  $x_t$  would be placed on the top and all other pages would be down-shifted one position as shown in Figure 7B.

## numerical example

Figure 7 Constructing LRU stacks



This iterative procedure can be used to generate the sequence of stacks in Figure 5. In an actual evaluation, it is not necessary to store the entire sequence of stacks. Rather, only the current stack must be maintained as the trace is scanned. When a page reference occurs, that page is put on the top of the stack, and entries in the stack are down-shifted one-by-one starting from the top. If page  $x_i$  is encountered, its distance  $\Delta_i$  is recorded, and  $x_i$  is erased because it has already been placed on top. The position vacated by  $x_i$  is filled by the page downshifted from position  $\Delta_i - 1$ . If  $x_i$  is not encountered, then the downshifting proceeds to the bottom of the stack, and distance  $\Delta_i = \infty$  is recorded.

### Stack algorithms

We now examine the general class of replacement algorithms that satisfy the inclusion property. Such algorithms are called "stack algorithms." It is shown that stacks can be iteratively maintained for any stack algorithm, and that stack distance frequencies for a given trace can be used to obtain the corresponding success function. The main problems considered are (1) to efficiently generate stacks  $\{S_i\}$  for an arbitrary stack algorithm, and (2) to identify those algorithms that are stack algorithms. Several examples of stack algorithms are described, along with one replacement algorithm that is not a stack algorithm.

A replacement algorithm is called a *stack algorithm* if the buffer contents in a demand-paged, two-level hierarchy satisfy the inclusion property given in Equation 1, for every page trace and every point in time. As shown for LRU replacement, a stack can be defined according to Equation 2 in such a way that the buffer contents for all capacities are given by Equation 3. Furthermore, since the stack distance  $\Delta_i$  is a critical capacity, the success function for any page trace can be obtained by summing the stack distance frequencies  $\{n(\Delta)\}$  according to Equation 4. This summation implies that the success function is a monotonic and nondecreasing function of the capacity  $C$  for every stack algorithm.

stack  
generation

Let us now consider a replacement algorithm  $R$  as a collection of mappings

$$R_C : B_{t-1}(C) \rightarrow y_t(C) \quad \text{where } y_t(C) \in B_{t-1}(C)$$

is the page replaced by  $x_t$  in a buffer of capacity  $C$ . From the constraints of demand paging, we know that  $R$  is applied only when the following conditions are true:  $x_t \notin B_{t-1}(C)$  and  $|B_{t-1}(C)| = C$ . If the inclusion property is satisfied up to and including time  $t - 1$ , then  $R$  must satisfy certain restrictions at time  $t$  to maintain the inclusion property. Specifically, if a replacement is required for some capacity  $C + 1$  (and therefore for  $C$ ), then  $y_t(C + 1)$  must be either  $y_t(C)$  or  $s_{t-1}(C + 1)$ . To prove this, let us assume the following:

$$B_{t-1}(C) \subset$$

$$|B_{t-1}(C)| =$$

$$|B_{t-1}(C +$$

and

$$x_t \notin B_{t-1}(C$$

Note that

$$B_{t-1}(C +$$

$$s_{t-1}(C + 1)$$

However, p

would viola

We have g

same condi

$$y_t(C) \text{ or } s_{t-1}$$

we conclud

and only if

$$y_t(C + 1) =$$

for

$$1 \leq C < \gamma$$

Important r

that induce

use this ord

be represen

$$P_i = p_i(1),$$

where  $p_i(i)$  l

algorithm th

the lowest p

A convenien

$A$  is an arbi

in  $A$  having

and  $x_t \notin B$

$y_t(C + 1)$  a

$$y_t(C) = \min$$

and

$$y_t(C + 1) =$$

$$=$$

$$=$$

$$=$$

$$B_{i-1}(C) \subset B_{i-1}(C+1)$$

$$|B_{i-1}(C)| = C$$

$$|B_{i-1}(C+1)| = C+1$$

and

$$x_i \notin B_{i-1}(C+1)$$

Note that from Equation 2, page  $s_{i-1}(C+1)$  is contained in  $B_{i-1}(C+1)$  but not in  $B_{i-1}(C)$ . If page  $y_i(C+1)$  is neither  $s_{i-1}(C+1)$  nor  $y_i(C)$ , then  $y_i(C+1)$  is some other page  $z \in B_{i-1}(C)$ . However, page  $z$  is included in  $B_i(C)$ , but not in  $B_i(C+1)$ , which would violate the inclusion property.

We have given a necessary condition for stack algorithms. The same condition is also sufficient, because if  $y_i(C+1)$  is either  $y_i(C)$  or  $s_{i-1}(C+1)$ , then  $B_i(C)$  is a subset of  $B_i(C+1)$ . Therefore, we conclude that a replacement algorithm is a stack algorithm if and only if for every time  $t$

$$y_i(C+1) = s_{i-1}(C+1) \quad \text{or} \quad y_i(C+1) = y_i(C) \quad (6)$$

for

$$1 \leq C < \gamma_{i-1} \quad \text{and} \quad C+1 < \Delta_i$$

Important replacement algorithms that satisfy Equation 6 are those that induce a total ordering on all previously referenced pages and use this ordering to make replacement decisions. The ordering can be represented in the form of a *priority list*

$$P_i = p_i(1), p_i(2), \dots, p_i(\gamma_{i-1})$$

where  $p_i(i)$  has a higher priority than  $p_i(i+1)$  for  $1 \leq i < \gamma_{i-1}$ . The algorithm then selects for replacement the page in  $B_{i-1}(C)$  that has the lowest priority.

A convenient notation for working with priorities is  $\min(A)$ , where  $A$  is an arbitrary set of pages in  $\Gamma_{i-1}$ , and  $\min(A)$  is the unique page in  $A$  having lowest priority on the list  $P_i$ . If  $B_{i-1}(C) \subset B_{i-1}(C+1)$  and  $x_i \notin B_{i-1}(C+1)$ , we can express the replaced pages  $y_i(C)$  and  $y_i(C+1)$  as follow:

$$y_i(C) = \min[B_{i-1}(C)] \quad (7)$$

and

$$y_i(C+1) = \min[B_{i-1}(C+1)] \quad (8)$$

$$= \min[B_{i-1}(C), s_{i-1}(C+1)] \quad (9)$$

$$= \min\{\min[B_{i-1}(C)], s_{i-1}(C+1)\} \quad (10)$$

$$= \min[y_i(C), s_{i-1}(C+1)] \quad (11)$$

stack  
algorithm  
identification

Equations 7-9 are based on the definition of the replacement algorithm, whereas Equation 10 is based on the properties of minimization.

We conclude from Equation 11 that any replacement algorithm that induces a priority list  $P$ , for every time  $t$  satisfies Equation 6 and is therefore a stack algorithm. For example, the priority list for LRU is just the ordering of pages in  $\Gamma_{t-1}$  by most recent reference. The priority list for "least frequently used" (LFU) replacement is the ordering of referenced pages by most frequent reference together with a scheme to break ties.

stack  
updating

Before describing other examples of stack algorithms, let us develop a stack updating procedure for algorithms inducing a priority list. For any page trace  $X = x_1, x_2, \dots, x_L$  and any time  $t$ , where  $1 \leq t \leq L$ , suppose that stack  $S_{t-1}$  is available. Also, for any two pages  $a, b \in \Gamma_{t-1}$ , let  $\max(a, b)$  denote the page having higher priority. If  $x_t$  has been previously referenced and appears at position  $\Delta_t$  on stack  $S_{t-1}$ , the stack at time  $t$  is given by

$$s_t(1) = x_t \quad (12)$$

$$s_t(i) = \max[y_t(i-1), s_{t-1}(i)] \quad \text{for } 2 \leq i < \Delta_t \quad (13)$$

$$s_t(\Delta_t) = y_t(\Delta_t - 1) \quad (14)$$

$$s_t(i) = s_{t-1}(i) \quad \text{for } \Delta_t < i \leq \gamma_{t-1} \quad (15)$$

Equations 12, 14, and 15 are based on the constraints of demand paging, whereas Equation 13 is derived from Equation 11.

If  $x_t$  has not been previously referenced, the defining equations for stack  $S_t$  are the following:

$$s_t(1) = x_t \quad (16)$$

$$s_t(i) = \max[y_t(i-1), s_{t-1}(i)] \quad \text{for } 2 \leq i \leq \gamma_{t-1} \quad (17)$$

$$s_t(\gamma_t) = y_t(\gamma_{t-1}) \quad (18)$$

In this case, Equations 16 and 17 express the fact that replacements are required for all buffer capacities in the range  $1 \leq C \leq \gamma_{t-1}$ . Equation 18 corresponds to the new page  $x_t$  being added to the stack, with the result that a buffer of capacity

$$\gamma_t = \gamma_{t-1} + 1$$


is now full.

Figure 8 illustrates the stack updating procedure as given in Equations 12-18. The top entry  $s_t(1)$  is always  $x_t$ , and the first page replaced is

$$y_t(1) = s_{t-1}(1) \quad \text{for } \Delta_t > 1$$

Figure 8 S

A PAGE  $x_t$  IN S



Each subs-  
 $s_{t-1}(i)$  and  
on stack  $S$   
determine  $s$   
If  $x_t$  is not  $t$   
and we use  
does not h  
Only a seq  
 $y_t(i-1)$  is

Comparing  
shown in F  
 $s_{t-1}(C)$ . In  
since both  
reference. T

$$y_t(C) = s_{t-1}$$

and Equatio

$$s_t(i) = \max$$


$$= s_{t-1}(i)$$

For an arbitr  
than for LRU  
very differen


Let us now ex  
any replacem  
usage quantiti  
priority list a

Figure 8 Stack updating

A PAGE  $x_t$  IN STACK  $S_{t-1}$



B PAGE  $x_t$  NOT IN STACK  $S_{t-1}$



Each subsequent entry  $s_t(i)$  is then determined iteratively from  $s_{t-1}(i)$  and  $y_t(i-1)$  according to Equation 13 or 17. If  $x_t$  is found on stack  $S_{t-1}$  as shown in Figure 8A, we use Equation 14 to determine  $s_t(\Delta_t)$ . All lower entries are unchanged from time  $t-1$ . If  $x_t$  is not found on stack  $S_{t-1}$ , as shown in Figure 8B, then  $\Delta_t = \infty$ , and we use Equation 18. In either case, the replacement algorithm does not have to be applied to all the pages for stack updating. Only a sequence of pairwise decisions between pages  $s_{t-1}(i)$  and  $y_t(i-1)$  is required.

Comparing our stack updating procedure with the one for LRU shown in Figure 7, we see that page  $y_t(C)$  under LRU is always  $s_{t-1}(C)$ . In fact, the priority list  $P_t$  is exactly equal to stack  $S_{t-1}$ , since both lists give the order of pages in  $\Gamma_{t-1}$  by most recent reference. Thus

$$y_t(C) = s_{t-1}(C)$$

and Equations 13 and 17 then reduce to

$$\begin{aligned} s_t(i) &= \max[s_{t-1}(i-1), s_{t-1}(i)] \\ &= s_{t-1}(i-1) \end{aligned}$$

For an arbitrary stack algorithm, the stack updating is more complex than for LRU, and the order of stack elements at time  $t-1$  may be very different from that at time  $t$ .

Let us now examine several examples of stack algorithms. In general any replacement algorithm that bases its decisions on some page usage quantity, whether measured or predicted, naturally induces a priority list and is, therefore, a stack algorithm. One example, of

examples  
of stack  
algorithms

course, is LRU, and another example previously mentioned is least frequently used (LFU) replacement.

Under LFU, the page replaced from a buffer at time  $t$  is that page that has been referenced the fewest number of times over the interval  $1 \leq \tau \leq t$ , or perhaps over some "backward window" interval  $t - h \leq \tau \leq t$ , where  $0 < h \leq t$ . If two or more pages are tied for least frequency of use, then some arbitrary rule is used to break the tie. As long as the rule is consistent for all pages and all capacities (e.g., if the tied pages are numerically ordered) a priority list  $P_t$  is induced, and LFU is a stack algorithm.

Other examples of stack algorithms may arise in analytical studies of program behavior. If an address trace is generated from some random process, it may be desirable to study the behavior of replacement algorithms that base their decisions on the parameters of the random process. One such process is a time-invariant, first-order Markov chain,<sup>15,16</sup> where any page  $c$  is referenced immediately after page  $b$  with a fixed transition probability  $\pi_{bc}$ . The process is completely described by the matrix  $\Pi = \{\pi_{bc}\}$ , (where  $b$  and  $c$  range over all referenced pages) and by the page referenced at time  $t = 1$ .

One possible replacement algorithm is to remove the page least likely to be referenced next. We call this strategy "least transition probability" (LTP) since, for page  $x_t$  equal to page  $b$ , the page  $c$  chosen for removal is the one that minimizes  $\pi_{bc}$  over those pages in the buffer. Supplying an appropriate rule for breaking ties, we see that LTP induces a priority list and is a stack algorithm.

Another replacement algorithm is to remove the page with the largest expected time until next reference. We call this strategy LNR for "longest next reference." The expected times until next reference can be obtained from the  $\Pi$ -matrix by standard techniques.<sup>17</sup> As with LTP, LNR induces a priority list if we supply an appropriate tie-breaking rule.

To analyze an actual program trace under LTP or LNR (perhaps for testing a Markov model of the program), page reference statistics may be used to estimate the matrix  $\Pi$ . For example, the observed transition frequencies over some interval  $t - h$  to  $t$  can be used to generate a time-varying estimator matrix  $\hat{\Pi}_t$ . A priority list  $P_t$  can then be constructed for each time  $t$ , according to the probabilities in  $\hat{\Pi}_t$ , with the result that the overall strategy for replacement remains a stack algorithm.

Other stack algorithms may base their decisions on information from the programmer or compiler, or on properties of the computer system. For example, the programmer or compiler may supply to the system<sup>14</sup> special "program directives" that indicate which pages

72  
should be given  
case is when  
pages in a m  
of the progr  
can be order  
replacement

In the exam  
variety of w  
"first-in/first  
FIFO, the p  
(continuous)

A peculiarity

$X = a b c d$

As shown in  
monotonic, a  
algorithms ha  
is not a stack  
every time  $t$ .  
priorities bet  
C. Thus in t  
priority of all  
longest. How  
brought into

Whenever th  
the buffer, w  
every capacity  
the frequency  
Another case  
buffer.

As long as  
as one can c  
then stack-pr  
function.

### An optimum

We now discu  
value for the  
algorithms—f  
an algorithm  
Belady<sup>13</sup> desc  
MIN, and sho  
page trace and  
we describe a

should be given high priorities in the immediate future. Another case is where the operating system assigns priorities to program pages in a multiprogrammed system, based perhaps on the position of the program in a task queue. If all the pages in the address space can be ordered in a priority list  $P_t$  for each time  $t$ , the resulting replacement algorithm is a stack algorithm.

In the examples given, we see that priority lists can arise in a variety of ways. We now consider a replacement algorithm called "first-in/first-out" (FIFO) that is not a stack algorithm. Under FIFO, the page that has remained in the buffer for the longest (continuous) time up to time  $t$  is removed.

A peculiarity of FIFO is illustrated by the following page trace

$$X = a b c d a b e a b c d e$$

As shown in Reference 18, the success function for this trace is not monotonic, and takes the form shown in Figure 9. Since stack algorithms have monotonic success functions, we conclude that FIFO is not a stack algorithm and does not induce a priority list  $P_t$  at every time  $t$ . In amplifying this conclusion, we note that the relative priorities between pages in  $\Gamma_{t-1}$  may depend on the buffer capacity  $C$ . Thus in the example, one can verify that page  $d$  has lowest priority of all pages in  $B_c(3)$  in the sense that  $d$  has been in the buffer longest. However, page  $d$  has highest priority in  $B_c(4)$ , since it was brought into the buffer latest.

Whenever the priorities among pages depend on the capacity of the buffer, we cannot define a single priority list that applies to every capacity. One instance of this is when priorities depend on the frequency of reference to pages after their entering the buffer. Another case is when priorities depend on total time spent in the buffer.


As long as priorities are independent of capacity, and as long as one can order the referenced pages to reflect these priorities, then stack-processing techniques can be used to find the success function.

### An optimum replacement algorithm

We now discuss a replacement algorithm that yields the maximum value for the success frequency over the space of all replacement algorithms—for every page trace and every buffer capacity. Such an algorithm is said to be an *optimum replacement algorithm*. Belady<sup>13</sup> describes an optimum replacement algorithm called MIN, and shows how to evaluate the success frequency for a given page trace and a given buffer capacity. In the following discussion, we describe a stack algorithm called OPT and prove that it is also

first-in/  
first-out

Figure 9 Success function for FIFO replacement



mentioned is

s that page  
he interval  
v" interval  
are tied for  
d to break  
es and all  
a priority

cal studies  
from some  
behavior of  
he param-  
me-invari-  
referenced  
bility  $\pi_{b,c}$ ,  
=  $\{\pi_{b,c}\}$ ,  
the page

page least  
transition  
he page c  
those pages  
g ties, we  
hm.

with the  
s strategy  
until next  
lard tech-  
supply an

erhaps for  
e statistics  
observed  
be used to  
ist  $P_t$  can  
obabilities  
lacement

formation  
computer  
supply to  
ich pages



an optimum replacement algorithm. Using certain properties of LRU and OPT, the entire success function for OPT can be determined in two passes of a page trace.

**OPT**

The replacement algorithm OPT has the following characteristics. Whenever a page must be pushed from the buffer, the chosen page is the one whose next reference is farthest in the future. If a tie results because two or more buffer pages are never referenced again, the tie is broken by an arbitrary rule  $\Omega$  that pushes the page with the latest alphabetical or numerical order. An example of OPT replacement is shown in Figure 10, for the buffer capacity  $C = 3$ . As an illustration, notice that at time  $t = 5$  page  $c$  is pushed from the buffer, since the other buffer pages  $a$  and  $b$  are referenced sooner. At time  $t = 9$ , page  $b$  is pushed from the buffer, because page  $d$  is referenced again (at time  $t = 10$ ), and page  $a$  has priority over page  $b$  by our rule  $\Omega$ .

Figure 10 Example of OPT replacement

| TIME                    | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-------------------------|---|---|---|---|---|---|---|---|---|----|
| PAGE TRACE              | a | b | c | a | d | b | a | d | c | d  |
| BUFFER CONTENTS FOR C=3 | a | a | a | a | a | a | a | a | a | a  |
|                         |   | b | b | b | b | b | b | b | c | c  |
|                         |   |   | c | c | d | d | d | d | d | d  |
|                         |   |   |   |   |   |   |   |   |   |    |


**stack processing example**

A formal proof that OPT is an optimal replacement algorithm is given in the Appendix. We note here that OPT is not realizable in an actual computer system because it requires knowledge of future page references. However, OPT does serve as a useful benchmark for any replacement algorithm, including stack-type algorithms. To show that OPT is a stack algorithm, observe that a priority list  $P_t$  can be constructed for OPT at each time  $t$ . Specifically,  $P_t$  is the list of the pages referenced again, ordered by their time of next reference, followed by the list of the pages not referenced again, as ordered by the tie-breaking rule  $\Omega$ .

The stack processing technique for OPT is illustrated in Figure 11. Priority lists are ordered as described above, and curly brackets denote the pages ordered under the rule  $\Omega$ . For example, at time  $t = 8$  the priority list is  $P_8 = c, d, a, b$ , because  $c$  is the next page

Figure 11 Stack processing and success function for OPT replacement

| TIME           | 1        | 2        | 3        | 4 | 5        | 6 | 7 | 8 | 9 | 10 |
|----------------|----------|----------|----------|---|----------|---|---|---|---|----|
| PAGE TRACE     | a        | b        | c        | a | d        | b | a | d | c | d  |
| PRIORITY LIST  | a        | a        | a        | b | b        | a | d | c | d | a  |
|                |          | b        | b        | a | a        | d | c | d | a | b  |
|                |          |          | c        | c | d        | c | a | a | b | c  |
|                |          |          |          |   | c        | b | b | b | c | d  |
| OPT STACK      | a        | b        | c        | a | d        | b | a | d | c | d  |
|                |          | a        | a        | c | a        | a | b | a | d | c  |
|                |          |          | b        | b | b        | d | d | b | a | a  |
|                |          |          |          | c | c        | c | c | b | b |    |
| STACK DISTANCE | $\infty$ | $\infty$ | $\infty$ | 2 | $\infty$ | 3 | 2 | 3 | 4 | 2  |



referenced  
Pages  $a$  and  
ing to rule  
priority lis  
distance fr  
amount of

Fortunately  
priority list  
 $w_i(a)$  to a p  
in  $x_{i+1}, \dots$   
 $t$ ). If page  $c$   
as infinity.  
pages in  $\Gamma$   
illustrative  
Figure 12.

If the forward  
the new for  
from the s  
 $a \neq x_i$ , an

$$w_i(a) = \begin{cases} w_i(a) & \text{if } a \neq x_i \\ \infty & \text{if } a = x_i \end{cases}$$

To determine  
trace  $X$ , co  
Suppose th  
that  $x_i$  and  
reverse trac  
At time  $j$ ,  
referenced i  
However, t  
distance  $w_i$   
distances fo  
of the sequ  
trace  $X$ .


These results  
for determin  
technique is  
scan of the  
left-pointing  
order, on a  
using OPT  
Forward dis  
the OPT pri

The LRU sta  
important in

erties of LRU  
etermined in  
  
aracteristics.  
hosen page  
re. If a tie  
enced again,  
e page with  
ple of OPT  
city  $C = 3$ .  
ushed from  
nced sooner.  
se page  $d$  is  
riority over

algorithm is  
ealizable in  
ge of future  
enchmark  
gorithms.  
priority list  
y,  $P_t$  is the  
me of next  
ed again, as

Figure 11.  
ly brackets  
le, at time  
e next page



referenced (at  $t = 9$ ) and  $d$  is the second page referenced (at  $t = 10$ ). Pages  $a$  and  $b$  are not referenced again, and thus are ordered according to rule  $\Omega$ . The sequence of OPT stacks is constructed using the priority lists, and the success function is obtained from the stack distance frequencies. A major difficulty with the technique is the amount of forward scanning required to construct the priority lists.

Fortunately, a more efficient procedure exists for obtaining the priority lists. For a given page trace  $X$ , we define the *forward distance*  $w_t(a)$  to a page  $a$  at time  $t$  as the number of distinct pages referenced in  $x_{t+1}, \dots, x_{t_i}$ , (where  $x_{t_i}$  is the first reference to page  $a$  after time  $t$ ). If page  $a$  is not referenced again, the forward distance is defined as infinity. Note that the priority list under OPT is a listing of the pages in  $\Gamma_{t-1}$  according to their increasing forward distances. An illustrative example of forward distance determination is given in Figure 12.

If the forward distances to all pages in  $\Gamma_{t-1}$  are known at time  $t - 1$ , the new forward distances at time  $t$  can be determined iteratively from the single forward distance  $w_t(x_t)$ . Specifically, for page  $a \neq x_t$  and  $w_t \triangleq w_t(x_t)$ , we have

$$w_t(a) = \begin{cases} w_{t-1}(a) - 1 & \text{for } w_{t-1}(a) \leq w_t \text{ and } w_{t-1}(a) \neq \infty \\ w_{t-1}(a) & \text{for } w_{t-1}(a) > w_t \text{ or } w_{t-1}(a) = \infty \end{cases} \quad (19)$$

To determine the sequence of forward distances  $\{w_t\}$  for a page trace  $X$ , consider the *reverse trace*  $X^R = x_L, x_{L-1}, \dots, x_2, x_1$ . Suppose that  $X^R$  is analyzed according to LRU replacement and that  $x_i$  and  $x_j$  denote two successive references to page  $a$  in the reverse trace. Thus  $X^R = x_L, \dots, x_i = a, \dots, x_j = a, \dots, x_1$ . At time  $j$ , the stack distance  $\Delta_j$  is the number of distinct pages referenced in  $x_i, \dots, x_{j+1}$ . (Note that  $x_{j+1}$  precedes  $x_j$  in  $X^R$ .) However, this number of distinct pages is precisely the forward distance  $w_j$  for page trace  $X$ . Thus the sequence of LRU stack distances for trace  $X^R$ , namely,  $\Delta_L, \Delta_{L-1}, \dots, \Delta_2, \Delta_1$ , is the reverse of the sequence of forward distances  $w_1, w_2, \dots, w_{L-1}, w_L$  for trace  $X$ .

These results form the basis of a two-pass stack processing technique for determining the success function for OPT replacement. The technique is illustrated by Figure 13. The first pass is a backward scan of the page trace  $X$  using LRU replacement, denoted by the left-pointing arrow. The LRU stack distances are stored, in-reverse order, on a "distance tape." The second pass is a forward scan using OPT replacement, as shown by the right-pointing arrow. Forward distances read from the distance tape are used to maintain the OPT priority lists according to Equation 19.

The LRU stack distances gathered from the reverse page trace yield important information about the forward page trace. Specifically,

forward  
distance

Figure 12 Determination of forward distances at time  $t = 4$

| TIME            | 1 | 2 | 3 | 4 | 5   | 6   | 7 | 8 | 9 | 10 |
|-----------------|---|---|---|---|-----|-----|---|---|---|----|
| PAGE TRACE      | a | b | c | a | (b) | (a) | d | d | c | d  |
|                 |   |   |   | 2 | 3   | 4   |   |   |   |    |
|                 |   |   |   | 3 | 4   |     |   |   |   |    |
|                 |   |   |   | 4 |     |     |   |   |   |    |
| $w_4(a) = 3$    |   |   |   |   |     |     |   |   |   |    |
| $w_4(b) = 2$    |   |   |   |   |     |     |   |   |   |    |
| $w_4(c) = 4$    |   |   |   |   |     |     |   |   |   |    |
| $P_4 = b, a, c$ |   |   |   |   |     |     |   |   |   |    |

maximum  
success  
function

Figure 13 Two-pass technique for LRU and OPT replacement





Figure 14 Sequence of LRU distances for page  $a$



we claim that the success function for the reverse trace  $X^R$  under LRU replacement is equal to the success function for the forward trace  $X$  under LRU replacement. Thus one can use the backward scan of  $X$ , not only to generate the distance tape for OPT, but also to generate the success function for LRU.

To prove this result, let  $F_{LRU}(C, X)$  denote the LRU success function for trace  $X$ , and consider the set of LRU stack distances measured for a given page  $a$  in  $X$  and  $X^R$ . As the example in Figure 14 illustrates, these sets are always identical. Since this holds for every

distinct page identical, so are equal.

Another result is equal to  $F_{LRU}$  for trace  $X$ . forward-backward. During the forward scan the distance function for

## Random re

In the stack replacement is associated with techniques that does not if the buffer is full. To perform a replacement to obtain a random yield a set of sample success function

A question to generate a sample that bases a variable. We there certain property fails

Our approach stack algorithm each capacity time  $t$ , the probability of pages in likely to be  $c$  induces a prior

To establish that a replacement Since  $y_i(C) =$  probability that any

One difficulty priority list  $P_i$  actually consists

distinct page in the trace, the distance frequencies for  $X$  and  $X^R$  are identical, so that the success functions  $F_{LRU}(C, X^R)$  and  $F_{LRU}(C, X)$  are equal.

Another result, which is proved in the Appendix, is that  $F_{OPT}(C, X)$  is equal to  $F_{OPT}(C, X^R)$ , where  $F_{OPT}(C, X)$  is the OPT success function for trace  $X$ . Thus, our two-pass technique can be implemented with forward-backward scans as well as with backward-forward scans. During the first scan, the success function for LRU is obtained, and the distance tape generated. During the second scan the success function for OPT is obtained.

### Random replacement







In the stack algorithms considered thus far, a unique success function is associated with each trace. We now extend stack-processing techniques to cover a "random replacement" algorithm (RAND) that does not always yield a unique success function. With RAND, if the buffer has a capacity of  $C$ , any given page is chosen for replacement with a probability of  $1/C$ . In analyzing RAND, one might perform a Monte Carlo simulation for each buffer capacity to obtain a RAND success function. Repeating these simulations would yield a set of sample success functions to characterize RAND. The sample success functions could then be used to estimate an "average" success function.

A question that arises is whether stack processing can be used to generate a sample success function for RAND or any other algorithm that bases a replacement choice on the value of some random variable. We observe that RAND is not a stack algorithm, because there certainly exists a trace and a time  $t$  for which the inclusion property fails to hold with a nonzero probability.

Our approach is to define a replacement algorithm RR, which is a stack algorithm having the same statistical properties as RAND for each capacity  $C$ . The algorithm RR is defined as follows: at each time  $t$ , the priority list  $P_t$  is obtained by randomly ordering the set of pages in  $\Gamma_{t-1}$  (each of the  $\gamma_{t-1}!$  possible orderings is equally likely to be chosen). Observe that RR is a stack algorithm, since it induces a priority list.

To establish that RR is statistically equivalent to RAND, assume that a replacement is necessary in a buffer of capacity  $C$  at time  $t$ . Since  $y_t(C) = \min [B_{t-1}(C)]$ , and  $P_t$  is randomly chosen, the probability that any given page is  $y_t(C)$  is  $1/C$ —the same as for RAND.

One difficulty in implementing RR is the generation of the random priority list  $P_t$ . Fortunately, it is possible to update the stack without actually constructing the entire priority list. Assuming that  $\Delta_i > j$ ,



$X^R$  under  
ie forward  
backward  
 $\Gamma$ , but also

ss function  
measured  
Figure 14  
s for every

let  $q_i(t)$  denote the probability that page  $s_{i-1}(j)$  has priority over page  $y_i(j-1)$  at time  $t$ . If  $s_{i-1}(j)$  does not have priority over  $y_i(j-1)$ , we know that  $s_{i-1}(j) = \min [B_{i-1}(j)]$ . Since this occurs with probability  $1/j$ , we obtain

$$1 - q_i(t) = 1/j$$

or

$$q_i(t) = (j-1)/j \quad (20)$$

Using Equation 20, the stack can be updated at time  $t$  for RR replacement by choosing page  $s_i(j) = s_{i-1}(j)$  with probability  $(j-1)/j$ , for  $2 \leq j < \Delta_i$  and  $j < \gamma_{i-1}$ . As a check, let us compute the probability  $Q$  that an arbitrary page  $b$  is pushed from a buffer of capacity  $C$  at time  $t$ . Assuming that page  $b$  occurs at some position  $k$  on stack  $S_{i-1}$  where  $1 \leq k \leq C$ , then  $Q$  is given by the following expression:

$$\begin{aligned} Q &= P_r\{y_i(C) = b\} \\ &= P_r\{s_i(k) = y_i(k-1), s_i(k+1) = s_{i-1}(k+1), \\ &\quad s_i(k+2) = s_{i-1}(k+2), \dots, s_i(C) = s_{i-1}(C)\} \end{aligned} \quad (21)$$

The events in the joint probability in Equation 21 are independent, so that we obtain

$$\begin{aligned} Q &= P_r\{s_i(k) = y_i(k-1)\} \cdot P_r\{s_i(k+1) = s_{i-1}(k+1)\} \\ &\quad \cdot P_r\{s_i(k+2) = s_{i-1}(k+2)\} \cdot \dots \cdot P_r\{s_i(C) = s_{i-1}(C)\} \\ &= \left(\frac{1}{k}\right) \left(\frac{k}{k+1}\right) \left(\frac{k+1}{k+2}\right) \dots \left(\frac{C-1}{C}\right) \\ &= \frac{1}{C} \end{aligned}$$

Since  $Q = 1/C$  holds for any page  $b$  and capacity  $C$ , we have verified that the stack updating for RR can be accomplished using Equation 20, and that RR has the same statistical properties as RAND for each buffer capacity. Note that although a particular value of a point on the success function, for example  $F(4) = 0.3$ , is equally likely to occur under both RAND and RR, the occurrence of a particular success function is not equally likely.

As the example with RR illustrates, stack processing techniques can be extended to cover probabilistic replacement algorithms. In fact, a replacement algorithm can have a mixture of probabilistic and nonprobabilistic aspects. For instance, the arbitrary rule used to break ties in LFU and other algorithms may choose a page at random. Another possibility is for a replacement algorithm to favor some pages probabilistically in the construction of the priority list, thereby realizing a so-called "biased replacement" algorithm.<sup>12</sup> In any case, the only requirement is that the priority list be constructed

to reflect algorithm

## Congruen

Up to no hierarchie this type of referenced that all a that seldo mapping is that ex pages in t replaceme informati offset the employed only a su

One such the  $2^k$  di disjoint co  $2^{k-a}$  pag  $2^a - 1$ , bits of the the class called the the class for all pa

In a two-class is as be used e the class buffer in may appe reference occupied selects or replaceme

Note tha class, and C is a po each clas for a fixe the map constrain

to reflect the probabilistic properties of the desired replacement algorithm for every capacity  $C$ .

### Congruence mapping

Up to now, we have restricted our attention to two-level storage hierarchies with unconstrained mapping at the first level. Under this type of mapping, any page in the buffer may be replaced by the referenced page. The advantages of unconstrained mapping are that all available page frames in the buffer can be used, and also that seldom used pages cannot become "locked" into the buffer by mapping constraints. A disadvantage with unconstrained mapping is that extensive associative searches may be necessary to locate pages in the buffer. Moreover, the implementation overhead of the replacement algorithm may be excessive, since relative priority information must be maintained for all pages in the buffer. To offset these disadvantages, a constrained mapping scheme can be employed whereby each page is restricted to occupy a member of only a subset of the buffer page frames.

One such mapping technique is called *congruence mapping*, by which the  $2^k$  distinct pages in the address space are partitioned into  $2^\alpha$  disjoint *congruence classes*, where  $0 \leq \alpha \leq k$ , and each class contains  $2^{k-\alpha}$  pages. The classes are numbered consecutively from 0 to  $2^\alpha - 1$ , and class membership is determined from the  $\alpha$  low-order bits of the page number. In this case, the  $\alpha$  low-order bits constitute the *class number*  $[x]$  of a page, and the remaining  $k - \alpha$  bits are called the *page prefix* as shown in Figure 15. The quantity  $\alpha$  is called the *class length*. For a class length equal to zero, we set  $[x] = 0$  for all pages.

In a two-level hierarchy with congruence mapping, every congruence class is assigned an equal number of page frames in the buffer—to be used exclusively by members of that class. This number is called the *class capacity* and is denoted by  $D$ . (The total capacity of the buffer in pages is thus  $C = 2^\alpha \cdot D$ .) When a page  $x$  is referenced, it may appear in any of the  $D$  page frames reserved for class  $[x]$ . If the reference page is not in the buffer, and if the  $D$  page frames are all occupied by other members of class  $[x]$ , a replacement algorithm selects one of these pages for removal. We assume that the same replacement algorithm is used separately for each of the classes.

Note that when the class length  $\alpha$  is zero, all pages are in the same class, and the mapping is unconstrained. When the buffer capacity  $C$  is a power of 2, and when  $C = 2^\alpha$ , only one page is allocated to each class, and the mapping function is fully constrained. Thus for a fixed buffer capacity  $C = 2^h$ , where  $0 \leq h \leq k$ , we can vary the mapping function from unconstrained to partially and fully constrained simply by varying the value of  $\alpha$  from 0 to  $h$ .

Figure 15 Page number





Figure 16 Two-level hierarchy with congruence mapping



Since the congruence classes are disjoint, and since the same number of buffer page frames are allocated to each class, it is possible to treat a buffer as a collection of  $2^\alpha$  distinct buffers—one for each class  $[x]$ . If we also view the backing store as  $2^\alpha$  individual backing stores, as shown in Figure 16, the two-level hierarchy partitions into a collection of  $2^\alpha$  distinct subhierarchies, each with a buffer capacity of  $D$  page frames. When the replacement algorithm is a stack algorithm, these subhierarchies can be evaluated separately using stack processing techniques. In practice,  $2^\alpha$  stacks (one for each subhierarchy) can be maintained as the trace is processed. Each page reference  $x$  causes only the stack for class  $[x]$  to be updated, and a stack distance  $\Delta$  to be determined from that stack.

In congruence mapping, to calculate the success function for a given trace and given class length  $\alpha$ , the stack distances must be carefully interpreted. Whenever a stack distance  $\Delta$  is measured, the corresponding critical capacity of the entire buffer is  $2^\alpha \cdot \Delta$ , since this is the minimum buffer capacity necessary to contain the referenced page. Therefore, the success function  $F^\alpha(C)$  for the set of capacities  $C = 2^\alpha \cdot D$  where  $D = 1, 2, \dots$ , is given by

$$F^\alpha(C) = F^\alpha(2^\alpha \cdot D) = \sum_{\Delta=1}^D \frac{n(\Delta)}{L}$$

where  $n(\Delta)$  is any of the

Generally, each value only a single success function that under ordered access  $S_{i-1}(i, \alpha)$  one would reference. For any  $i$  and  $\alpha$  in order all it is not necessary order to find distances  $\{\Delta\}$  first define  $x$  and  $y$  as. For example that the class if the class length that the current on stack  $S_{i-1}$  stack will contain. Therefore,  $\Delta$  entries  $y$  above

A simple procedure stack, and maintain for  $0 \leq r \leq$  equal to  $r$ . If find  $RM(x, y)$  is given by

$$\Delta_i^\alpha = \sum_{r=\alpha}^k \mu(r)$$

However, if  $r$  of stack  $S_{i-1}$  lengths  $\alpha$ . In appropriate  $d$

An example of 17A, the right stack. In Figure in reverse order to Equation 2. Note that the distance  $\Delta$  as mapping.

where  $n(\Delta)$  is the total number of times the distance  $\Delta$  occurs for any of the stacks.

Generally, stack processing techniques must be used separately for each value of the class length  $\alpha$ . However, for LRU replacement, only a single stack need be maintained in order to determine the success functions for all values of  $\alpha$  in the interval  $0 \leq \alpha \leq k$ . Recall that under LRU, the stack  $S_{i-1}$  is the list of all the pages in  $\Gamma_{i-1}$  ordered according to most recent reference. To form the stack  $S_{i-1}(i, \alpha)$  corresponding to congruence class  $i$  and class length  $\alpha$ , one would list the pages in class  $i$  according to their most recent reference. However, this ordering is preserved in the stack  $S_{i-1}$  for any  $i$  and any  $\alpha$ . Therefore,  $S_{i-1}(i, \alpha)$  can be determined by listing in order all the stack entries of  $S_{i-1}$  belonging to class  $i$ . In practice, it is not necessary to actually construct each stack  $S_{i-1}([x_i], \alpha)$  in order to find the distance  $\Delta_i^\alpha$ . One can determine all the stack distances  $\{\Delta_i^\alpha\}$  in one scan of the LRU stack  $S_{i-1}$ . To do this, we first define the *right match function*  $RM(x, y)$  for two page numbers  $x$  and  $y$  as the number of consecutive low-order bits that match. For example,  $RM(01101, 00101) = 3$ , and  $RM(0000, 0001) = 0$ . Note that the class numbers of two pages are equal ( $[x] = [y]$ ) if and only if the class length satisfies the inequality  $\alpha \leq RM(x, y)$ . Now suppose that the current reference is to page  $x$ , and consider the  $j$ th entry on stack  $S_{i-1}$ , which is  $y = s_{i-1}(j)$ . The occurrence of page  $y$  on the stack will contribute to the distance  $\Delta_i^\alpha$  if and only if  $RM(x, y) \geq \alpha$ . Therefore,  $\Delta_i^\alpha$  can be determined by counting the number of stack entries  $y$  above (and including) page  $x$  that satisfy  $RM(x, y) \geq \alpha$ .

A simple procedure for determining  $\Delta_i^\alpha$  for all  $\alpha$  is to scan down the stack, and maintain a set of right match frequency counters  $\{\mu(r)\}$  for  $0 \leq r \leq k$ . Counter  $\mu(r)$  is incremented whenever  $RM(x, y)$  is equal to  $r$ . If page  $x$  has been previously referenced, we eventually find  $RM(x, y) = k$  (corresponding to  $x = y$ ), and each distance  $\Delta_i^\alpha$  is given by

$$\Delta_i^\alpha = \sum_{r=\alpha}^k \mu(r) \quad \text{where } 0 \leq \alpha \leq k \quad (23)$$


However, if page  $x$  has not been previously referenced, the bottom of stack  $S_{i-1}$  is reached and  $\Delta_i^\alpha$  is set equal to infinity for all class lengths  $\alpha$ . In either case, each distance  $\Delta_i^\alpha$  is used to increment the appropriate distance counter for class length  $\alpha$ .

An example of this procedure is indicated in Figure 17. In Figure 17A, the right match functions are found by scanning down the stack. In Figure 17B, the right match frequencies  $\{\mu(r)\}$  are plotted in reverse order as a function of  $r$ . Cumulative summation, according to Equation 23, then yields the desired LRU stack distances  $\{\Delta_i^\alpha\}$ . Note that the stack distance for class length zero is the same stack distance  $\Delta$  as obtained for LRU replacement with unconstrained mapping.




Figure 17 Right match function for LRU replacement

A DETERMINATION OF RIGHT MATCH FUNCTIONS



B DETERMINATION OF STACK DISTANCES



## Multilevel hierarchies

In previous sections of this paper, stack processing techniques are developed to obtain the success function for a two-level hierarchy. For each buffer capacity, this success function represents the relative number of accesses to the buffer for a given page trace.

We now show that the same success function can be used to find the access frequencies for all levels of a multilevel, linear hierarchy for any number of levels, and any capacity at each level. Recall that in a linear hierarchy, the only downward data path from each level  $M_i$  is to the next level  $M_{i+1}$ , for  $1 \leq i < H$ . Also a path or sequence of paths is available from each level  $M_i$ , for  $1 < i \leq H$ , to the local store. Furthermore, no replacement decisions are required when a page moves upward through intermediate levels. We now assume that the same replacement algorithm is used at all levels, and that the mapping function is unconstrained at every level. (Hierarchies with constrained mapping functions are considered later in this paper.) At time  $t = 0$ , the backing store contains all pages, and these pages are moved to the local store  $M_1$  on demand. When  $M_1$  is full, pages replaced in  $M_1$  are pushed down to the next lower level in the hierarchy,  $M_2$ . As each successively lower level  $M_i$  fills, the pages replaced in  $M_i$  are pushed to the next level  $M_{i+1}$ . At level  $M_1$ , the replacement algorithm is applied to the

set of pages referenced by the replacer to the page

When page a page is replaced since a page the backing  $M_1, M_2, \dots$  of pages in do not depend store, but capacity at

We have shown for a two-level contents of now assume archy induced the replacer true, then for  $C_2, \dots, C_H$  from the stack let  $B_i^j(C_i)$  denote the sum  $C_1 -$

$B_i^j(C_i) = B_i$

or equivalently stack  $S_i$ , and result is illustrated

The main element that Equation  $s_{i-1}(\Delta_i)$  is a stack  $S_{i-1}$  in the top  $C_1$  of  $s_i(C_i)$  represents removed from hierarchy, which since the hierarchy selects a page page  $y_i(C_i)$  removal has is  $y_i(C_1 + C_2)$  and  $B_i^2(C_2)$ , and

A similar argument

set of pages already present, thereby making room for the currently referenced page  $x_i$ . At the intermediate levels  $M_i$ , for  $2 \leq i < H$ , the replacement algorithm is applied to the set of pages in  $M_i$  and to the page pushed from level  $M_{i-1}$ .

When page  $x_i$  is accessed from some level  $M_i$  (for  $2 \leq i \leq H - 1$ ), a page is replaced from each of the levels  $M_1, M_2, \dots, M_{i-1}$ . The page replaced from level  $M_{i-1}$  is guaranteed to find space at level  $M_i$ , since a page frame was vacated by  $x_i$ . When page  $x_i$  is accessed from the backing store  $M_H$ , a page is displaced from each of the levels  $M_1, M_2, \dots$ , until a vacant page frame is found. Note that positions of pages in the hierarchy—and therefore the access frequencies—do not depend on the structure of upward data paths to the local store, but depend only on the replacement algorithm and the capacity at each level.

We have shown that when a stack replacement algorithm is used for a two-level hierarchy, the top  $C_1$  pages of the stack are the contents of a buffer of capacity  $C_1$  as shown in Figure 18A. Let us now assume that the replacement algorithm for a multilevel hierarchy induces a priority list at every time and that this list determines the replacement decisions at every level of the hierarchy. If this is true, then for any number of levels and any set of capacities  $C_1, C_2, \dots, C_H$ , the contents of each level at any time can be determined from the stack for this replacement algorithm. More precisely, let  $B_i^t(C_i)$  denote the contents of level  $M_i$  at time  $t$ , and let  $\sigma_t$  denote the sum  $C_1 + C_2 + \dots + C_i$ . We then claim that

$$B_i^t(C_i) = B_t(\sigma_t) - B_t(\sigma_{i-1}) \quad \text{for } i = 1, 2, \dots, H - 1 \quad (24)$$


or equivalently that  $B_i^t(C_i)$  can be identified as the first  $C_i$  entries of stack  $S_t$ , and  $B_i^2$  can be identified as the next  $C_2$  entries, etc. This result is illustrated for a four-level hierarchy in Figure 18B.

The main elements of the proof of this result are as follows. Assume that Equation 24 is satisfied at time  $t - 1$ , and that page  $x_t = s_{t-1}(\Delta_t)$  is an element of  $B_{t-1}^1(C_1)$  (i.e., level  $M_1$  is accessed.) As stack  $S_{t-1}$  is updated to stack  $S_t$ , page  $y_t(C_1)$  is removed from the top  $C_1$  elements of  $S_{t-1}$ , with the result that pages  $s_t(1), \dots, s_t(C_1)$  represent  $B_t^1(C_1)$ . Now observe that page  $y_t(C_1 + C_2)$  is removed from the top  $C_1 + C_2$  elements of  $S_{t-1}$ . In terms of the hierarchy, we know that  $y_t(C_1)$  is pushed to the next lower level  $M_2$ , since the hierarchy is a linear one. The replacement algorithm then selects a page from  $y_t(C_1) + B_{t-1}^2(C_2)$  for removal from  $M_2$ . Since page  $y_t(C_1)$  has lowest priority in  $B_{t-1}^2(C_2)$ , the page selected for removal has lowest priority in  $B_{t-1}^1(C_1) + B_{t-1}^2(C_2)$ . But this page is  $y_t(C_1 + C_2)$ , so that  $s_t(1), \dots, s_t(C_1 + C_2)$  represent  $B_t^1(C_1) + B_t^2(C_2)$ , and thus  $s_t(C_1 + 1), \dots, s_t(C_1 + C_2)$  represent  $B_t^2(C_2)$ .


A similar argument applies to subsequent levels  $M_i$  where  $2 < i \leq$

Figure 18 Relationship between stack and hierarchy levels



A TWO-LEVEL HIERARCHY



B MULTILEVEL HIERARCHY



STACK DISTANCES



uniques are  
hierarchy.  
the relative

sed to find  
r hierarchy  
Recall that  
each level  
or sequence  
H, to the  
e required  
s. We now  
all levels,  
very level.  
considered  
ontains all  
n demand.  
o the next  
ower level  
next level  
ied to the

$g - 1$ . Page  $y_i(\sigma_{i-1})$  is pushed from level  $M_{i-1}$  of the hierarchy, and competes with the pages in  $B_{i-1}^i(C_i)$ . The replacement algorithm selects for replacement the page

$$\min [y_i(\sigma_{i-1}), B_{i-1}^i(C_i)] = \min [B_{i-1}(\sigma_i)] = y_i(\sigma_i)$$

with the result that

$$B_i(\sigma_i) = B_i^1(C_1) + B_i^2(C_2) + \dots + B_i^i(C_i)$$

and

$$B_i^i(C_i) = B_i(\sigma_i) - B_i(\sigma_{i-1})$$

At level  $M_g$ , the page  $y_i(\sigma_{g-1})$  that has been pushed from  $M_{g-1}$  finds a vacant page frame, and all lower levels remain unchanged. Then

$$B_i^g(C_g) = B_{i-1}^g(C_g) + y_i(\sigma_{g-1}) - x_i = B_i(\sigma_g) - B_i(\sigma_{g-1})$$

and

$$B_i^j(C_j) = B_{i-1}^j(C_j) = B_i(\sigma_i) - B_i(\sigma_{j-1}) \text{ for } j > g$$

Thus we have shown that Equation 24 is satisfied at time  $t$ .

The significance of this result is that a stack distance  $\Delta$ , where  $C_1 + \dots + C_{g-1} < \Delta \leq C_1 + \dots + C_g$ , corresponds to an access to hierarchy level  $M_g$ , and the relative number of such  $\Delta$ 's is simply the access frequency  $F_g$  to that level. Thus

$$F_g = \sum_{\Delta=\sigma_{g-1}+1}^{\sigma_g} \frac{n(\Delta)}{L} = F(\sigma_g) - F(\sigma_{g-1}) \quad \text{for } 1 \leq g \leq H-1 \quad (25)$$

As with two-level hierarchies, all other accesses are directed to the backing store so that

$$F_H = 1 - \sum_{i=1}^{H-1} F_i$$


The determination of access frequencies is illustrated graphically in Figure 19 for a four-level hierarchy. Note that the technique illustrated in the figure cannot be used for an arbitrary hierarchy or success function. However, the technique can be used for any linear hierarchy as long as the replacement algorithm always induces a single priority list for all hierarchy levels.

Our treatment of multilevel linear hierarchies can be extended to include hierarchies with congruence mapping functions. We assume that the same class length  $\alpha$  is used for every level and that  $D_i$  page frames are allocated to each congruence class at level  $M_i$ . The total capacity of level  $M_i$  is then

$$C_i = 2^\alpha \cdot D_i \quad \text{where } 1 \leq i \leq H. \quad (26)$$

Using the success function  $F^\alpha(C)$  and Equations 25 and 26, we obtain the access frequency  $F_i^\alpha$  for each level as follows:

Figure 19 Obtaining access frequencies from success function



$$F_i^\alpha = \begin{cases} F^\alpha(C) \\ 1 - \end{cases}$$

When using 19, it is important to level hierarchy the storage

#### Possible

It is possible various changes appropriate encodings of congruence classes with of the hierarchy techniques

- Pre-load
- Loading program
- Return instruction
- Maintain hierarchy
- Bringing
- Return stores from
- Moving

To illustrate these variations some detail. fetch operation, however, partitions, and only to refer hierarchy and facility, and hierarchies immediately for

The evaluation tag each reference priority list recorded. For

$$F_i^a = \begin{cases} F^a(\sigma_i) - F^a(\sigma_{i-1}) & \text{for } 1 \leq i \leq H-1 \\ 1 - \sum_{i=1}^{H-1} F_i^a & \text{for } i = H \end{cases} \quad (27)$$

When using Equation 27 or the graphic technique shown in Figure 19, it is important to remember that the success function for multi-level hierarchies with congruence mapping is defined only when the storage capacity is a multiple of  $2^a$ .

### Possible extensions

It is possible to extend stack processing techniques to account for various changes in the hierarchy model. For example, with appropriate encoding of the  $n$ -bit address, systems with page sizes that are not a power of two can be evaluated. Similarly, other encodings of the  $n$ -bit address can be used to evaluate systems with congruence mapping functions for any number of congruence classes with equal or unequal class sizes. Indicative of other changes of the hierarchy model that can be handled by stack processing techniques are the following:

- Pre-loading program pages into the buffer for starting execution
- Loading a working set<sup>19</sup> of pages into the buffer when resuming program execution
- Returning all pages to the backing store upon program interruption
- Maintaining copies of pages in several levels of the storage hierarchy
- Bringing pages to the local store only for fetch operations
- Returning pages to the backing store for references such as stores from an I/O channel
- Moving unequal size pages or segments between levels

To illustrate how stack processing techniques can be adapted to these variations in hierarchy design, we describe two extensions in some detail. In our original model, the generator does not distinguish fetch operations from store operations. In some computer systems, however, pages are brought to the local store only for fetch operations, and usage statistics for page replacement algorithms refer only to references for fetches. Stores to pages in lower levels of the hierarchy are broadcast to these levels by the hierarchy management facility, and no pages are moved. The justification for fetch-store hierarchies is that fetches or additional stores usually do not immediately follow stores to a page.

The evaluation of fetch-store hierarchies requires that the generator tag each reference as either a fetch or a store. For fetches, the priority list and the stack are updated, and a fetch distance  $\Delta'$  is recorded. For stores, neither the priority list nor the stack is up-

dated, but a store distance  $\Delta^*$  is recorded. The distributions  $\{n^f(\Delta^f)\}$  and  $\{n^s(\Delta^s)\}$  can then be used to determine the fetch and store access frequencies to each level of the hierarchy. It should be clear that this technique also works if congruence mapping is included. We can also consider a modified fetch-store design where the page usage statistics are updated for a store operation even though no page motion occurs. This change is incorporated by updating the priority list for both fetches and stores. Thus, for modified fetch-stores, the net change in our model is that the stack is not updated for store operations.

Besides distinguishing fetches from stores, a computer system may also distinguish the various sources of store requests. For example, a "call-back" feature can be used by which a page in the buffer is moved to the backing store if the page is stored into by an I/O device. The motivation here is to free the buffer of pages not needed by the CPU, and to service all I/O stores from the backing store.

For a call-back hierarchy, the generator must specify at least two kinds of references—CPU references, and stores from the I/O channel. Stack processing techniques can then be modified as follows. When a CPU store or fetch occurs, the stack is updated in the normal way (except for special entries to be described later), and a distance counter  $n^{CPU}(\Delta)$  is incremented. When an I/O store occurs, say at time  $t$ , a counter  $n^{I/O}(\Delta)$  is incremented. If page  $x_t$  does not occur on stack  $S_{t-1}$ , then  $S_t$  is equal to  $S_{t-1}$ . If page  $x_t$  does occur on stack  $S_{t-1}$ , then  $S_t = S_{t-1}$  except that  $x_t$  is replaced by the special entry "#." This entry, counted for all stack distance measurements, represents the empty page frame caused by page  $x_t$  returning to the backing store. To ensure that empty page frames are filled as soon as possible, all #-entries are assigned the lowest priority in replacement decisions.

The call-back feature can be used in conjunction with the fetch-store or modified fetch-store schemes. In all cases, the correctness of the modified stack processing techniques can be established.

Since stack processing allows a large sample of "typical" address tapes to be analyzed, for many hierarchy models, the efficiency gained at the early stages of hierarchy design may be great enough to impact the whole design process. More of these traces can be processed in a given time, and more hierarchy designs can be evaluated for a given number of traces. The availability of this data may help justify the "typical"-trace approach to design, or may help in the development of other models for system requirements. As an example, program models can be more deeply investigated by evaluating both a program and its model under a very large number of address traces. Improvement in program modeling, in turn, may enhance the success of analytical disciplines that use these models, such as storage interference studies for multiprogrammed systems.

## Concluding

The concepts of a variety of stack organization of storage a class of page show that replacement as least recent ment—belong

For any stack obtained from calculate the s used to determine multilevel, line any capacity at

For least recent of hierarchies v in a single pass classes, any nu level.

Some special r ment algorithm and that OPT n trace and buffer with a forward pass of the sam

We conclude th of the simulati Furthermore, w and the variou provide insight and computer c

## ACKNOWLEDG

The authors w comments and proof of Theore

## Appendix

Two results mer algorithm are p any trace and r

## Concluding remarks

The concepts presented in this paper have been used to develop a variety of stack processing techniques that are useful in the evaluation of storage hierarchies. Using the inclusion property, we define a class of page replacement algorithms, called stack algorithms, and show that replacement algorithms that induce priority lists—such as least recently used, least frequently used, and random replacement—belong to this class.

For any stack algorithm, the frequency of stack distances can be obtained from an address trace by stack processing and used to calculate the success functions. The success function can then be used to determine the relative frequency of access to all levels of a multilevel, linear storage hierarchy, with any number of levels and any capacity at each level.

For least recently used replacement (LRU), the access frequencies of hierarchies with congruence mapping functions can be determined in a single pass of the address trace—for any number of congruence classes, any number of levels, and any capacity per class at each level.

Some special results are presented concerning an optimal replacement algorithm (OPT). It is shown that OPT is a stack algorithm and that OPT minimizes the number of page swaps for any address trace and buffer capacity. Also, both OPT and LRU can be evaluated with a forward pass of the address trace followed by a backward pass of the same address trace.

We conclude that stack processing techniques can eliminate much of the simulation effort required in storage hierarchy evaluation. Furthermore, we believe that the classification of stack algorithms and the various extensions to stack processing techniques may provide insight into the areas of program modeling, system analysis, and computer design.

## ACKNOWLEDGMENT

The authors wish to acknowledge J. H. Eaton for his helpful comments and criticism, and T. W. MacDowell for his help in the proof of Theorem 4.

## Appendix

Two results mentioned in the paper concerning the OPT replacement algorithm are proved here. To do this, it is first shown that given any trace and replacement algorithm (not necessarily using demand

paging) another replacement algorithm exists that uses demand paging and causes the same or a fewer total number of pages to be loaded into the buffer. This result is used to show that OPT is an optimal replacement algorithm and, in fact, that OPT causes the minimum total number of pages to be loaded into the buffer. Finally, it is shown that the success function under OPT for any trace is identical to the success function under OPT for the reverse of the trace.

#### Definition

- $|S|$  denotes the number of elements in a set  $S$ .
- $|a|_X$  denotes the number of occurrences of a symbol  $a$  in a sequence  $X$ .
- $A = \{a, b, \dots\}$  is a finite set of  $N$  page addresses or pages.
- $X = x_1, x_2, \dots, x_L$  is a finite sequence of  $L$  elements from  $A$ , and is called a *trace*.
- $B_t(C) \subseteq A$  denotes the contents of a buffer of capacity  $C$  at time  $t$ , and is called a *state*.

Throughout this appendix, we consider a two-level storage hierarchy with fixed buffer capacity  $C$ . Consequently, we use  $B_t$  instead of  $B_t(C)$ . The term  $B_t$  denotes the contents of the buffer immediately after reference  $x_t$  is made;  $B_0$  is called the *initial buffer state*; and  $\phi$ , the empty set, denotes an empty buffer state.

#### Definition

- $P = p_1, p_2, \dots, p_L$  is a finite sequence of  $L$  sets,  $p_i \subseteq A$ , called an *O-policy*.
- $Q = q_1, q_2, \dots, q_L$  is a finite sequence of  $L$  sets,  $q_i \subseteq A$ , called an *I-policy*.

A policy is a particular realization of a replacement algorithm for a given trace. For such a trace and initial buffer state  $B_0$ , an *I-policy* and an *O-policy* together determine the sequence of buffer states that will occur during the trace. An *I-policy* gives the set of pages loaded into the buffer, and an *O-policy* gives the set removed. If  $p_i = \phi$ , no page is removed, and if  $q_i = \phi$ , no page is loaded in. Note that only certain pairs of *O-* and *I-policies* are meaningful. For example, a page cannot be removed if it is not in the buffer. We consider only meaningful policies, where  $q_{i+1} \subseteq B_i$  and  $p_{i+1} \subseteq B_i + q_{i+1}$ , for  $0 \leq i \leq L-1$ . In this case,  $B_{i+1}$  is obtained from  $B_i$  by

$$B_{i+1} = [B_i + q_{i+1}] - p_{i+1}$$

#### Definition

Let  $X$  be a trace and  $B_0$  (where  $|B_0| \leq C$ ) an initial state. A sequence of states  $B = B_0, B_1, \dots, B_L$  is a *valid sequence* if  $x_i \in B_i$ .

for  $1 \leq i \leq$   
application

Note that va  
pages may b  
our attention

- $|p_i| \leq 1$
- $x_i \in B_{i-1}$
- $p_i \neq \phi =$

for all  $i, 1 \leq$

Under dema  
the buffer fill

One measure  
number of p  
pair. The fo  
paging.

#### Theorem 1

Let  $P$  and  $Q$   
valid demand

$$\sum_{i=1}^L |q_i^D| \leq \sum_{i=1}^L |q_i^I|$$

*Proof.*  $P^D$  a  
valid policy  
 $P^0 = P, Q^0 =$   
for  $1 \leq j \leq$   
 $Q^{j-1}$  by alter  
straints wher  
demand pagi  
elements of  $p$   
and  $a \in q_i^I \in$   
 $p_i^I$  and  $q_i^I$ . Cl  
and only dec

To construct  
smallest time  
Set  $P^j = P^{j-1}$   
 $x_i = a$  and  $t$   
 $a \in q_i^{j-1}$ , the  
is defined her  
and  $q_{i+1}^j = q_i^j$   
or  $q_i^j = a$  if  
 $q_i^j \in B_{i-1}^j$  for

for  $1 \leq t \leq L$ . A policy pair  $P$  and  $Q$  is a *valid pair* for  $X$  and  $B_0$  if application of the pair results in a valid sequence.

Note that valid policy pairs are quite general in that any number of pages may be moved into or out of the buffer. However, most of our attention is directed toward *demand paging* where

$$\left. \begin{aligned} & \bullet |p_t| \leq 1 \quad \text{and} \quad |q_t| \leq 1 \\ & \bullet x_t \in B_{t-1} \Rightarrow p_t = q_t = \phi \\ & \bullet p_t \neq \phi \Rightarrow q_t \neq \phi \quad \text{and} \quad |B_{t-1}| = C \end{aligned} \right\} \quad (A1)$$

for all  $t$ ,  $1 \leq t \leq L$ .

Under demand paging, single pages are loaded when necessary until the buffer fills; subsequently, page swaps occur only when necessary.

One measure of goodness for a policy pair  $P$  and  $Q$  is the total number of pages loaded into the buffer  $\sum_{t=1}^L |q_t|$  under the policy pair. The following theorem supports the usefulness of demand paging.

#### Theorem 1

Let  $P$  and  $Q$  be a valid policy pair for  $X$  and  $B_0$ . There exists a valid demand policy pair  $P^D$  and  $Q^D$  for  $X$  and  $B_0$  such that

$$\sum_{t=1}^L |q_t^D| \leq \sum_{t=1}^L |q_t|$$

*Proof.*  $P^D$  and  $Q^D$  will be constructed by forming a sequence of valid policy pairs  $(P^0, Q^0), (P^1, Q^1), (P^2, Q^2), \dots, (P^K, Q^K)$ , where  $P^0 = P, Q^0 = Q, P^K = P^D, Q^K = Q^D$ , and  $\sum_{t=1}^L |q_t^j| \leq \sum_{t=1}^L |q_t^{j-1}|$  for  $1 \leq j \leq K$ . Informally,  $P^j$  and  $Q^j$  are constructed from  $P^{j-1}$  and  $Q^{j-1}$  by altering  $p_t^{j-1}$  and  $q_t^{j-1}$  to satisfy the demand paging constraints where  $p_t^{j-1}$  and/or  $q_t^{j-1}$  are the first occurrences of non-demand paging in  $P^{j-1}$  and  $Q^{j-1}$ . This is done by "sliding" offending elements of  $p_t^{j-1}$  and/or  $q_t^{j-1}$  to a later time in  $P^j$  and  $Q^j$ . If  $a \in p_t^j$  and  $a \in q_t^j$  ever occurs then we trivially remove page  $a$  from both  $p_t^j$  and  $q_t^j$ . Clearly, this does not disturb the validity of  $P^j$  and  $Q^j$  and only decreases the value of  $\sum_{t=1}^L |q_t^j|$ .

To construct  $P^j$  and  $Q^j$  from  $P^{j-1}$  and  $Q^{j-1}$ ,  $1 \leq j \leq K$ , let  $t$  be the smallest time such that  $p_t^{j-1}$  and/or  $q_t^{j-1}$  do not satisfy Equation A1. Set  $P^j = P^{j-1}$  and  $Q^j = Q^{j-1}$ , except as noted below. Suppose that  $x_t = a$  and that  $q_t^{j-1}$ , for  $t < L$ , does not satisfy Equation A1. If  $a \notin q_t^{j-1}$ , then set  $q_t^j = \phi$  and  $q_{t+1}^j = q_{t+1}^{j-1} + q_t^{j-1}$ . (Note that "+" is defined here since  $q_t^{j-1} \cap p_t^{j-1} = \phi$ ). If  $a \in q_t^{j-1}$ , then set  $q_t^j = a$ , and  $q_{t+1}^j = q_{t+1}^{j-1} + [q_t^{j-1} - a]$ . If  $t = L$ , then set  $q_L^j = \phi$  if  $a \notin q_L^{j-1}$ , or  $q_L^j = a$  if  $a \in q_L^{j-1}$ . In all cases, note that  $Q^j$  is valid, since  $q_t^j \in B_{t-1}^j$  for  $1 \leq t \leq L$ , and that  $\sum_{t=1}^L |q_t^j| \leq \sum_{t=1}^L |q_t^{j-1}|$ .



Now suppose that  $p_t^{i-1}$ , for  $t < L$ , does not satisfy Equation A1. We observe first that  $|q_t^i| \leq 1$  and  $q_t^i = a$ , if  $a \notin B_{t-1}^{i-1}$ . If  $q_t^i = \phi$  or  $|B_{t-1}^{i-1}| < C$ , then set  $p_t^i = \phi$  and  $p_{t+1}^i = p_{t+1}^{i-1} + p_t^{i-1}$ . If  $q_t^i = a$  and  $|B_{t-1}^{i-1}| = C$ , set  $p_t^i = b$  for some  $b \in p_{t+1}^{i-1}$  and  $p_{t+1}^i = p_{t+1}^{i-1} + [p_t^{i-1} - b]$ . (Note that  $p_t^{i-1} \neq \phi$ , since  $|B_{t-1}^{i-1}| = C$  and  $q_t^{i-1} \neq \phi$ .) For  $t = L$ , set  $p_L^i = b \in p_L^{i-1}$  if  $q_L^i = a$  and  $|B_{L-1}^{i-1}| = C$ , or  $p_L^i = \phi$  otherwise. In all cases, we observe that  $P^i$  is valid, since  $p_t^i \subseteq B_{t-1}^i$  for  $1 \leq t \leq L$ . Since  $P^i$  and  $Q^i$  satisfy demand paging at least up through time  $t$ , the desired demand policies must eventually be obtained. Thus the theorem is proved.

Before considering an optimum replacement algorithm we make two observations. First, under demand paging, a valid policy pair  $P$  and  $Q$  can be completely represented by specifying just the  $Q$ -policy  $P$ . This follows from Equation A1 because  $q_t \neq \phi$  can only occur when  $x_t = a$  and  $a \notin B_{t-1}$  (in which case we know that  $q_t = a$ ). Second, for demand policies  $P$  and  $Q$ , we can use  $|\phi|_P$  as an alternative criterion of goodness. To see this let  $u$  be the smallest integer such that  $|B_t| = C$ ,  $t \geq u$ . Then  $|\phi|_P$  is given by the following expression:

$$|\phi|_P = u + (L - u) - \sum_{t=u+1}^L |q_t| \quad (A2)$$

Since  $u$  in Equation A2 is not a function of the policies,  $\sum_{t=1}^u |q_t|$  is a constant and

$$|\phi|_P = \left( L + \sum_{t=1}^u |q_t| \right) - \sum_{t=1}^L |q_t| = \text{constant} - \sum_{t=1}^L |q_t| \quad (A3)$$

optimum  
replacement  
algorithm

For a given trace  $X$  and initial state  $B_0$  let us define an optimum policy pair  $P$  and  $Q$  as a pair that is valid and minimizes  $\sum_{t=1}^L |q_t|$  over the class of valid policies. From Theorem 1 there always exists an optimum policy pair which is also a demand policy pair. Since (A3) holds for all demand policies we can find an optimum demand policy pair if we can find a demand policy  $P^0$  such that  $|\phi|_{P^0} \geq |\phi|_P$  where  $P$  is any demand policy.

#### Definition

Let  $X$  be a trace, and let  $a \in A$  be a page. The forward distance  $d(a, x_t)$  to page  $a$  from page  $x_t$  is the number of distinct pages occurring in  $x_{t+1}, \dots, x_e$ , where  $e$  is the smallest integer satisfying  $e > t$  and  $x_e = a$ . If no such  $e$  exists then  $d(a, x_t) = \infty$ .

#### Definition

Let  $X$  be a trace and  $B_0$  an initial state. A valid demand policy  $P^0$ , called an OPT policy, for  $X$  and  $B_0$  is defined as follows. For  $t = 1, 2, \dots, L$ , whenever  $p_t \neq \phi$  is required then  $p_t = a$  where

$$(\forall b \in B_{t-1})(d(a, x_t) < d(b, x_t))$$

The forward distance referenced before requires that the greatest forward realization of the trace. We observe that the policies have distinct forward distances. We have an infinite number of such policies more than one that all such policies

To show that the policies we use

#### Lemma 1

Let  $X$  be a trace

$$B'_0 = T_0 + \{a\}$$

$$B_0 = T_0 + \{b\}$$

and  $d(a, x_1) \leq d(b, x_1)$ . If  $X$  and  $B_0$ , there exists  $B'_0$  such that

$$|\phi|_{P'} \geq |\phi|_P$$

*Proof.* Given  $X$  at  $x_{i_a}$  and  $b$  a page that does not occur in  $X$  there are three cases.

Case 1.  $p_j = a$ ,  $1 \leq j < i_a$ . Here this results in  $B'_j$  and  $B_i = B'_i$ ,  $j \leq i_a$  up to time  $j$ , it (because  $P$  is) an

Case 2.  $p_{i_a} = b$ . In this case we set  $p'_k = b$  for  $k = i_a$ . Case 1,  $P'$  is a valid

Case 3.  $p_j \neq b$ ,  $j < i_a$

Case 3A.  $p_{i_a} = a$  by

$$B'_{i_a} = T_{i_a} + \{a\}$$

$$(\forall b \in B_{i-1})(d(a, x_i) \geq d(b, x_i))$$

The forward distance to a page is just the number of distinct pages referenced before that page is referenced again. An OPT policy requires that the page removed from the buffer be one with the greatest forward distance. Note that an OPT policy is a particular realization of the OPT replacement algorithm discussed in the paper. We observe that, at time  $t$ , all pages with finite forward distances have distinct forward distances. However, more than one page may have an infinite forward distance. This means that there may exist more than one OPT policy for a given  $X$  and  $B_0$ . It should be clear that all such policies  $P^0$  have the same value of  $|\phi|_{P^0}$ .

To show that any  $P^0$  maximizes  $|\phi|_{P^0}$  over the class of demand policies we use the following lemma.

#### Lemma 1

Let  $X$  be a trace and  $B_0$  and  $B'_0$  initial states where

$$\begin{aligned} B'_0 &= T_0 + \{a\} \\ B_0 &= T_0 + \{b\} \end{aligned} \quad \text{for } T_0 \subseteq A \text{ and } a, b \notin T_0 \quad (\text{A4})$$

and  $d(a, x_i) \leq d(b, x_i)$ . For any demand policy  $P$ , corresponding to  $X$  and  $B_0$ , there exists a demand policy  $P'$ , corresponding to  $X$  and  $B'_0$ , such that

$$|\phi|_{P'} \geq |\phi|_P$$

*Proof.* Given  $P$ , we construct  $P'$ . Suppose page  $a$  first occurs in  $X$  at  $x_{i_a}$  and  $b$  at  $x_{i_b}$ . Thus,  $i_a < i_b \leq L$  is assumed. If either  $b$  or  $a$  does not occur in  $X$ , then set  $i_b$  or  $i_a$  equal to  $L + 1$ . We consider three cases.

*Case 1.*  $p_i = b$  where  $p_i$  is the first occurrence of  $b$  in  $P$ , and  $1 \leq j < i_a$ . Here we set  $p'_k = p_k$ ,  $1 \leq k \leq L$  and  $k \neq j$ , and  $p'_j = a$ . This results in  $B_t = T_t + \{b\}$  and  $B'_t = T_t + \{a\}$ ,  $0 \leq t \leq j - 1$  and  $B_t = B'_t$ ,  $j \leq t \leq L$ . Since pages  $a$  and  $b$  are both not referenced up to time  $j$ , it should be clear that  $P'$  is a valid demand policy (because  $P$  is) and that  $|\phi|_{P'} = |\phi|_P$ .

*Case 2.*  $p_{i_a} = b$  where  $p_{i_a}$  is the first occurrence of  $b$  in  $P$ . In this case we set  $p'_k = p_k$ ,  $1 \leq k \leq L$  and  $k \neq j$ , and  $p'_{i_a} = \phi$ . As in Case 1,  $P'$  is a valid demand policy and  $|\phi|_{P'} = |\phi|_P + 1 \geq |\phi|_P$ .

*Case 3.*  $p_i \neq b$ ,  $1 \leq j \leq i_a$ . Here we must consider two subcases.

*Case 3A.*  $p_{i_a} = c$ . At time  $t = i_a$  the states of the buffer are given by

$$B'_{i_a} = T_{i_a} + \{a\}$$

$$B_{i_a} = T_{i_a} + \{b\} + \{a\} - \{c\} \text{ for } c \in T_{i_a}$$

which can also be written as follows:

$$B'_{i_a} = [T_{i_a} + \{a\} - \{c\}] + \{c\}$$

$$B_{i_a} = [T_{i_a} + \{a\} - \{c\}] + \{b\}$$

Note this is the same form as Equation A4 with  $T_0$  replaced by  $[T_{i_a} + \{a\} - \{c\}]$  and  $a$  replaced by  $c$ . If  $d(c, x_{i_a+1}) \leq d(b, x_{i_a+1})$  then we have a situation identical to that in the statement of Lemma 1 where  $X$  now is  $x_{i_a+1}, \dots, x_L$ . Setting  $p'_k = p_k$  for  $1 \leq k \leq i_a - 1$  and  $p'_{i_a} = \phi$ , we again consider Cases 1, 2, and 3. Since the "new"  $X$  is strictly shorter than the original  $X$ , this situation can only occur a finite number of times. Note that  $P'$  is valid as far as it is specified and that  $p'_1, \dots, p'_{i_a}$  contains one more  $\phi$  than  $p_1, \dots, p_{i_a}$ .

If  $d(c, x_{i_a+1}) > d(b, x_{i_a+1})$ , we set  $p'_k = p_k$  for  $1 \leq k \leq i_a - 1$  and  $p'_{i_a} = \phi$ , and consider two more cases. First, if  $p_{i_a} = b$ , where  $p_{i_a}$  is the first occurrence of  $b$  in  $X$  and  $\ell < i_b$ , we set  $p'_k = p_k$  for  $i_a + 1 \leq k \leq L$ , and  $k \neq \ell$  and  $p'_\ell = c$ . Here  $B'_t = B_t$  for  $\ell \leq t \leq L$ , and as in Case 1, we see that  $|\phi|_{P'} \geq |\phi|_P$  still holds. Second, if  $p_{i_a} \neq b$ , for  $\ell < i_b$ , we set  $p'_k = p_k$ ,  $i_a + 1 \leq k \leq L$ , and  $k \neq i_b$  and  $p'_{i_b} = c$ . Again we have  $B'_t = B_t$  for  $i_b \leq t \leq L$ , but we note that  $p_{i_b} = \phi$ , whereas  $p'_{i_b} = c \neq \phi$ . However, since  $p_{i_a} \neq \phi$  and  $p'_{i_a} = \phi$ , the relation  $|\phi|_{P'} \geq |\phi|_P$  still holds.

**Case 3B.**  $p_{i_a} = \phi$ . Since  $q_{i_a} = a$  we observe that  $|B_{i_a-1}| < C$ . Let  $\ell$  be the smallest integer such that  $p_\ell \neq \phi$ . If no such integer exists, then let  $\ell = L + 1$ . We set  $p'_k = p_k$  for  $1 \leq k \leq i_a$  and consider two cases. First, if  $i_b < \ell$  then we set  $p'_k = p_k$  for  $i_a + 1 \leq k \leq L$ . Note that  $Q' = Q$  except at times  $i_a$  and  $i_b$ . Since  $|B'_t| = |B_t|$  for  $i_b \leq t \leq L$ , we see that  $P'$  is valid, and  $|\phi|_{P'} = |\phi|_P$ , since  $P' = P$ . Second, for the case  $i_b > \ell$ , note that  $x_\ell = c$ , where  $c \neq a$  and  $c \neq b$ . We set  $p'_k = p_k$  for  $i_a + 1 \leq k \leq L$  and  $k \neq \ell$ , and  $p'_\ell = \phi$ . If  $p_\ell = b$ , then  $|B'_t| = |B_t|$  for  $\ell \leq t \leq L$ , and  $|\phi|_{P'} = |\phi|_P + 1 \geq |\phi|_P$ . If  $p_\ell = a$ , then the buffer states at times  $\ell - 1$  and  $\ell$  are:

$$B'_{\ell-1} = T_{\ell-1} + \{a\} \quad B'_\ell = T_{\ell-1} + \{a\} + \{c\}$$

$$B_{\ell-1} = T_{\ell-1} + \{a\} + \{b\} \quad B_\ell = T_{\ell-1} + \{b\} + \{c\}$$

Rewriting the buffer states at time  $\ell$  as

$$B'_\ell = [T_{\ell-1} + \{c\}] + \{a\}$$

$$B_\ell = [T_{\ell-1} + \{c\}] + \{b\}$$

we arrive at a case similar to Case 3A. As in Case 3A,  $P'$  contains one more  $\phi$  than  $P$  in the interval  $t = 1, \dots, \ell$ . Therefore, we treat this case in the same way, with the result  $|\phi|_{P'} \geq |\phi|_P$ . Finally, if  $p_\ell = d$  where  $d \neq a$  and  $d \neq b$  the buffer states at time  $\ell$  can be written as

$$B'_\ell = [T_{\ell-1} + \{a\} + \{c\} - \{d\}] + \{d\}$$

$$B_t = [T_{t-1} + \{a\} - \{c\}] + \{c\}$$

which again can

Note that the situation is identical to the case  $b \in B_{i_a-1}$ . We consider these cases, and Lemma 1.

## Theorem 2

Let  $X$  be a trace for  $X$  and  $B_0$ . If  $|\phi|_{P^0} \geq |\phi|_P$ .

**Proof.** We recall exactly the same argument. We only find any OPT policy will construct a finite trace. It is an OPT policy.

$P^1$  is constructed  $p_i \neq p_i^0$ , where  $p_i = a$  and  $p_i^0 =$  demand policies.)

$$B_i = T_i + \{b\} \quad B_i^0 = T_i + \{a\}$$

where  $d(a, x_i) \leq d(a, x_{i+1}) \leq d(b, x_{i+1})$  as  $X$ , we can use Lemma 1 as least as many  $\phi$  as  $P^1$  as

$$p'_k = \begin{cases} p_k, & 1 \leq k \leq i \\ b, & k = i \\ p'_k, & i + 1 \leq k \leq L \end{cases}$$

Note that  $P^1$  is valid for  $1 \leq k \leq \ell_1$  for some  $\ell_1$ .

Policy  $P^2$  is constructed that  $p'_k = p_k^0$ ,  $1 \leq k \leq \ell_1$ . finite, construction  $p'_k = p_k^0$ ,  $1 \leq k \leq \ell_1$  that  $|\phi|_P \leq |\phi|_{P^1}$  is proved.

Combining the relations of Theorems 1 and 2,

$$B_t = [T_{t-1} + \{a\} + \{c\} - \{d\}] + \{b\}$$

which again can be treated as in Case 3A.

Note that the situation where  $i_b = \ell$  can not arise in Case 3B, since  $b \in B_{i_b-1}$ . We have therefore successfully exhausted the possible cases, and Lemma 1 is proved.

### Theorem 2

Let  $X$  be a trace,  $B_0$  an initial state, and  $P$  a valid demand policy for  $X$  and  $B_0$ . If  $P^0$  is any valid OPT policy for  $X$  and  $B_0$ , then  $|\phi|_{P^0} \geq |\phi|_P$ .

*Proof.* We recall first that every OPT policy for  $X$  and  $B_0$  has exactly the same number of  $\phi$ 's. To prove the theorem, we need only find any OPT policy  $P^0$  such that  $|\phi|_{P^0} \geq |\phi|_P$ . To do this we will construct a finite sequence of policies  $P^1, P^2, \dots, P^i$ , where  $P^i$  is an OPT policy and  $|\phi|_P \leq |\phi|_{P^1} \leq \dots \leq |\phi|_{P^i}$ .

$P^1$  is constructed as follows. Let  $i$  be the smallest integer such that  $p_i \neq p_i^0$ , where  $p_i^0$  is an element of an OPT policy. Suppose that  $p_i = a$  and  $p_i^0 = b$ . (Neither  $p_i$  nor  $p_i^0$  can be  $\phi$ , since both are demand policies.) We observe that

$$\begin{aligned} B_i &= T_i + \{b\} \\ B_i^0 &= T_i + \{a\} \end{aligned} \quad \text{for } a, b \notin T_i$$

where  $d(a, x_i) \leq d(b, x_i)$ . Since  $x_i \neq a$  and  $x_i \neq b$ , it follows that  $d(a, x_{i+1}) \leq d(b, x_{i+1})$ . Treating  $B_i$  as  $B_0$ ,  $B_i^0$  as  $B_0^0$ , and  $x_{i+1}, \dots, x_L$  as  $X$ , we can use Lemma 1 to find a policy  $p_{i+1}^1, \dots, p_L^1$  that contains at least as many  $\phi$ 's as  $p_{i+1}, \dots, p_L$ . We then define  $P^1 = p_1^1, \dots, p_L^1$  as

$$\begin{aligned} &p_k, \quad 1 \leq k \leq i-1 \\ &p_k^1 \begin{cases} b, & k = i \\ p_k^1, & i+1 \leq k \leq L \end{cases} \end{aligned}$$

Note that  $P^1$  is valid and that  $|\phi|_P \leq |\phi|_{P^1}$ . Furthermore,  $p_k^1 = p_k^0$ ,  $1 \leq k \leq \ell_1$  for some  $\ell_1 \geq i$ .

Policy  $P^2$  is constructed from  $P^1$  in a similar manner with the results that  $p_k^2 = p_k^0$ ,  $1 \leq k \leq \ell_2$  where  $\ell_2 > \ell_1$  and  $|\phi|_{P^1} \leq |\phi|_{P^2}$ . Since  $X$  is finite, construction of  $P^1, P^2, \dots$  must result in  $P^j$ , for finite  $j$ , where  $p_k^j = p_k^0$ ,  $1 \leq k \leq L$ . It follows from  $|\phi|_P \leq |\phi|_{P^1} \leq \dots \leq |\phi|_{P^j}$  that  $|\phi|_P \leq |\phi|_{P^j}$  where  $P^j$  is an OPT policy and the theorem is proved.

Combining the relation in Equation A3 for demand paging with Theorems 1 and 2, we have the following theorem.

OPT is an optimal replacement algorithm

$T_0$  replaced by  $\dots, p_{i_a}$

$\leq k \leq i_a - 1$   
 $i = b$ , where  $p_i$   
at  $p_i' = p_i$ , for  
for  $\ell \leq t \leq L$ ,  
Second, if  $p_i \neq$   
 $i_b$  and  $p_i' = c$ .  
te that  $p_{i_b} = \phi$ ,  
d  $p_{i_b}' = \phi$ , the

t  $|B_{i_a-1}| < C$ .  
no such integer  
 $\leq i_a$  and con-  
for  $i_a + 1 \leq$   
nce  $|B_i'| = |B_i|$   
 $\phi|_P$ , since  $P' =$   
ere  $c \neq a$  and  
 $\ell$ , and  $p_i' = \phi$ .  
 $= |\phi|_P + 1 \geq$   
and  $\ell$  are:

$\{c\}$   
 $\{c\}$

A,  $P'$  contains  
efore, we treat  
 $\phi|_P$ . Finally, if  
time  $\ell$  can be

OPT  
minimizes  
page  
loading

### Theorem 3

Let  $X$  be a trace,  $B_0$  an initial state, and  $P^0$  a valid OPT policy. (Also, let  $Q^0$  be the corresponding  $I$ -policy.) For any valid policy pair  $P$  and  $Q$ ,

$$\sum_{i=1}^L |q_i| \geq \sum_{i=1}^L |q_i^0|$$

Thus we see that an OPT policy results in a minimum number of pages being loaded into the buffer over the class of all valid policies. After giving preliminary Lemmas 2 and 3, we present a final theorem concerning OPT policies.

### Lemma 2

For a trace  $X$ , let the set  $B_c$  represent the first  $C$  distinct pages referenced in  $X$ . For a buffer of capacity  $C$ , if  $P$  is a valid demand policy for  $X$  and some  $B'_0 \subseteq B_c$ , then  $P$  is a valid demand policy for  $X$  and any  $B'_0 \subseteq B_c$ .

*Proof.* Let  $i$  be the smallest integer such that  $x_1, \dots, x_i$  contains  $C$  distinct pages. If  $B_0 \subseteq B_c$  then, for any valid demand policy  $P$ , we have  $B_i = B_c$ , since  $p_1 = p_2 = \dots = p_i = \phi$ . For  $B'_0 \subseteq B_c$  this also holds, so  $P$  is a valid demand policy for  $X$  and  $B'_0$ . (Note that for different initial states,  $B_0 \subseteq B_c$ , the  $Q$  policies will not be the same.)

### Lemma 3

For a trace  $X$ , let the set  $E_c$  represent the last  $C$  distinct pages referenced in  $X$ . For a buffer of capacity  $C$ , if  $P$  is a valid demand policy for  $X$  and  $B_0$ , there exists a valid demand policy  $P'$  with a state sequence  $B_0, B'_1, B'_2, \dots, B'_L$  such that  $B'_L = E_c$  and  $|\phi|_{P'} \geq |\phi|_P$ .

*Proof.* Let  $i$  be the smallest integer such that  $x_i, \dots, x_L$  contains  $C$  distinct pages. Suppose, under policy  $P$ , that  $B_{i-1}$  contains  $n$  elements of  $E_c$ , i.e.  $|B_{i-1} \cap E_c| = n$ . It follows that at least  $C - n$  pages will be loaded into the buffer following time  $i - 1$ . Setting  $p'_k = p_k$  for  $1 \leq k \leq i - 1$ , we will specify the remainder of  $P'$  in such a way that exactly  $C - n$  pages are loaded into the buffer following time  $i - 1$ . We observe that, since at most  $C$  distinct pages are referenced following time  $i - 1$ , we never need remove a page  $b$  from the buffer where  $b \in E_c$ . Thus, if a page must be removed at time  $\ell$  for  $i \leq \ell \leq L$ , there always exists a page  $c$ , where  $c \notin E_c$ , in the buffer, and we set  $p'_\ell = c$ . If  $P'$  is constructed in this manner,

$$\sum_{i=1}^L |q'_i| \leq \sum_{i=1}^L |q_i|$$

and from Eq  
no page in  $E$   
and  $|E_c| =$

### Theorem 4

Let  $X = x_1, \dots, x_L$ .  
If  $P^0$  is an O  
for  $X$  and  $B$

*Proof.* Let  
without loss  
is an integer  
in  $X$  and if  
contradiction  
 $D > C$ .

Let us denote  
Lemma 2 we  
From Lemma  
altered policy  
OPT policy. (Note  
Similarly, if  
assume that

Consider now  
 $x_L \in B_1, x_{L-1} \in B_2, \dots$   
sequence is a  
Let us denote  
observe first  
and  $Q'$  (as w  
observe that  
 $B_{L-1} = B_L - \{q'_2\} - \{p'_2\}$ ,  
 $\phi$ . Similarly,  
 $q'_3 = p'_{L-1}$  a  
show that

$$\begin{aligned} q'_i &= p'_{L+2-i} \\ p'_i &= q'_{L+2-i} \end{aligned}$$

Now, since  $x$   
 $p'_1 = q'_1 =$   
follows that  $p'_1$   
 $q'_1$  and  $q'_1 = p'_1$   
we have estab  
 $Q^0$ , and betw  
 $|\phi|_{Q'} = |\phi|_{P^0}$   
 $B_1 = \dots =$

and from Equation A3 we have  $|\phi|_{P'} \geq |\phi|_P$ . Furthermore, since no page in  $E_C$  is ever removed from the buffer following time  $t = i$  and  $|E_C| = C$ , we see that  $B'_L = E_C$ .

#### Theorem 4

Let  $X = x_1, \dots, x_L$  be a trace and  $'X = x_L, \dots, x_1$  its reverse. If  $P^0$  is an OPT policy for  $X$  and  $B_0 = \phi$ , and  $'P^0$  is an OPT policy for  $'X$  and  $'B_0 = \phi$ , then  $|\phi|_{P^0} = |\phi|_{'P^0}$ .

*Proof.* Let us assume that the theorem does not hold. Thus, without loss of generality, suppose that  $|\phi|_{'P^0} = |\phi|_{P^0} + k$  where  $k$  is an integer and  $k > 0$ . If  $D$  distinct pages are referenced in  $X$  (and in  $'X$ ) and if  $D \leq C$ , the buffer capacity, then we have an immediate contradiction, since  $|\phi|_{P^0} = |\phi|_{'P^0} = L$ . We therefore assume  $D > C$ .

Let us denote the state sequence under  $P^0$  as  $B_0, B_1, \dots, B_L$ . From Lemma 2 we can set  $B_0 = B_C$  without disturbing the validity of  $P^0$ . From Lemma 3 we can alter  $P^0$  such that  $B_L = E_C$ . Note that the altered policy contains the same number of  $\phi$ 's as  $P^0$ , since  $P^0$  is an OPT policy. (We subsequently refer to the altered policy as  $P^0$ .) Similarly, if  $'B_0, 'B_1, \dots, 'B_L$  is the state sequence under  $'P^0$  we can assume that  $'B_0 = 'B_C$  and  $'B_L = 'E_C$ .

Consider now the state sequence  $'B_L, 'B_L, 'B_{L-1}, \dots, 'B_2, 'B_1$ . Since  $x_L \in 'B_1, x_{L-1} \in 'B_2, \dots, x_2 \in 'B_{L-1}, x_1 \in 'B_L$ , we see that this sequence is a valid (not necessarily demand) sequence for the trace  $X$ . Let us denote the corresponding valid policy pair as  $P'$  and  $Q'$ . We observe first that, since  $'E_C = B_C$ , we have  $'B_L = B_C = B_0$ . Thus  $P'$  and  $Q'$  (as well as  $P^0$ ) are valid policies for  $X$  and  $B_0$ . Next we observe that  $'B_L = 'B_{L-1} + \{q_L^0\} - \{p_L^0\}$  can be written as  $'B_{L-1} = 'B_L + \{p_L^0\} - \{q_L^0\}$ . But we also have  $'B_{L-1} = 'B_L + \{q_2^0\} - \{p_2^0\}$ , which yields  $q_2^0 = p_L^0$  and  $p_2^0 = q_L^0$ , since  $'p_L^0 \cap 'q_L^0 = \phi$ . Similarly, since  $'B_{L-1} = 'B_{L-2} + \{q_{L-1}^0\} - \{p_{L-1}^0\}$ , we have  $q_3^0 = p_{L-1}^0$  and  $p_3^0 = q_{L-1}^0$ . Continuing in this manner we can show that

$$\begin{cases} q_i^0 = p_{L+2-i}^0 \\ p_i^0 = q_{L+2-i}^0 \end{cases} \quad \text{for } 2 \leq i \leq L \quad (\text{A5})$$

Now, since  $x_L \in 'B_0$  (recall that  $'B_0 = 'B_C$ ), it follows that  $'p_1^0 = 'q_1^0 = \phi$ . Similarly, since  $x_1 \in B_0$  (recall that  $B_0 = B_C$ ), it follows that  $p'_1 = q'_1 = \phi$ . We can then trivially assume that  $p'_1 = q'_1$  and  $q'_1 = p'_1$ . The significance of this is that, using Equation A5, we have established a one-to-one correspondence between  $P'$  and  $'Q^0$ , and between  $Q'$  and  $'P^0$ . In particular,  $|\phi|_{P'} = |\phi|_{'Q^0}$  and  $|\phi|_{Q'} = |\phi|_{'P^0}$ . We now observe that  $|\phi|_{'Q^0} = |\phi|_{'P^0}$ , since  $|'B_0| = |'B_1| = \dots = |'B_L| = C$ . In other words,  $'p_i^0 = \phi$  if and only if

forward/  
backward  
OPT

$q_i^0 = \phi$ , since the buffer is always full. We thus have shown that  $|\phi|_{P'} = |\phi|_{r_{QO}} = |\phi|_{r_{PO}}$ .

Recall that  $P'$  and  $Q'$  are not necessarily demand policies. From Theorem 1 we can find a demand policy pair  $P''$  and  $Q''$  such that

$$\sum_{i=1}^L |q_i''| \leq \sum_{i=1}^L |q_i'|$$

From Equation A5 and the discussion that follows, we know that  $|p_i'| = |q_i'|$  for  $1 \leq i \leq L$ . Since  $P''$  and  $Q''$  are demand policies, and since  $|B_0| = |B_1'| = \dots = |B_L'| = C$ , we have

$|p_i''| = |q_i''|$  for  $1 \leq i \leq L$ . Combining these results yields

$$\sum_{i=1}^L |p_i''| \leq \sum_{i=1}^L |p_i'| \quad \text{or} \quad |\phi|_{P''} \geq |\phi|_{P'}$$

But then we have  $|\phi|_{P''} \geq |\phi|_{P'} = |\phi|_{r_{PO}} = |\phi|_{PO} + k$ . Since  $P^0$  was given as an OPT policy, we have from Theorem 2 a contradiction with  $|\phi|_{P''} > |\phi|_{PO}$  for the demand policy  $P''$ . Thus our original assumption is false, and it must be the case that  $|\phi|_{r_{PO}} = |\phi|_{PO}$ .

#### CITED REFERENCES

1. A. Opler, "Dynamic flow of programs and data through hierarchical storage," *Information Processing 1965, Proceedings of IFIP Congress 1*, 273-276 (1965).
2. E. Morenoff and J. B. McLean, "Application of level changing to a multilevel storage organization," *Communications of the Association for Computing Machinery* 10, 3, 149-154 (1967).
3. C. J. Conti, "Concepts for buffer storage," *IEEE Computer Group News* 2, 8, 9-13 (1969).
4. W. Anacker and C. P. Wang, "Performance evaluation of computing systems with memory hierarchies," *IEEE Transactions on Electronic Computers* EC-16, 6, 764-773 (1967).
5. R. L. Mattson and J.-P. Jacob, "Optimization studies for computer systems with virtual memory," *Information Processing 1968, IFIP Congress Booklet 1*, 47-54 (1968).
6. J. E. Shemer and G. A. Shippey, "Statistical analysis of paged and segmented computer systems," *IEEE Transactions on Electronic Computers* EC-15, 6, 855-863 (1966).
7. J. Fotheringham, "Dynamic storage allocation in the ATLAS computer, including an automatic use of a backing store," *Communications of the Association for Computing Machinery* 4, 10, 435-436 (1961).
8. T. Kilburn, D. B. G. Edwards, M. J. Lanigan, and F. H. Sumner, "One-level storage system," *IEEE Transactions on Electronic Computers* EC-11, 2, 223-235 (1962).
9. M. H. J. Baylis, D. G. Fletcher, and D. J. Howarth, "Paging studies made on the I.C.T. ATLAS computer," *Information Processing 1968, IFIP Congress Booklet D*, 113-118 (1968).
10. D. H. Gibson, "Considerations in block-oriented systems design," *AFIPS Conference Proceedings, Spring Joint Computer Conference 30*, Academic Press, New York, New York, 75-80 (1967).
11. S. J. Liptay, "Structural aspects of the System/360 Model 85: II The cache," *IBM Systems Journal* 7, 1, 15-21 (1968).

12. R. W. O'Neil, "A system with a cache," *Proceedings of the 1968 Symposium on Computer Architecture*, New York, 1968.
13. L. A. Belach, "A demand policy for a computer," *IBM Systems Journal* 13, 1, 1-10 (1968).
14. C. J. Kuehn, "A demand policy for a computer," *IBM Systems Journal* 13, 1, 1-10 (1968).
15. C. V. Ramakrishna, "A demand policy for a computer," *IBM Systems Journal* 13, 1, 1-10 (1968).
16. J. Kral, "A demand policy for a computer," *IBM Systems Journal* 13, 1, 1-10 (1968).
17. J. G. Kemmer, "A demand policy for a computer," *IBM Systems Journal* 13, 1, 1-10 (1968).
18. L. A. Belach, "A demand policy for a computer," *IBM Systems Journal* 13, 1, 1-10 (1968).
19. P. J. Denning, "A demand policy for a computer," *IBM Systems Journal* 13, 1, 1-10 (1968).

12. R. W. O'Neill, "Experience using a time-sharing multiprogramming system with dynamic address relocation hardware," *AFIPS Conference Proceedings, Spring Joint Computer Conference* 30, Academic Press, New York, New York, 611-621 (1967).

13. L. A. Belady, "A study of replacement algorithms for a virtual-storage computer," *IBM Systems Journal* 5, 2, 78-101 (1966).

14. C. J. Kuehner and B. Randell, "Demand paging in perspective," *AFIPS Conference Proceedings, Fall Joint Computer Conference* 33, 1011-1018 (1968).

15. C. V. Ramamoorthy, "The analytic design of a dynamic look ahead and program segmenting system for multiprogrammed computers," *Proceedings of the 21st National Conference of the Association for Computing Machinery*, Thompson Book Company, Washington, D. C., 229-239 (1966).

16. J. Kral, "One way of estimating frequencies of jumps in a program," *Communications of the Association for Computing Machinery* 11, 7, 475-480 (1968).

17. J. G. Kemeny and J. L. Snell, *Finite Markov Chains*, D. van Nostrand Company, Inc., Princeton, New Jersey (1960).

18. L. A. Belady, R. A. Nelson, and G. S. Shedler, "An anomaly in spare-time characteristics of certain programs running in a paging machine," *Communications of the Association for Computing Machinery* 12, 6, 349-353 (1969).

19. P. J. Denning, "The working set model for programming behavior," *Communications of the Association for Computing Machinery* 11, 5, 323-333 (1968).

ve shown that  
policies. From  
Q" such that

we know that  
 $= |B'_L| = C,$   
yields

+ k. Since  $P^0$   
a contradiction  
is our original  
 $\phi = |\phi|_{P^0}.$

ugh hierarchical  
IFIP Congress

changing to a  
the Association

omputer Group

n of computing  
s on Electronic

s for computer  
ng 1968, IFIP

s of paged and  
Electronic Com-

ATLAS com-  
ommunications  
35-436 (1961).  
F. H. Sumner,  
lectronic Com-

"Paging studies  
rocessing 1968,

design," *AFIPS*  
rence 30, Aca-

del 85: II The