

61A Lecture 31

Wednesday, April 15

Announcements

- Homework 8 due Wednesday 4/17 @ 11:59pm
- Please complete the course survey on resources! <http://goo.gl/ajEBkT>
- Project 4 due Thursday 4/23 @ 11:59pm
 - Early point #1: Questions 1–12 submitted (correctly) by Friday 4/17 @ 11:59pm
 - Early point #2: All questions (including Extra Credit) by Wednesday 4/22 @ 11:59pm

Information Hiding

Attributes for Internal Use

An attribute name that starts with one underscore is not meant to be referenced externally.

```
class FibIter:
    """An iterator over Fibonacci numbers."""
    def __init__(self):
        self._next = 0
        self._addend = 1

    def __next__(self):
        result = self._next
        self._addend, self._next = self._next, self._addend + self._next
        return result
```

```
>>> fibs = FibIter()
>>> [next(fibs) for _ in range(10)]
[0, 1, 1, 2, 3, 5, 8, 13, 21, 34]
```

"Please don't reference these directly. They may change."

This naming convention is not enforced, but is typically respected

A programmer who designs and maintains a public module may change internal-use names

Starting a name with *two underscores* enforces restricted access from outside the class

Names in Local Scope

A name bound in a local frame is not accessible to other environments, except those that extend the frame

```
def fib_generator():  
    """A generator function for Fibonacci numbers.  
  
    >>> fibs = fib_generator()  
    >>> [next(fibs) for _ in range(10)]  
    [0, 1, 1, 2, 3, 5, 8, 13, 21, 34]  
    """  
    yield 0  
    previous, current = 0, 1  
    while True:  
        yield current  
        previous, current = current, previous + current
```

There is no way to access values bound to "previous" and "current" externally

Singleton Objects

A singleton class is a class that only ever has one instance

`NoneType`, the class of `None`, is a singleton class; `None` is its only instance

For user-defined singletons, some programmers re-bind the class name to the instance

```
class empty_iterator:
    """An iterator over no values."""
    def __next__(self):
        raise StopIteration
empty_iterator = empty_iterator()
```

The instance

The class

Stream Implementation

Stream Implementation

A stream is a linked list with an *explicit* first element and a rest-of-the-list that is computed lazily

```
class Stream:
    """A lazily computed linked list."""
    class empty:
        def __repr__(self):
            return 'Stream.empty'
    empty = empty()

    def __init__(self, first, compute_rest=lambda: Stream.empty):
        assert callable(compute_rest), 'compute_rest must be callable.'
        self.first = first
        self._compute_rest = compute_rest


    @property
    def rest(self):
        """Return the rest of the stream, computing it if necessary."""
        if self._compute_rest is not None:
            self._rest = self._compute_rest()
            self._compute_rest = None
        return self._rest
```


Declarative Languages

Database Management Systems

Database management systems (DBMS) are important, heavily used, and interesting!

A table is a collection of records, which are rows that have a value for each column



The Structured Query Language (SQL) is perhaps the most widely used programming language

SQL is a *declarative* programming language

Declarative Programming

In **declarative languages** such as SQL & Prolog:

- A "program" is a description of the desired result
- The interpreter figures out how to generate the result

In **imperative languages** such as Python & Scheme:

- A "program" is a description of computational processes
- The interpreter carries out execution/evaluation rules

```
create table cities as
```

```
  select 38 as latitude, 122 as longitude, "Berkeley" as name union
  select 42,           71,           "Cambridge"      union
  select 45,           93,           "Minneapolis";
```

```
select "west coast" as region, name from cities where longitude >= 115 union
select "other",      name from cities where longitude < 115;
```

Cities:

Latitude	Longitude	Name
38	122	Berkeley
42	71	Cambridge
45	93	Minneapolis

Region	Name
west coast	Berkeley
other	Minneapolis
other	Cambridge

Structured Query Language (SQL)

SQL Overview

The SQL language is an ANSI and ISO standard, but DBMS's implement custom variants

- A **select** statement creates a new table, either from scratch or by projecting a table
- A **create table** statement gives a global name to a table
- Lots of other statements exist: **analyze**, **delete**, **explain**, **insert**, **replace**, **update**, etc.
- Most of the important action is in the **select** statement
- The code for executing **select** statements fits on a single sheet of paper (next lecture)

Today's theme:



Getting Started with SQL

Install sqlite (version 3.8.3 or later): <http://sqlite.org/download.html>

Use sqlite online: <http://kripken.github.io/sql.js/GUI/>

Use the SQL example from the textbook: <http://composingprograms.com/examples/sql/sql.zip>

Selecting Value Literals

A **select** statement always includes a comma-separated list of column descriptions


A column description is an expression, optionally followed by **as** and a column name

```
select [expression] as [name], [expression] as [name]; ...
```

Selecting literals creates a one-row table

The union of two select statements is a table containing the rows of both of their results

```
select "abraham" as parent, "barack" as child;union
select "abraham"      , "clinton"      union
select "delano"       , "herbert"     union
select "fillmore"    , "abraham"     union
select "fillmore"    , "delano"      union
select "fillmore"    , "grover"     union
select "eisenhower"  , "fillmore";
```



Naming Tables

SQL is often used as an interactive language

The result of a **select** statement is displayed to the user, but not stored

A **create table** statement gives the result a name

```
create table [name] as [select statement];
```

```
create table parents as
select "abraham" as parent, "barack" as child union
select "abraham"      , "clinton"      union
select "delano"       , "herbert"     union
select "fillmore"    , "abraham"   union
select "fillmore"    , "delano"    union
select "fillmore"    , "grover"    union
select "eisenhower" , "fillmore";
```

Parents:

Parent	Child
abraham	barack
abraham	clinton
delano	herbert
fillmore	abraham
fillmore	delano
fillmore	grover
eisenhower	fillmore

Projecting Tables

Select Statements Project Existing Tables

A **select** statement can specify an input table using a **from** clause

A subset of the rows of the input table can be selected using a **where** clause

An ordering over the remaining rows can be declared using an **order by** clause

Column descriptions determine how each input row is projected to a result row

```
select [expression] as [name], [expression] as [name], ... ;
```

```
select [columns] from [table] where [condition] order by [order];
```

```
select child from parents where parent = "abraham";
```

```
select parent from parents where parent > child;
```

Child
barack
clinton

Parent
fillmore
fillmore

(Demo)

