

Instructions

Form a small group. Start on problem 1.1. Check off with a staff member or discuss your *solution process* with a nearby group when you think everyone in your group understands *how to solve* problem 1.1. Then repeat for 1.2, 1.3, ...

You may not move to the next problem until you check off or discuss with another group and *everyone understands why the solution is what it is*. You may use any course resources at your disposal: the purpose of this review session is to have everyone learning together as a group.

1 Scheme

1.1 What would Scheme display?

(a) `> '(1 2 3)`

(b) `> '(1 . (2 . (3 . ())))`

(c) `> '(((1 . 2) . 3) 4 . (5 . 6))`

(d) `> (cons 1 2)`

(e) `> (cons 2 '())`

(f) `> (cons 1 (cons 2 '()))`

(g) `> (cons 1 (cons 2 3))`

(h) `> (cons (cons (car '(1 2 3))
 (list 2 3 4))
 (cons 2 3))`

(i) `> (car (cdr (car '((1 2) 3 (4 5))))))`

(j) `> (caddr '(1 2) 3 (4 5))`

2 Final Review

1.2 Define `sixty-ones`. Return the number of times that 1 follows 6 in the list.

```
> (sixty-ones '(4 6 1 6 0 1))
1
> (sixty-ones '(1 6 1 4 6 1 6 0 1))
2
> (sixty-ones '(6 1 6 1 4 6 1 6 0 1))
3
```

1.3 Identify the bug(s) in this program.

```
> (sum-every-other '(1 2 3))
4
> (sum-every-other '())
0
> (sum-every-other '(1 2 3 4))
4
> (sum-every-other '(1 2 3 4 5))
9
```

```
(define (sum-every-other lst)
  (cond ((null? lst) lst)
        (else (+ (cdr lst)
                  (sum-every-other (caar lst)) ))))
```

1.4 (a) Implement `add-to-all`.

```
> (add-to-all 'foo '((1 2) (3 4) (5 6)))
((foo 1 2) (foo 3 4) (foo 5 6))
```

(b) Rewrite `add-to-all` tail-recursively.

1.5 Define `sublists`. Hint: use `add-to-all`.

```
> (sublists '(1 2 3))  
(() (3) (2) (2 3) (1) (1 3) (1 2) (1 2 3))
```

1.6 (a) Define `append`. In Scheme, `append` takes in two lists and returns a larger list.

```
> (append '(1 2 3) '(4 5 6))  
(1 2 3 4 5 6)
```

(b) Define `reverse`. Hint: use `append`.

```
> (reverse '(1 2 3))  
(3 2 1)
```

(c) Define `reverse` tail-recursively. Hint: use a helper function and `cons`.

2 Interpreters

2.1 Circle the number of calls to `scheme_eval` and `scheme_apply` for the code below.

(a) `scm> (+ 1 2)`

3

```
scheme_eval  1  3  4  6
scheme_apply 1  2  3  4
```

(b) `scm> (if 1 (+ 2 3) (/ 1 0))`

5

```
scheme_eval  1  3  4  6
scheme_apply 1  2  3  4
```

(c) `scm> (or #f (and (+ 1 2) 'apple) (- 5 2))`

apple

```
scheme_eval  6  8  9  10
scheme_apply 1  2  3  4
```

(d) `scm> (define (add x y) (+ x y))`

add

`scm> (add (- 5 3) (or 0 2))`

2

```
scheme_eval  12  13  14  15
scheme_apply  1  2  3  4
```

2.2 Identify the number of calls to `scheme_eval` and the number of calls to `scheme_apply`.

(a) `scm> (define pi 3.14)`

pi

`scm> (define (hack x)`

`(cond`

`((= x pi) pwned)`

`((< x 0) (hack pi))`

`(else (hack (- x 1))))))`

hack

(b) `scm> (hack 3.14)`

pwned

(c) `scm> ((lambda (x) (hack x)) 0)`

pwned

3 Streams

```

class Stream:
    """A lazily computed linked list."""

    class empty:
        """The empty stream."""

    empty = empty()

    def __init__(self, first, compute_rest=empty):
        """A stream whose first element is FIRST and whose tail is either a stream or stream-returning
        parameterless function COMPUTE_REST."""

    @property
    def rest(self):
        """Return the rest of the stream, computing it if necessary."""

```

- 3.1 (a) What are the advantages or disadvantages of using a stream over a linked list?
- (b) What's the maximum size of a stream?
- (c) What's stored in `first` and `rest`? What are their types?
- (d) When is the next element actually calculated?
- 3.2 Implement `unique_stream` which takes in a stream `s` and returns a new stream that contains only the **unique** elements of the input stream in the original order. Assume that `s` is finite.
- ```

def unique_stream(s):

```

## 4 SQL

After more than 100 years of operation, the Ringling Bros. circus is closing. A victory for animal rights advocates, the circus' closure poses a challenge for the zoologists tasked with moving the circus' animals to more suitable habitats.

The zoologists must first take the animals in a freight elevator with a weight limit of 2000. In order to speed up the process, the zoologists prefer to take groups of animals of the same species in the elevator, rather than one animal at a time.

Assume the zoologists will only put all of the animals of a particular species in the elevator, or take animals of that particular species one at a time.

You have access to the table `animals`, with columns containing the animals' names, weights, and species.

- 4.1 Write a query that returns the collective weight and species of animals in a group where there is more than one animal of a particular species in a group, and the collective weight of the animals in the group is less than 2000.

Your query should yield the following result.

```
229 pig
1618 tiger
91 dog
```

- 4.2 To take the animals to their new habitats, the zoologists load the animals into trucks. The zoologists again want to take the animals in groups of the same species, but one of the trucks has a height limit of 5.0.

Write a query that returns the maximum height and species of animals in a group where the maximum height is less than 5.0. Your query may yield a species where there is only one animal of that particular species.

Your query should yield the following result.

```
4.1 pig
4 dog
4.9 zebra
```