

CS 61B Discussion 3: [A, r, r, a, y, s] Fall 2015

1 Boxes and Pointers II

Draw a box and pointer diagram for each code block.

- (a) `int[] x = {1, 2, 3};
int[] y = x;
y[2] = 7;`
- (b) `IntList l = IntList.list(1, 2, 3);
IntList l2 = l;
l.tail.tail.head = 7;`
- (c) `IntList[] ll = new IntList[3];
ll[0] = IntList.list(1, 2);
ll[1] = IntList.list(2);`

2 Debugging is good for your health

The following code is broken. Please identify and fix the errors.

```
/** Returns the sum of squares of numbers in nums. */  
public int sumOfSquares(int[] nums) {  
    int total = 0;  
    for (int i = 0; i < nums.size; i += 1) {  
        total += (nums + i) * (nums + i);  
    }  
    return total;  
}
```

3 Fun with arrays

Complete the following methods according to their specifications.

```
/** Given an array A (size > 1), return the avg. of all items in A. */  
public static double average(double[] A) {
```

```
}
```

```

import static java.lang.Math.max; // max(a, b) returns max of a, b
import static java.lang.Math.min; // min(a, b) returns min of a, b

/** Given an array A, return a 2 element array B where B[0] is the
 * minimum element of A and B[1] is the maximum element of A. */
public static int[] minMax(int[] A) {
}

}

```

4 Bonus for Bosses: LinkedFaceitteroogle Interview

Welcome to LinkedFaceitteroogle! I hear you're interested in an engineering position here. First, let's see how well you can program.

Given an integer k and an array A of n integers, design an algorithm to move $A[k]$ to the left-most index such that all elements up to index k are sorted in increasing order. You may assume that prior to moving $A[k]$, all elements up to index $k - 1$ are sorted in increasing order and that $k < n$.

(a) **public static void** moveInt(**int[]** A, **int** k) {

```

}
```

(b) How can we extend this algorithm to sort an entire array?