



Lecture 22

Lab 4: Frequency Calibration using GSM Compressed Sensing






Lab 4

- SDR crystal oscillator has often has offset
- Also drifts with temperature
- Cellphones do the same!


 GSM protocol has built in synchronizations



http://sdrformariners.blogspot.com/2013/12/cooling.html

GSM-850


- Frequencies 200KHz channels
 - -Uplink 824-849
 - -Downlink 869-849
- TDMA: Time division multiple access



GSM Frequency Correction Channel

Pure frequency bursts @67.7083KHz

Control Channel Multi-Frame





frequency correction bursts


How to find GSM Base Stations
















Spectrogram of GSM




How to find Bursts?

 Use Bandpass filter and compute magnitude of result




How to find Bursts?

Can process at lower rate!



Detect Bursts and Compute Frequency

- Detect bursts at low rate sampling
- Compute frequency
- Calculate the original frequency!



Compressive Sampling

Anything 0 T

Q: What is the rate you need to sample at?


A: At least Nyquist!

Compressive Sampling

Something 0 T


Q: What is the rate you need to sample at?

A: Maybe less than Nyquist....




You are given samples of an harmonic function. You know there's only 1 frequency, but you don't know which.

- 1. Is it Nyquist sampled?
- 2. How would you reconstruct?




You collect half the samples at half the rate

- 1. Is it Nyquist sampled?
- 2. Can you reconstruct?



You collect half the samples at half the rate

- 1. What's the problem?
- 2. How can it be resolved?



Non-uniform sampling solves the ambiguity!

1. What if there are 2 frequencies? What would you do?

Image Compression

Images are compressible
Standard approach: First collect, then compress






Image Compression

Medical images are compressible Standard approach: First collect, then compress



Compressed Sensing

Medical images are compressible Standard approach: First collect, then compress



Compressed Sensing

Medical images are compressible Standard approach: First collect, then compress

