

Web Security: Session management

CS 161: Computer Security

Prof. Raluca Ada Popa


April 4, 2019

Announcements


- Midterm 2: Apr 9, 8pm - 10pm
- Covers up to the material this week
- Review session: April 4th from 6-8pm in Soda 306
- I'm offering extra office hours today, 5-6pm, Soda 729

Cookies

- A way of maintaining state



Setting/deleting cookies by server



- The first time a browser connects to a particular web server, it has no cookies for that web server
- When the web server responds, it includes a **Set-Cookie:** header that defines a cookie
- Each cookie is just a name-value pair (with some extra metadata)

View a cookie

In a web console (firefox, tool->web developer->web console),
type

`document.cookie`

to see the cookie for that site

Example Gmail cookies


The output of `document.cookie` in the web console for my Gmail (redacted to remove my real SIDs):

```
"GMAIL_AT=mslgjadgdga3qwfqad34fwerfxacRSA;  
CONSENT=YES+CH.en-GB+V9;  
SID=askfjw448qufiehfixcnihfxfkhnzk33;  
APISID=4oq58tkjfexqac;  
SAPISID=345qxqa;  
1P_JAR=2019-04-04-06;  
SIDCC=lgact3etmfxa4q3gcgemam"
```

Each `name=value` is one cookie.


`document.cookie` lists all cookies **in scope for document**

Cookie scope




- When the browser connects to the same server later, it **automatically attaches** the cookies in scope: header containing the name and value, which the server can use to connect related requests.
- Domain and path inform the browser about which sites to send this cookie to

Cookie scope



- **Secure: sent over https only**
 - **https provides secure communication using TLS (privacy and integrity)**

Cookie scope



- Expires is expiration date
 - Delete cookie by setting “expires” to date in past
- HttpOnly: cookie cannot be accessed by Javascript, but only sent by browser

Cookie scope

- Scope of cookie might not be the same as the URL-host name of the web server setting it

The cookie policy has two parts:

1. What scopes a URL-host name web server is allowed to set on a cookie
2. When the browser sends a cookie to a URL

What scope a server may set for a cookie

The browser checks if the web server may set the cookie, and if not, it will not accept the cookie.

domain: any domain-suffix of URL-hostname, except TLD

example: host = "login.site.com" [top-level domains,
e.g. '.com']

allowed domains

login.site.com

.site.com

disallowed domains

user.site.com

othersite.com

.com

⇒ **login.site.com** can set cookies for all of **.site.com**
but not for another site or TLD

Problematic for sites like **.berkeley.edu**

path: can be set to anything

Examples

Web server at `foo.example.com` wants to set cookie with domain:


domain	Whether it will be set, and if so, where it will be sent to
(value omitted)	<code>foo.example.com</code> (exact)
<code>bar.foo.example.com</code>	
<code>foo.example.com</code>	<code>*.foo.example.com</code>
<code>baz.example.com</code>	
<code>example.com</code>	
<code>ample.com</code>	
<code>.com</code>	

Examples

Web server at `foo.example.com` wants to set cookie with domain:

domain	Whether it will be set, and if so, where it will be sent to
(value omitted)	<i>foo.example.com</i> (exact)
<i>bar.foo.example.com</i>	Cookie not set: domain more specific than origin
<i>foo.example.com</i>	<i>*.foo.example.com</i>
<i>baz.example.com</i>	Cookie not set: domain mismatch
<i>example.com</i>	<i>*.example.com</i>
<i>ample.com</i>	Cookie not set: domain mismatch
<i>.com</i>	Cookie not set: domain too broad, security risk

When browser sends cookie




Goal: server only sees cookies in its scope

Browser sends all cookies in URL scope:

- cookie-domain is domain-suffix of URL-domain, and
- cookie-path is prefix of URL-path, and
- [protocol=HTTPS if cookie is “secure”]

When browser sends cookie



A cookie with

domain = **example.com**, and

path = **/some/path/**

will be included on a request to

http://foo.example.com/some/path/subdirectory/hello.txt

Examples: Which cookie will be sent?

cookie 1

name = **userid**

value = **u1**

domain = **login.site.com**

path = **/**

non-secure

cookie 2

name = **userid**

value = **u2**

domain = **.site.com**

path = **/**

non-secure

http://checkout.site.com/

cookie: userid=u2

http://login.site.com/

cookie: userid=u1, userid=u2

http://othersite.com/

cookie: none

Examples

cookie 1

name = userid

value = u1

domain = login.site.com

path = /

secure

cookie 2

name = userid

value = u2

domain = .site.com

path = /

non-secure

http://checkout.site.com/

http://login.site.com/

https://login.site.com/

cookie: userid=u2

cookie: userid=u2

cookie: userid=u1; userid=u2

(arbitrary order)

Client side read/write: `document.cookie`

- Setting a cookie in Javascript:

```
document.cookie = "name=value; expires=...; "
```

- Reading a cookie: `alert(document.cookie)`

prints string containing all cookies available for document (based on [protocol], domain, path)


- Deleting a cookie:

```
document.cookie = "name=; expires= Thu, 01-Jan-70"
```

`document.cookie` often used to customize page in Javascript

Viewing/deleting cookies in Browser UI

Firefox: Tools -> page info -> security -> view cookies



Cookie policy versus same-origin policy

Cookie policy versus same-origin policy

- Consider Javascript on a page loaded from a URL **U**
- If a cookie is in scope for a URL **U**, it can be accessed by Javascript loaded on the page with URL **U**,
unless the cookie has the httpOnly flag set.

Examples

cookie 1

name = userid

value = u1

domain = login.site.com

path = /

non-secure

cookie 2

name = userid

value = u2

domain = .site.com

path = /

non-secure

http://checkout.site.com/

cookie: userid=u2

http://login.site.com/

cookie: userid=u1, userid=u2

http://othersite.com/

cookie: none


JS on each of these URLs can access all cookies that would be sent for that URL if the httpOnly flag is not set

Indirectly bypassing same-origin policy using cookie policy

- Since the cookie policy and the same-origin policy are different, there are corner cases when one can use cookie policy to bypass same-origin policy
- Ideas how?


Example

Victim user browser




Example

Victim user browser



Example


Victim user browser



Attacker sets many cookies with domain example.com which overflows the cookie jar for domain *.example.com and overwrites cookies from financial.example.com

Example

Victim user browser



When Alice visits financial.example.com, the browser automatically attaches the attacker's cookies due to cookie policy (the scope of the cookies is a domain suffix of financial.example.com)

Why is this a problem?

Indirectly bypassing same-origin policy using cookie policy

- Victim thus can login into attackers account at financial.example.com
- This is a problem because the victim might think its their account and might provide sensitive information
- This bypassed same-origin policy (indirectly) because blog.example.com influenced financial.example.com

RFC6265

- For further details on cookies, checkout the standard RFC6265 “HTTP State Management Mechanism”

<https://tools.ietf.org/html/rfc6265>

- Browsers are expected to implement this reference, and any differences are browser specific

Session management

Sessions

- A sequence of requests and responses from one browser to one (or more) sites
 - Session can be **long** (Gmail - two weeks)
or **short** (banks)
 - without session mgmt:
users would have to constantly re-authenticate
- Session management:
 - Authorize user once;
 - All subsequent requests are tied to user


Pre-history: HTTP auth

One username and password for a group of users

HTTP request: `GET /index.html`

HTTP response contains:

`WWW-Authenticate: Basic realm="Password Required"`




Browsers sends hashed password on all subsequent HTTP requests:

`Authorization: Basic ZGFddfibzsdgfkjheczl1NXRleHQ=`

HTTP auth problems

- Hardly used in commercial sites
 - User cannot log out other than by closing browser
 - What if user has multiple accounts?
 - What if multiple users on same computer?
 - Site cannot customize password dialog
 - Confusing dialog to users
 - Easily spoofed

Session tokens



Storing session tokens:

Lots of options (but none are perfect)

- Browser cookie:

Set-Cookie: SessionToken=fduhye63sfdb

- Embed in all URL links:

<https://site.com/checkout?SessionToken=kh7y3b>

- In a hidden form field:

```
<input type="hidden"      name="sessionid"  
      value="kh7y3b">
```

Storing session tokens: problems

- Browser cookie:
browser sends cookie with every request,
even when it should not (CSRF)

 - Embed in all URL links:
token leaks via HTTP Referer header
users might share URLs

 - In a hidden form field: short sessions only
-


Better answer: a combination of the above (e.g.,
browser cookie with CSRF protection using form
secret tokens)

Random fact about ... Pieter Abbeel



“I enjoyed acting in [this Verizon commercial](https://vimeo.com/259366281) (aired nationally over 500 times :). ”

[\[https://vimeo.com/259366281\]](https://vimeo.com/259366281)



Cross Site Request Forgery

HTML Forms


- Allow a user to provide some data which gets sent with an HTTP POST request to a server

`<form action="bank.com/action.php">`

First name: `<input type="text" name="firstname">`

Last name: `<input type="text" name="lastname">`

`<input type="submit" value="Submit"></form>`



When filling in Alice and Smith, and clicking submit, the browser issues

HTTP POST request


bank.com/action.php?firstname=Alice&lastname=Smith

As always, the browser attaches relevant cookies


Consider the cookie stores the session token

- Server assigns a session token to each user after they logged in, places it in the cookie
- The server keeps a table of username to current session token, so when it sees the session token it knows which user

Session using cookies



Basic picture



What can go bad? URL contains transaction action


Cross Site Request Forgery (CSRF)

- User logs in to bank.com
 - Session cookie remains in browser state
- User visits **malicious site** containing:


```
<form name=F action=http://bank.com/BillPay.php>  
  <input name=recipient value=badguy> ...  
  <script> document.F.submit(); </script>
```

- Browser sends user auth cookie with request
 - Transaction will be fulfilled
- Problem:
 - cookie auth is insufficient when side effects occur

Form post with cookie



Form post with cookie



You**Tube** 2008 CSRF attack

An attacker could

- add videos to a user's "Favorites,"
- add himself to a user's "Friend" or "Family" list,
- send arbitrary messages on the user's behalf,
- flagged videos as inappropriate,
- automatically shared a video with a user's contacts, subscribed a user to a "channel" (a set of videos published by one person or group), and
- added videos to a user's "QuickList" (a list of videos a user intends to watch at a later point).

[Home](#) → [Security](#) → Facebook Hit by Cross-Site Request Forgery Attack

Facebook Hit by Cross-Site Request Forgery Attack

By Sean Michael Kerner / August 20, 2009



Angela Moscaritolo

September 30, 2008

Popular websites fall victim to CSRF exploits

Defenses

ideas?

CSRF Defenses

- CSRF token



```
<input type=hidden value=23a3af01b>
```

- Referred Validation



```
Referer: http://www.facebook.com/home.php
```

- Others (e.g., custom HTTP Header) we won't go into

CSRF token



1. goodsite.com server wants to protect itself, so it includes a secret token into the webpage (e.g., in forms as a hidden field)
2. Requests to goodsite.com include the secret
3. goodsite.com server checks that the token embedded in the webpage is the expected one; reject request if not

Can the token be?

- **123456**
- **Dateofbirth**

CSRF token must be hard to guess by the attacker

How the token is used

- The server stores state that binds the user's CSRF token to the user's session id
- Embeds CSRF token in every form
- On every request the server validates that the supplied CSRF token is associated with the user's session id
- Disadvantage is that the server needs to maintain a large state table to validate the tokens.

Other CSRF protection: Referer Validation

- When the browser issues an HTTP request, it includes a referer header that indicates which URL initiated the request
- This information in the Referer header could be used to distinguish between same site request and cross site request

Referer Validation

Facebook Login

For your security, never enter your Facebook password on sites not located on Facebook.com.

Email:

Password:

☐ Remember me

Login

or [Sign up for Facebook](#)

[Forgot your password?](#)

Referer Validation Defense

- HTTP Referer header
 - Referer: http://www.facebook.com/ 
 - Referer: http://www.attacker.com/evil.html 
 - Referer: [empty] 
 - Strict policy disallows (secure, less usable)
 - Lenient policy allows (less secure, more usable)

Privacy Issues with Referer header

- The referer contains sensitive information that impinges on the privacy
- The referer header reveals contents of the search query that lead to visit a website.
- Some organizations are concerned that confidential information about their corporate intranet might leak to external websites via Referer header

Referer Privacy Problems

- Referer may leak privacy-sensitive information

`http://intranet.corp.apple.com/
projects/iphone/competitors.html`

- Common sources of blocking:
 - Network stripping by the organization
 - Network stripping by local machine
 - Stripped by browser for HTTPS -> HTTP transitions
 - User preference in browser

Summary: sessions and CSRF

- Cookies add state to HTTP
 - Cookies are used for session management
 - They are attached by the browser automatically to HTTP requests
- CSRF attacks execute request on benign site because cookie is sent automatically
- Defenses for CSRF:
 - embed unpredictable token and check it later
 - check referer header