


EE123



Digital Signal Processing

Lecture 17
Lab III
Polyphase Filters

M. Lustig, EECS UC Berkeley


Topics

- Last time
 - Changing Sampling Rate via DSP
 - Upsampling
 - Rational resampling
- Today
 - Lab III
 - Interchanging Compressors/Expanders and filtering
 - Polyphase decomposition
 - Multi-rate processing

M. Lustig, EECS UC Berkeley

Lab III - Time-Frequency


- compute spectrograms with w/o windowing



EECS UC Berkeley

Lab III - Time-Frequency


- Compute with overlapping window



M. Lustig, EECS UC Berkeley


Lab III - Time-Frequency

- Look at temporal/frequency resolution tradeoffs:




M. Lustig, EECS UC Berkeley

FM Broadcast Radio - KPFA 94.1MHz




M. Lustig, EECS UC Berkeley

Spectrogram of Broadcast FM




Spectrogram of Broadcast FM




Filter Mono and down

- To play we need to filter the right signal
- Downsample to 48KHz so we can play on the computer




Demodulate subcarriers: Example 92KHz



Demodulate subcarriers: Example 92KHz


- Filter and decimate
- FM demodulate and filter




Multi-Rate Signal Processing

- What if we want to resample by 1.01T?
 - Expand by $L=100$
 - Filter $\pi/101$ (\$\$\$\$)
 - Downsample by $M=101$
- Fortunately there are ways around it!
 - Called multi-rate
 - Uses compressors, expanders and filtering


Interchanging Operations




Note:



Interchanging Operations




Note:



Interchanging Filter Expander


- Q: Can we move expander from Left to Right (with xform)?



- A: Yes, if H(z) is rational
No, otherwise

Compressor

Claim:



Proof:

Compressor


Proof:

$$\begin{aligned}
 Y(e^{i\omega}) &= H(e^{j\omega}) \left(\frac{1}{M} \sum_{i=0}^{M-1} X \left(e^{j \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right) \right) \\
 &= \frac{1}{M} \sum_{i=0}^{M-1} \underbrace{H \left(e^{j(\omega - 2\pi i)} \right)}_{H(e^{j\omega})} X \left(e^{j \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right) \\
 &= \frac{1}{M} \sum_{i=0}^{M-1} H \left(e^{jM \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right) X \left(e^{j \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right)
 \end{aligned}$$

$$V(e^{j\omega}) = H(e^{j\omega M})X(e^{j\omega}) \quad \text{after compressor}$$

Compressor

Claim:



Proof:

$$\begin{aligned}
 Y(e^{i\omega}) &= H(e^{j\omega}) \left(\frac{1}{M} \sum_{i=0}^{M-1} X \left(e^{j \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right) \right) \\
 &= \frac{1}{M} \sum_{i=0}^{M-1} \underbrace{H \left(e^{j(\omega - 2\pi i)} \right)}_{H(e^{j\omega})} X \left(e^{j \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right) \\
 &= \frac{1}{M} \sum_{i=0}^{M-1} H \left(e^{jM \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right) X \left(e^{j \left(\frac{\omega}{M} - \frac{2\pi i}{M} \right)} \right) \quad \text{after compressor}
 \end{aligned}$$

Q: Move Compressor from right to left?

A: Only if $H(z^{1/M})$ is rational!

$$V(e^{j\omega}) = H(e^{j\omega M})X(e^{j\omega})$$

Interchanging Operations

$$x[n] \rightarrow H(z) \rightarrow \uparrow L \rightarrow y[n] \equiv x[n] \rightarrow \uparrow L \rightarrow H(z^L) \rightarrow y[n]$$


$$x[n] \rightarrow \downarrow M \rightarrow H(z) \rightarrow y[n] \equiv x[n] \rightarrow H(z^M) \rightarrow \downarrow M \rightarrow y[n]$$

M. Lustig, EECS UC Berkeley

Polyphase Decomposition

- We can decomposed an impulse response to:

$$h[n] = \sum_{k=0}^{M-1} h_k[n-k]$$




M. Lustig, EECS UC Berkeley

Polyphase Decomposition

- Define:

$$h_k[n] \rightarrow \downarrow M \rightarrow e_k[n]$$

$$e_k[n] = h_k[nM]$$



M. Lustig, EECS UC Berkeley

Polyphase Decomposition

$$e_k[n] \rightarrow \uparrow M \rightarrow h_k[n]$$

recall upsampling \Rightarrow scaling

$$H_k(z) = E_k(z^M)$$

Also, recall:

$$h[n] = \sum_{k=0}^{M-1} h_k[n-k]$$


So,

$$H(z) = \sum_{k=0}^{M-1} E_k(z^M) z^{-k}$$

M. Lustig, EECS UC Berkeley

Polyphase Decomposition

$$H(z) = \sum_{k=0}^{M-1} E_k(z^M) z^{-k}$$



Why should you care?

M. Lustig, EECS UC Berkeley

Polyphase Implementation of Decimation

$$x[n] \rightarrow H(z) \rightarrow y[n] \rightarrow \downarrow M \rightarrow w[n] = y[nM]$$

- Problem:


- Compute all $y[n]$ and then throw away -- wasted computation!
- For FIR length $N \Rightarrow N$ mults/unit time

- Can interchange Filter with compressor?
- Not in general!

M. Lustig, EECS UC Berkeley

Polyphase Implementation of Decimation


$$x[n] \rightarrow H(z) \rightarrow y[n] \rightarrow \downarrow M \rightarrow w[n] = y[nM]$$



Polyphase Implementation of Decimation

$$x[n] \rightarrow H(z) \rightarrow y[n] \rightarrow \downarrow M \rightarrow w[n] = y[nM]$$

Interchange sum with decimation




now, what can we do?

Polyphase Implementation of Decimation

$$x[n] \rightarrow H(z) \rightarrow y[n] \rightarrow \downarrow M \rightarrow w[n] = y[nM]$$

Interchange filter with decimation



what about interpolation?

Computation:

Each Filter: $N/M \cdot (1/M)$ mult/unit time

Total: N/M mult/unit time