Song Spring 2015

# CS 161 Computer Security

Discussion 6

## February 24 & 25, 2015

### Question 1 Security Principles

 $(10 \min)$ 

We discussed the following security principles in lecture:

	a		
Α.	Security	1S	economics

- B. Least privilege
- C. Failsafe defaults
- D. Separation of responsibility
- E. Defense in depth
- F. Psychological acceptability

### G. Human factors

- H. Complete mediation
- I. Know your threat model
- J. Detect if you can't prevent
- K. Don't rely on security through obscurity
- L. Design security in from the start

Identify the principle(s) relevant to each of the following scenarios:

- 1. New cars often come with a valet key. This key is intended to be used by valet drivers who park your car for you. The key opens the door and turns on the ignition, but it does not open the trunk or the glove compartment.
- 2. Many home owners leave a house key under the floor mat in front of their door.
- 3. Convertible owners often leave the roof down when parking their car, allowing for easy access to whatever is inside.
- 4. Warranties on cell phones do not cover accidental damage, which includes liquid damage. Unfortunately for cell phone companies, many consumers who accidentally damage their phones with liquid will wait for it to dry, then take it in to the store, claiming that it doesn't work, but they don't know why. To combat this threat, many companies have begun to include on the product a small sticker that turns red (and stays red) when it gets wet.
- 5. Social security numbers, which we all know we are supposed to keep secret, are often easily obtainable or easily guessable.
- 6. The TSA hires a lot of employees and purchases a lot of equipment in order to stop people from bringing explosives onto airplanes.

 $(10 \min)$ 

A time-of-check-to-time-of-use (TOCTTOU) vulnerability is a software bug<sup>1</sup> that occurs when an attacker can exploit the time window between the check of a condition and the use of the result of that check.

A classic scenario that frequently suffers from TOCTTOU bugs involves programs that have the *setuid* (**set user id** on execution)<sup>2</sup> access right set. setuid allows users to execute a program with the permissions of the program's owner. This behavior is useful when you want to let unprivileged users perform some privilege operation. Famous example of setuid programs include **ping** and **traceroute**. Both of these programs require root privilege for some of their network operations, but through the use of setuid can be executed by any user on the system.

Since setuid programs can run with elevated privilege it is the responsibility of the program to ensure that it isn't unwittingly giving additional privileges to the executing user. For example, a root owned setuid program has the ability to open any file on the system. This means that a setuid program must check the access rights of the user that invoked it before opening files. Such a check is shown in the example below.

This access right check is where TOCTTOU bugs can occur. If an attacker manages to alter the file after the permission check, yet before it is used, it is possible to replace the file with a symbolic link to a different (sensitive) file. The code snippet below illustrates this problem.

```
/* (1) Check file ownership */
if ( (0!=stat("file", &st)) ||
        (st.st_uid!=ALLOWED_USER) )
      exit(1);

/* (3) Write to /etc/passwd */
fd = open("file", O_WRONLY);
write(fd, buffer, sizeof(buffer));
```

```
/* (2) Change file after check */
symlink("file", "/etc/passwd");
```

TOCTTOU vulnerability.

Attacker changes file to /etc/passwd.

What mechanism is needed to fix the TOCTTOU vulnerability above? Rewrite the example to be secure.

**HINT:** fstat() works just like stat(), but takes a file descriptor rather than a string. A file descriptor is an abstract indicator for accessing a file, and is returned by the open() call above.

<sup>&</sup>lt;sup>1</sup>A TOCTTOU bug is a special type of *race condition*.

<sup>&</sup>lt;sup>2</sup>https://en.wikipedia.org/wiki/Setuid

#### Question 3 TCB (Trusted Computing Base)

 $(10 \min)$ 

In lecture and the reading, we discussed the importance of a TCB and the thought that goes into designing it. Answer these following questions about the TCB:

- 1. What is a TCB?
- 2. What can we do to reduce the size of the TCB?
- 3. What components are included in the (physical analog of) TCB for the following security goals:
  - (a) Preventing break-ins to your apartment
  - (b) Locking up your bike
  - (c) Preventing people from riding BART for free
  - (d) Making sure no explosives are present on an airplane