Introduction to Computer Security

Discussion 10

Q1 Attack on TCP

(4 points)

port P_C)	Server (p
SYN	
	*
SYN-ACK	
ACK	
DATA A	,
	,
DATA B	
DATA C	
	,
	SYN-ACK ACK DATA A DATA B DATA C

port P_S)

- Client sends initial SYN with sequence number X (usually random).
- Server sends SYN-ACK with sequence number Y (also usually random) and ACK X + 1.
- Client sends ACK with sequence number X + 1 and ACK Y + 1.
- Client sends DATA A of length L_A with sequence number X + 1 and ACK Y + 1.
- Server sends DATA B of length L_B with sequence number Y + 1 and ACK $X + 1 + L_A$.
- Client sends DATA C of length L_C with sequence number $X + 1 + L_A$ and ACK $Y + 1 + L_B$.
- Data exchange continues until both sides are done sending data.
- Q1.1 (1 point) Assume that the next transmission in this connection will be DATA D from the server to the client. What will this packet look like?

Sequence Number:		ACK:	
Source Port:	P_S	Destination Port:	P_C
Length:	L_D	Flags:	ACK

Q1.2	(1 point) You should be familiar with the concept and capabilities of a <i>man-in-the-middle</i> as an attacker who can observe and can modify traffic. There are two other types of relevant attackers in this scenario:
	 On-path attacker: can observe traffic but cannot modify it. Off-path attacker: cannot observe traffic and cannot modify it.
	Carol is an <i>on-path</i> attacker. Can Carol do anything malicious to the connection? If so, what can she do?
Q1.3	(1 point) David is an <i>off-path</i> attacker. Can David do anything malicious to the connection? If so what can he do?
Q1.4	(1 point) The client starts getting responses from the server that don't make any sense. Inferring that David is attempting to hijack the connection, the client then immediately sends the server a RST packet, which terminates the ongoing connection. David wants to impersonate the client by establishing a new connection. How would he go about doing this?

(Question 1 continued...)

Q2 TLS Protocol Details (4 points)




Figure 1: TLS 1.2 Key Exchange

Q2.1	.1 (1 point) What is the purpose of the <i>client random</i> and <i>server random</i> fields?	
Q2.2	(1 point)	
	ClientHello and ServerHello are not encrypted or authenticated. Explain why a man-in-the-middle cannot exploit this. (Consider both the Diffie-Hellman and RSA case.)	

(Question 2 continued)	
Q2.3 (1 point) Note that in the TLS protocol presented above, there are two cipher keys C_b and C_s . key is used only by the client, and the other is used only by the server. Likewise, there are integrity keys I_b and I_s . Alice proposes that both the server and the client should simply share cipher key C and one integrity key I . Why might this be a bad idea?	two
Q2.4 (1 point)	
The protocol given above is a simplified form of what actually happens. After step 8 (Chang pherSpec), the protocol as described above is still vulnerable. What is the vulnerability and I could you fix this?	

Q3 TLS Threats (3 points)

An attacker is trying to attack the company Boogle and its users. Assume that users always visit Boogle's website with an HTTPS connection, using ephemeral Diffie-Hellman. You should also assume that Boogle does not use certificate pinning. The attacker may have one of three possible goals:

- 1. Impersonate the Boogle web server to a user
- 2. Discover some of the plaintext of data sent during a past connection between a user and Boogle's website
- 3. Replay data that a user previously sent to the Boogle server over a prior HTTPS connection

For each of the following scenarios, describe if and how the attacker can achieve each goal.

23.1 (1 point) The attacker obtains a copy of Boogle's certificate.	
Q3.2 (1 point) The attacker obtains the private key of a certificate authority trusted by users of Boogle	
Q3.3 (1 point) The attacker obtains the private key corresponding to an old certificate used by Boogle's server during a past connection between a victim and Boogle's server. Assume that this ol certificate has been revoked and is no longer valid. Note that the attacker does not have the privat key corresponding to current certificate.	