

CS162
Operating Systems and
Systems Programming
Lecture 9

Synchronization 4:
Semaphores, Monitors and Readers/Writers

February 14th, 2023
Prof. John Kubiatowicz
<http://cs162.eecs.Berkeley.edu>

Recall: Atomic Read-Modify-Write

```

• test&set (&address) {          /* most architectures */
    result = M[address];        // return result from "address" and
    M[address] = 1;            // set value at "address" to 1
    return result;
}

• swap (&address, register) {   /* x86 */
    temp = M[address];         // swap register's value to
    M[address] = register;     // value at "address"
    register = temp;           // value from "address" put back to register
    return temp;               // value from "address" considered return from swap
}

• compare&swap (&address, reg1, reg2) { /* x86 (returns old value), 68000 */
    if (reg1 == M[address]) {  // If memory still == reg1,
        M[address] = reg2;    // then put reg2 => memory
        return success;
    } else {                   // Otherwise do not change memory
        return failure;
    }
}

• load-linked&store-conditional(&address) { /* R4000, alpha */
    loop:
        ll r1, M[address];
        movi r2, 1;           // Can do arbitrary computation
        sc r2, M[address];
        beqz r2, loop;
}

```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.2

Recall: Better Locks using test&set

- Can we build test&set locks without busy-waiting?
 - Mostly. Idea: only busy-wait to atomically check lock value



```

int mylock = FREE; // Global Variable!
// Interface: acquire(&mylock);
//                release(&mylock);

acquire(int *thelock) {
    // Short busy-wait time
    while (test&set(guard));
    if (*thelock == BUSY) {
        put thread on wait queue;
        go to sleep() & guard = 0;
        // guard == 0 on wakeup!
    } else {
        *thelock = BUSY;
        guard = 0;
    }
}

release(int *thelock) {
    // Short busy-wait time
    while (test&set(guard));
    if anyone on wait queue {
        take thread off wait queue
        Place on ready queue;
    } else {
        *thelock = FREE;
    }
    guard = 0;
}

```

- Note: sleep has to be sure to reset the guard variable
 - Why can't we do it just before or just after the sleep?

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.3

Recall: Linux futex: Fast Userspace Mutex

```

#include <linux/futex.h>
#include <sys/time.h>

int futex(int *uaddr, int futex_op, int val,
          const struct timespec *timeout );

```

uaddr points to a 32-bit value in user space

futex_op

- FUTEX_WAIT – if *val* == **uaddr* sleep till FUTEX_WAIT
 - » **Atomic** check that condition still holds after we disable interrupts (in kernel!)
- FUTEX_WAKE – wake up at most *val* waiting threads
- FUTEX_FD, FUTEX_WAKE_OP, FUTEX_CMP_QUEUEUE: More interesting operations!

timeout

- ptr to a *timespec* structure that specifies a timeout for the op

- Interface to the kernel `sleep()` functionality!
 - Let thread put themselves to sleep – conditionally!
- futex is not exposed in libc; it is used within the implementation of pthreads**
 - Can be used to implement locks, semaphores, monitors, etc...

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.4

Recall: Lock Using Atomic Instructions and Futex

- Three (3) states:
 - UNLOCKED: No one has lock
 - LOCKED: One thread has lock
 - CONTESTED: Possibly more than one (with someone sleeping)
- Clean interface!
 - compare&swap()
 - First swap()
- Lock grabbed cleanly by either
- No overhead if uncontested!
- Could build semaphores in a similar way!

```
typedef enum { UNLOCKED, LOCKED, CONTESTED } Lock;
Lock mylock = UNLOCKED; // Interface: acquire(&mylock);
                          //                release(&mylock);

acquire(Lock *thelock) {
    // If unlocked, grab lock!
    if (compare&swap(thelock, UNLOCKED, LOCKED))
        return;

    // Keep trying to grab lock, sleep in futex
    while (swap(thelock, CONTESTED) != UNLOCKED)
        // Sleep unless someone releases here!
        futex(thelock, FUTEX_WAIT, CONTESTED);
}

release(Lock *thelock) {
    // If someone sleeping,
    if (swap(thelock, UNLOCKED) == CONTESTED)
        futex(thelock, FUTEX_WAKE, 1);
}
```


2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.5

Producer-Consumer with a Bounded Buffer

- Problem Definition
 - Producer(s) put things into a shared buffer
 - Consumer(s) take them out
 - Need synchronization to coordinate producer/consumer
- Don't want producer and consumer to have to work in lockstep, so put a fixed-size buffer between them
 - Need to synchronize access to this buffer
 - Producer needs to wait if buffer is full
 - Consumer needs to wait if buffer is empty
- Example 1: GCC compiler
 - cpp | cc1 | cc2 | as | ld
- Example 2: Coke machine
 - Producer can put limited number of Cokes in machine
 - Consumer can't take Cokes out if machine is empty
- Others: Web servers, Routers,




2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.6

Bounded Buffer Data Structure (sequential case)

```
typedef struct buf {
    int write_index;
    int read_index;
    <type> *entries [BUFSIZE];
} buf_t;
```



- Insert: write & bump write ptr (enqueue)
- Remove: read & bump read ptr (dequeue)
- *How to tell if Full (on insert) Empty (on remove)?*
- *And what do you do if it is?*
- *What needs to be atomic?*

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.7

Bounded Buffer – first cut

mutex buf_lock = <initially unlocked>

```
Producer(item) {
    acquire(&buf_lock);
    while (buffer full) {}; // Wait for a free slot
    enqueue(item);
    release(&buf_lock);
}
```

```
Consumer() {
    acquire(&buf_lock);
    while (buffer empty) {}; // Wait for arrival
    item = dequeue();
    release(&buf_lock);
    return item;
}
```

Will we ever come out of the wait loop?

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.8

Bounded Buffer – 2nd cut



`mutex buf_lock = <initially unlocked>`

```
Producer(item) {
  acquire(&buf_lock);
  while (buffer full) {release(&buf_lock); acquire(&buf_lock);}
  enqueue(item);
  release(&buf_lock);
}

Consumer() {
  acquire(&buf_lock);
  while (buffer empty) {release(&buf_lock); acquire(&buf_lock);}
  item = dequeue();
  release(&buf_lock);
  return item
}
```

What happens when one is waiting for the other?
- Multiple cores ?
- Single core ?

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.9

Higher-level Primitives than Locks

- What is right abstraction for synchronizing threads that share memory?
 - Want as high a level primitive as possible
- Good primitives and practices important!
 - Since execution is not entirely sequential, really hard to find bugs, since they happen rarely
 - UNIX is pretty stable now, but up until about mid-80s (10 years after started), systems running UNIX would crash every week or so – concurrency bugs
- Synchronization is a way of coordinating multiple concurrent activities that are using shared state
 - This lecture presents some ways to structuring sharing

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.10

Semaphores



- Semaphores are a kind of generalized lock
 - First defined by Dijkstra in late 60s
 - Main synchronization primitive used in original UNIX
- Definition: a Semaphore has a **non-negative integer value** and supports the following operations:
 - Set value when you initialize
 - **Down() or P():** an atomic operation that waits for semaphore to become positive, then decrements it by 1
 - » Think of this as the wait() operation
 - **Up() or V():** an atomic operation that increments the semaphore by 1, waking up a waiting P, if any
 - » This of this as the signal() operation
- Technically examining value after initialization is not allowed.

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.11

Semaphores Like Integers Except...

- Semaphores are like integers, except:
 - No negative values
 - Only operations allowed are P and V – can't read or write value, except initially
 - Operations must be atomic
 - » Two P's together can't decrement value below zero
 - » Thread going to sleep in P won't miss wakeup from V – even if both happen at same time
- POSIX adds ability to read value, but technically not part of proper interface!
- Semaphore from railway analogy
 - Here is a semaphore initialized to 2 for resource control:



2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.12

Two Uses of Semaphores

Mutual Exclusion (initial value = 1)

- Also called “Binary Semaphore” or “mutex”.
- Can be used for mutual exclusion, just like a lock:

```
semaP(&mysem);
// Critical section goes here
semaV(&mysem);
```

Scheduling Constraints (initial value = 0)

- Allow thread 1 to wait for a signal from thread 2
 - thread 2 **schedules** thread 1 when a given **event** occurs
- Example: suppose you had to implement ThreadJoin which must wait for thread to terminate:

```
Initial value of semaphore = 0
ThreadJoin {
    semaP(&mysem);
}
ThreadFinish {
    semaV(&mysem);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.13

Revisit Bounded Buffer: Correctness constraints for solution

- Correctness Constraints:
 - Consumer must wait for producer to fill buffers, if none full (scheduling constraint)
 - Producer must wait for consumer to empty buffers, if all full (scheduling constraint)
 - Only one thread can manipulate buffer queue at a time (mutual exclusion)
- Remember why we need mutual exclusion
 - Because computers are stupid
 - Imagine if in real life: the delivery person is filling the machine and somebody comes up and tries to stick their money into the machine
- General rule of thumb: **Use a separate semaphore for each constraint**
 - Semaphore fullBuffers; // consumer’s constraint
 - Semaphore emptyBuffers; // producer’s constraint
 - Semaphore mutex; // mutual exclusion

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.14

Bounded Buffer, 3rd cut (coke machine)

```
Semaphore fullSlots = 0; // Initially, no coke
Semaphore emptySlots = bufSize;
// Initially, num empty slots
Semaphore mutex = 1; // No one using machine
```



```
Producer(item) {
    semaP(&emptySlots); // Wait until space
    semaP(&mutex); // Wait until machine free
    Enqueue(item);
    semaV(&mutex);
    semaV(&fullSlots); // Tell consumers there is more coke
}
Consumer() {
    semaP(&fullSlots); // Check if there's a coke
    semaP(&mutex); // Wait until machine free
    item = Dequeue();
    semaV(&mutex);
    semaV(&emptySlots); // tell producer need more
    return item;
}
```

emptySlots signals space

fullSlots signals coke

Critical sections using mutex protect integrity of the queue

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.15

Discussion about Solution

- Why asymmetry?
 - Decrease # of empty slots
 - Increase # of occupied slots
 - Producer does: **semaP(&emptyBuffer)**, **semaV(&fullBuffer)**
 - Consumer does: **semaP(&fullBuffer)**, **semaV(&emptyBuffer)**

Decrease # of occupied slots

Increase # of empty slots

- Is order of P's important?
- Is order of V's important?
- What if we have 2 producers or 2 consumers?

```
Producer(item) {
    semaP(&mutex);
    semaP(&emptySlots);
    Enqueue(item);
    semaV(&mutex);
    semaV(&fullSlots);
}
Consumer() {
    semaP(&fullSlots);
    semaP(&mutex);
    item = Dequeue();
    semaV(&mutex);
    semaV(&emptySlots);
    return item;
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.16

Administrivia

- Midterm This Thursday, 7-9pm (February 16!)
 - *In person*: 150 Wheeler unless you have alternative from us
 - You are responsible for all materials up to and including today's lecture!
 - » Including Semaphores and Monitors
- You get one (1) double-side page of *handwritten* notes
 - Hand drawn figures, hand written notes
 - No copying of figures directly from slides, no microfiche, etc
 - Redraw them if you want them on your notes!
- If you are sick, let us know.
 - Do not come to the midterm!
- No class on Thursday
 - I will have extra office hours during class time
- **Do not seek out information about projects or homework from previous terms!**
 - This includes solutions, rubrics, any other information!
 - Something like this constitutes academic dishonesty

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.17

Semaphores are good but...Monitors are better!

- Semaphores are a huge step up; just think of trying to do the bounded buffer with only loads and stores or even with locks!
- Problem is that semaphores are dual purpose:
 - They are used for both mutex and scheduling constraints
 - Example: the fact that flipping of P's in bounded buffer gives deadlock is not immediately obvious. How do you prove correctness to someone?
- Cleaner idea: Use *locks* for mutual exclusion and *condition variables* for scheduling constraints
- Definition: **Monitor**: a **lock** and zero or more **condition variables** for managing concurrent access to shared data
 - Some languages like Java provide this natively
 - Most others use actual locks and condition variables
- A "Monitor" is a paradigm for concurrent programming!
 - Some languages support monitors explicitly

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.18

Condition Variables


- How do we change the consumer() routine to wait until something is on the queue?
 - Could do this by keeping a count of the number of things on the queue (with semaphores), but error prone
- **Condition Variable**: a queue of threads waiting for something *inside* a critical section
 - Key idea: allow sleeping inside critical section by atomically releasing lock at time we go to sleep
 - Contrast to semaphores: Can't wait inside critical section
- Operations:
 - **wait(&lock)**: Atomically release lock and go to sleep. Re-acquire lock later, before returning.
 - **signal()**: Wake up one waiter, if any
 - **broadcast()**: Wake up all waiters
- Rule: Must hold lock when doing condition variable ops!

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.19

Monitor with Condition Variables



- **Lock**: the lock provides mutual exclusion to shared data
 - Always acquire before accessing shared data structure
 - Always release after finishing with shared data
 - Lock initially free
- **Condition Variable**: a queue of threads waiting for something *inside* a critical section
 - Key idea: make it possible to go to sleep inside critical section by atomically releasing lock at time we go to sleep
 - Contrast to semaphores: Can't wait inside critical section

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.20

Infinite Synchronized Buffer (with condition variable)

- Here is an (infinite) synchronized queue:

```
lock buf_lock;           // Initially unlocked
condition buf_CV;       // Initially empty
queue queue;            // Actual queue!

Producer(item) {
    acquire(&buf_lock); // Get Lock
    enqueue(&queue,item); // Add item
    cond_signal(&buf_CV); // Signal any waiters
    release(&buf_lock); // Release Lock
}

Consumer() {
    acquire(&buf_lock); // Get Lock
    while (isEmpty(&queue)) {
        cond_wait(&buf_CV, &buf_lock); // If empty, sleep
    }
    item = dequeue(&queue); // Get next item
    release(&buf_lock); // Release Lock
    return(item);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.21

Mesa vs. Hoare monitors

- Need to be careful about precise definition of signal and wait.

Consider a piece of our dequeue code:

```
while (isEmpty(&queue)) {
    cond_wait(&buf_CV,&buf_lock); // If nothing, sleep
}
item = dequeue(&queue); // Get next item
```

– Why didn't we do this?

```
if (isEmpty(&queue)) {
    cond_wait(&buf_CV,&buf_lock); // If nothing, sleep
}
item = dequeue(&queue); // Get next item
```

- Answer: depends on the type of scheduling
 - Mesa-style: Named after Xerox-Park Mesa Operating System
 - » Most OSes use Mesa Scheduling!
 - Hoare-style: Named after British logician Tony Hoare

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.22

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.22

Hoare monitors

- Signaler gives up lock, CPU to waiter; waiter runs immediately
- Then, Waiter gives up lock, processor back to signaler when it exits critical section or if it waits again

```
... acquire (&buf_lock);
...
cond_signal (&buf_CV);
...
release (&buf_lock);

acquire (&buf_lock);
...
if (isEmpty(&queue)) {
    cond_wait (&buf_CV, &buf_lock);
}
...
release (&buf_lock);
```

Diagram illustrating Hoare monitors: The signaller's `cond_signal` and `release` are connected to the waiter's `acquire` and `cond_wait` respectively. Arrows labeled "Lock, CPU" show that when the signaller releases the lock, the waiter immediately acquires it and runs.

- On first glance, this seems like good semantics
 - Waiter gets to run immediately, condition is still correct!
- Most textbooks talk about Hoare scheduling
 - However, hard to do, not really necessary!
 - Forces a lot of context switching (inefficient!)

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.23

Mesa monitors

- Signaler keeps lock and processor
- Waiter placed on ready queue with no special priority

```
... acquire (&buf_lock);
...
cond_signal (&buf_CV);
...
release (&buf_lock);

acquire (&buf_lock);
...
while (isEmpty(&queue)) {
    cond_wait (&buf_CV, &buf_lock);
}
...
lock.Release();
```

Diagram illustrating Mesa monitors: The signaller's `cond_signal` and `release` are connected to the waiter's `acquire` and `cond_wait` respectively. A callout box says "Put waiting thread on ready queue". A dashed arrow labeled "schedule thread (sometime later!)" points from the waiter's `cond_wait` to the signaller's `lock.Release()`, indicating that the waiter is scheduled to run later, while the signaller continues to hold the lock.

- Practically, need to check condition again after wait
 - By the time the waiter gets scheduled, condition may be false again – so, just check again with the "while" loop
- Most real operating systems do this!
 - More efficient, easier to implement
 - Signaler's cache state, etc still good

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.24

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.24

Bounded Buffer – 4th cut (Monitors, pthread-like)

```
lock buf_lock = <initially unlocked>
condition producer_CV = <initially empty>
condition consumer_CV = <initially empty>
```

```
Producer(item) {
  acquire(&buf_lock);
  while (buffer full) { cond_wait(&producer_CV, &buf_lock); }
  enqueue(item);
  cond_signal(&consumer_CV);
  release(&buf_lock);
}
```

What does thread do when it is waiting?
- Sleep, not busywait!

```
Consumer() {
  acquire(buf_lock);
  while (buffer empty) { cond_wait(&consumer_CV, &buf_lock); }
  item = dequeue();
  cond_signal(&producer_CV);
  release(buf_lock);
  return item
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.25

Again: Why the while Loop?


- MESA semantics
- For most operating systems, when a thread is woken up by `signal()`, it is simply put on the ready queue
- It may or may not reacquire the lock immediately!
 - Another thread could be scheduled first and "sneak in" to empty the queue
 - Need a loop to re-check condition on wakeup
- Is this busy waiting?

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.26

Readers/Writers Problem



- Motivation: Consider a shared database
 - Two classes of users:
 - » Readers – never modify database
 - » Writers – read and modify database
 - Is using a single lock on the whole database sufficient?
 - » Like to have many readers at the same time
 - » Only one writer at a time

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.27

Basic Structure of Mesa Monitor Program

- Monitors represent the synchronization logic of the program
 - Wait if necessary
 - Signal when change something so any waiting threads can proceed
- Basic structure of mesa monitor-based program:

```
lock
while (need to wait) {
  condvar.wait();
}
unlock
```

} Check and/or update state variables
Wait if necessary

do something so no need to wait

```
lock
```

```
condvar.signal();
```

```
unlock
```

} Check and/or update state variables


2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.28

Basic Readers/Writers Solution

- Correctness Constraints:
 - Readers can access database when no writers
 - Writers can access database when no readers or writers
 - Only one thread manipulates state variables at a time
- Basic structure of a solution:
 - Reader()
 - Wait until no writers
 - Access data base
 - Check out – wake up a waiting writer
 - Writer()
 - Wait until no active readers or writers
 - Access database
 - Check out – wake up waiting readers or writer
 - State variables (Protected by a lock called “lock”):
 - » int AR: Number of active readers; initially = 0
 - » int WR: Number of waiting readers; initially = 0
 - » int AW: Number of active writers; initially = 0
 - » int WW: Number of waiting writers; initially = 0
 - » Condition okToRead = NIL
 - » Condition okToWrite = NIL



2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.29

Code for a Reader

```
Reader() {
    // First check self into system
    acquire(&lock);
    while ((AW + WW) > 0) { // Is it safe to read?
        WR++; // No. Writers exist
        cond_wait(&okToRead, &lock); // Sleep on cond var
        WR--; // No longer waiting
    }
    AR++; // Now we are active!
    release(&lock);
    // Perform actual read-only access
    AccessDatabase(ReadOnly);
    // Now, check out of system
    acquire(&lock);
    AR--; // No longer active
    if (AR == 0 && WW > 0) // No other active readers
        cond_signal(&okToWrite); // Wake up one writer
    release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.30

Code for a Writer

```
Writer() {
    // First check self into system
    acquire(&lock);
    while ((AW + AR) > 0) { // Is it safe to write?
        WW++; // No. Active users exist
        cond_wait(&okToWrite, &lock); // Sleep on cond var
        WW--; // No longer waiting
    }
    AW++; // Now we are active!
    release(&lock);
    // Perform actual read/write access
    AccessDatabase(ReadWrite);
    // Now, check out of system
    acquire(&lock);
    AW--; // No longer active
    if (WW > 0) { // Give priority to writers
        cond_signal(&okToWrite); // Wake up one writer
    } else if (WR > 0) { // Otherwise, wake reader
        cond_broadcast(&okToRead); // Wake all readers
    }
    release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.31

Simulation of Readers/Writers Solution

- Use an example to simulate the solution
- Consider the following sequence of operators:
 - R1, R2, W1, R3
- Initially: AR = 0, WR = 0, AW = 0, WW = 0

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.32

Simulation of Readers/Writers Solution

- R1 comes along (no waiting threads)
- AR = 0, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.33

Simulation of Readers/Writers Solution

- R1 comes along (no waiting threads)
- AR = 0, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.34

Simulation of Readers/Writers Solution

- R1 comes along (no waiting threads)
- AR = 1, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.35

Simulation of Readers/Writers Solution

- R1 comes along (no waiting threads)
- AR = 1, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.36

Simulation of Readers/Writers Solution

- R1 accessing dbase (no other threads)
- AR = 1, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.37

Simulation of Readers/Writers Solution

- R2 comes along (R1 accessing dbase)
- AR = 1, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.38

Simulation of Readers/Writers Solution

- R2 comes along (R1 accessing dbase)
- AR = 1, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.39

Simulation of Readers/Writers Solution

- R2 comes along (R1 accessing dbase)
- AR = 2, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.40

Simulation of Readers/Writers Solution

- R2 comes along (R1 accessing dbase)
- AR = 2, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.41

Simulation of Readers/Writers Solution

- R1 and R2 accessing dbase
- AR = 2, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
```

Assume readers take a while to access database
Situation: Locks released, only AR is non-zero

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.42

Simulation of Readers/Writers Solution

- W1 comes along (R1 and R2 are still accessing dbase)
- AR = 2, WR = 0, AW = 0, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.43

Simulation of Readers/Writers Solution

- W1 comes along (R1 and R2 are still accessing dbase)
- AR = 2, WR = 0, AW = 0, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.44

Simulation of Readers/Writers Solution

- W1 comes along (R1 and R2 are still accessing dbase)
- AR = 2, WR = 0, AW = 0, WW = 1

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.45

Simulation of Readers/Writers Solution

- R3 comes along (R1 and R2 accessing dbase, W1 waiting)
- AR = 2, WR = 0, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.46

Simulation of Readers/Writers Solution

- R3 comes along (R1 and R2 accessing dbase, W1 waiting)
- AR = 2, WR = 0, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.47

Simulation of Readers/Writers Solution

- R3 comes along (R1 and R2 accessing dbase, W1 waiting)
- AR = 2, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  lock.release();

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.48

Simulation of Readers/Writers Solution

- R3 comes along (R1, R2 accessing dbase, W1 waiting)
- AR = 2, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.49

Simulation of Readers/Writers Solution

- R1 and R2 accessing dbase, W1 and R3 waiting
- AR = 2, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
```

Status:

- R1 and R2 still reading
- W1 and R3 waiting on okToWrite and okToRead, respectively

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.50

Simulation of Readers/Writers Solution

- R2 finishes (R1 accessing dbase, W1 and R3 waiting)
- AR = 2, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.51

Simulation of Readers/Writers Solution

- R2 finishes (R1 accessing dbase, W1 and R3 waiting)
- AR = 1, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.52

Simulation of Readers/Writers Solution

- R2 finishes (R1 accessing dbase, W1 and R3 waiting)
- AR = 1, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.53

Simulation of Readers/Writers Solution

- R2 finishes (R1 accessing dbase, W1 and R3 waiting)
- AR = 1, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.54

Simulation of Readers/Writers Solution

- R1 finishes (W1 and R3 waiting)
- AR = 1, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.55

Simulation of Readers/Writers Solution

- R1 finishes (W1, R3 waiting)
- AR = 0, WR = 1, AW = 0, WW = 1

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.56

Simulation of Readers/Writers Solution

- R1 finishes (W1, R3 waiting)
- AR = 0, WR = 1, AW = 0, WW = 1

```
Reader() {
    acquire(&lock);
    while ((AW + WW) > 0) { // Is it safe to read?
        WR++; // No. Writers exist
        cond_wait(&okToRead, &lock); // Sleep on cond var
        WR--; // No longer waiting
    }
    AR++; // Now we are active!
    release(&lock);

    AccessDBase(ReadOnly);

    acquire(&lock);
    AR--;
    if (AR == 0 && WW > 0)
        cond_signal(&okToWrite);
    release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.57

Simulation of Readers/Writers Solution

- R1 signals a writer (W1 and R3 waiting)
- AR = 0, WR = 1, AW = 0, WW = 1

```
Reader() {
    acquire(&lock);
    while ((AW + WW) > 0) { // Is it safe to read?
        WR++; // No. Writers exist
        cond_wait(&okToRead, &lock); // Sleep on cond var
        WR--; // No longer waiting
    }
    AR++; // Now we are active!
    release(&lock);

    AccessDBase(ReadOnly);

    acquire(&lock);
    AR--;
    if (AR == 0 && WW > 0)
        cond_signal(&okToWrite);
    release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.58

Simulation of Readers/Writers Solution

- W1 gets signal (R3 still waiting)
- AR = 0, WR = 1, AW = 0, WW = 1

```
Writer() {
    acquire(&lock);
    while ((AW + AR) > 0) { // Is it safe to write?
        WW++; // No. Active users exist
        cond_wait(&okToWrite, &lock); // Sleep on cond var
        WW--; // No longer waiting
    }
    AW++;
    release(&lock);

    AccessDBase(ReadWrite);

    acquire(&lock);
    AW--;
    if (WW > 0) {
        cond_signal(&okToWrite);
    } else if (WR > 0) {
        cond_broadcast(&okToRead);
    }
    release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.59

Simulation of Readers/Writers Solution

- W1 gets signal (R3 still waiting)
- AR = 0, WR = 1, AW = 0, WW = 0

```
Writer() {
    acquire(&lock);
    while ((AW + AR) > 0) { // Is it safe to write?
        WW++; // No. Active users exist
        cond_wait(&okToWrite, &lock); // Sleep on cond var
        WW--; // No longer waiting
    }
    AW++;
    release(&lock);

    AccessDBase(ReadWrite);

    acquire(&lock);
    AW--;
    if (WW > 0) {
        cond_signal(&okToWrite);
    } else if (WR > 0) {
        cond_broadcast(&okToRead);
    }
    release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.60

Simulation of Readers/Writers Solution

- W1 gets signal (R3 still waiting)
- AR = 0, WR = 1, AW = 1, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond_wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond_signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

Simulation of Readers/Writers Solution

- W1 accessing dbase (R3 still waiting)
- AR = 0, WR = 1, AW = 1, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond_wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond_signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

Simulation of Readers/Writers Solution

- W1 finishes (R3 still waiting)
- AR = 0, WR = 1, AW = 1, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond_wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond_signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

Simulation of Readers/Writers Solution

- W1 finishes (R3 still waiting)
- AR = 0, WR = 1, AW = 0, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond_wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond_signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

Simulation of Readers/Writers Solution

- W1 finishes (R3 still waiting)
- AR = 0, WR = 1, AW = 0, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond_wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond_signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.65

Simulation of Readers/Writers Solution

- W1 signaling readers (R3 still waiting)
- AR = 0, WR = 1, AW = 0, WW = 0

```
Writer() {
  acquire(&lock);
  while ((AW + AR) > 0) { // Is it safe to write?
    WW++; // No. Active users exist
    cond_wait(&okToWrite, &lock); // Sleep on cond var
    WW--; // No longer waiting
  }
  AW++;
  release(&lock);

  AccessDBase(ReadWrite);

  acquire(&lock);
  AW--;
  if (WW > 0) {
    cond_signal(&okToWrite);
  } else if (WR > 0) {
    cond_broadcast(&okToRead);
  }
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.66

Simulation of Readers/Writers Solution

- R3 gets signal (no waiting threads)
- AR = 0, WR = 1, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond_wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond_signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.67

Simulation of Readers/Writers Solution

- R3 gets signal (no waiting threads)
- AR = 0, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond_wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond_signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.68

Simulation of Readers/Writers Solution

- R3 accessing dbase (no waiting threads)
- AR = 1, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond_wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond_signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.69

Simulation of Readers/Writers Solution

- R3 finishes (no waiting threads)
- AR = 1, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond_wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond_signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.70

Simulation of Readers/Writers Solution

- R3 finishes (no waiting threads)
- AR = 0, WR = 0, AW = 0, WW = 0

```
Reader() {
  acquire(&lock);
  while ((AW + WW) > 0) { // Is it safe to read?
    WR++; // No. Writers exist
    cond_wait(&okToRead, &lock); // Sleep on cond var
    WR--; // No longer waiting
  }
  AR++; // Now we are active!
  release(&lock);

  AccessDBase(ReadOnly);

  acquire(&lock);
  AR--;
  if (AR == 0 && WW > 0)
    cond_signal(&okToWrite);
  release(&lock);
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.71

Questions

- Can readers starve? Consider Reader() entry code:

```
while ((AW + WW) > 0) { // Is it safe to read?
  WR++; // No. Writers exist
  cond_wait(&okToRead, &lock); // Sleep on cond var
  WR--; // No longer waiting
}
```
- What if we erase the condition check in Reader exit?

```
AR--; // No longer active
if (AR == 0 && WW > 0) // No other active readers
  cond_signal(&okToWrite); // Wake up one writer
```
- Further, what if we turn the signal() into broadcast()

```
AR--; // No longer active
cond_broadcast(&okToWrite); // Wake up sleepers
```
- Finally, what if we use only one condition variable (call it "okContinue") instead of two separate ones?
 - Both readers and writers sleep on this variable
 - Must use broadcast() instead of signal()

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.72

Use of Single CV: okContinue

```

Reader() {
    // check into system
    acquire(&lock);
    while ((AW + WW) > 0) {
        WR++;
        cond_wait(&okContinue,&lock);
        WR--;
    }
    AR++;
    release(&lock);

    // read-only access
    AccessDbase(ReadOnly);

    // check out of system
    acquire(&lock);
    AR--;
    if (AR == 0 && WW > 0)
        cond_signal(&okContinue);
    release(&lock);
}

Writer() {
    // check into system
    acquire(&lock);
    while ((AW + AR) > 0) {
        WW++;
        cond_wait(&okContinue,&lock);
        WW--;
    }
    AW++;
    release(&lock);

    // read/write access
    AccessDbase(ReadWrite);

    // check out of system
    acquire(&lock);
    AW--;
    if (WW > 0) {
        cond_signal(&okContinue);
    } else if (WR > 0) {
        cond_broadcast(&okContinue);
    }
    release(&lock);
}
    
```

What if we turn okToWrite and okToRead into okContinue (i.e. use only one condition variable instead of two)?

2/14/2023

Lec 9.73

Use of Single CV: okContinue

```

Reader() {
    // check into system
    acquire(&lock);
    while ((AW + WW) > 0) {
        WR++;
        cond_wait(&okContinue,&lock);
        WR--;
    }
    AR++;
    release(&lock);

    // read-only access
    AccessDbase(ReadOnly);

    // check out of system
    acquire(&lock);
    AR--;
    if (AR == 0 && WW > 0)
        cond_signal(&okContinue);
    release(&lock);
}

Writer() {
    // check into system
    acquire(&lock);
    while ((AW + AR) > 0) {
        WW++;
        cond_wait(&okContinue,&lock);
        WW--;
    }
    AW++;
    release(&lock);

    // read/write access
    AccessDbase(ReadWrite);

    // check out of system
    acquire(&lock);
    AW--;
    if (WW > 0) {
        cond_signal(&okContinue);
    } else if (WR > 0) {
        cond_broadcast(&okContinue);
    }
    release(&lock);
}
    
```

Consider this scenario:

- R1 arrives
- W1, R2 arrive while R1 still reading → W1 and R2 wait for R1 to finish
- Assume R1's signal is delivered to R2 (not W1)

2/14/2023

Lec 9.74

Use of Single CV: okContinue

```

Reader() {
    // check into system
    acquire(&lock);
    while ((AW + WW) > 0) {
        WR++;
        cond_wait(&okContinue,&lock);
        WR--;
    }
    AR++;
    release(&lock);

    // read-only access
    AccessDbase(ReadOnly);

    // check out of system
    acquire(&lock);
    AR--;
    if (AR == 0 && WW > 0)
        cond_broadcast(&okContinue);
    release(&lock);
}

Writer() {
    // check into system
    acquire(&lock);
    while ((AW + AR) > 0) {
        WW++;
        cond_wait(&okContinue,&lock);
        WW--;
    }
    AW++;
    release(&lock);

    // read/write access
    AccessDbase(ReadWrite);

    // check out of system
    acquire(&lock);
    AW--;
    if (WW > 0 || WR > 0) {
        cond_broadcast(&okContinue);
    }
    release(&lock);
}
    
```

Need to change to broadcast()!

Must broadcast() to sort things out!

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.75

Can we construct Monitors from Semaphores?

- Locking aspect is easy: Just use a mutex
- Can we implement condition variables this way?


```

Wait(Semaphore *thesema) { semaP(thesema); }
Signal(Semaphore *thesema) { semaV(thesema); }
            
```
- Does this work better?


```

Wait(Lock *thelock, Semaphore *thesema) {
    release(thelock);
    semaP(thesema);
    acquire(thelock);
}
Signal(Semaphore *thesema) {
    semaV(thesema);
}
            
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.76

Construction of Monitors from Semaphores (con't)

- Problem with previous try:
 - P and V are commutative – result is the same no matter what order they occur
 - Condition variables are NOT commutative
- Does this fix the problem?


```
Wait(Lock *thelock, Semaphore *thesema) {
    release(thelock);
    semaP(thesema);
    acquire(thelock);
}
Signal(Semaphore *thesema) {
    if semaphore queue is not empty
        semaV(thesema);
}
```

 - Not legal to look at contents of semaphore queue
 - There is a race condition – signaler can slip in after lock release and before waiter executes semaphore.P()
- It is actually possible to do this correctly
 - Complex solution for Hoare scheduling in book
 - Can you come up with simpler Mesa-scheduled solution?

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.77

Mesa Monitor Conclusion

- Monitors represent the synchronization logic of the program
 - Wait if necessary
 - Signal when change something so any waiting threads can proceed
- Typical structure of monitor-based program:

```
lock
while (need to wait) { }
    condvar.wait();
}
unlock
```

Check and/or update state variables
Wait if necessary

do something so no need to wait

```
lock
condvar.signal();
unlock
```

Check and/or update state variables

2/14/2023


Kubiatowicz CS162 © UCB Spring 2023

Lec 9.78

C-Language Support for Synchronization

- C language: Pretty straightforward synchronization
 - Just make sure you know *all* the code paths out of a critical section

```
int Rtn() {
    acquire(&lock);
    ...
    if (exception) {
        release(&lock);
        return errReturnCode;
    }
    ...
    release(&lock);
    return OK;
}
```
- Watch out for `setjmp/longjmp!`
 - » Can cause a non-local jump out of procedure
 - » In example, procedure E calls `longjmp`, popping stack back to procedure B
 - » If Procedure C had `lock.acquire`, problem!



2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.79

Concurrency and Synchronization in C

- Harder with more locks


```
void Rtn() {
    lock1.acquire();
    ...
    if (error) {
        lock1.release();
        return;
    }
    ...
    lock2.acquire();
    ...
    if (error) {
        lock2.release();
        lock1.release();
        return;
    }
    ...
    lock2.release();
    lock1.release();
}
```
- Is goto a solution???

```
void Rtn() {
    lock1.acquire();
    ...
    if (error) {
        goto release_lock1_and_return;
    }
    ...
    lock2.acquire();
    ...
    if (error) {
        goto release_both_and_return;
    }
    ...
    release_both_and_return:
        lock2.release();
    release_lock1_and_return:
        lock1.release();
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.80

C++ Language Support for Synchronization

- Languages with exceptions like C++
 - Languages that support exceptions are problematic (easy to make a non-local exit without releasing lock)
 - Consider:

```
void Rtn() {
    lock.acquire();
    ...
    DoFoo();
    ...
    lock.release();
}
void DoFoo() {
    ...
    if (exception) throw errException;
    ...
}
```
 - Notice that an exception in DoFoo() will exit without releasing the lock!

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.81

C++ Language Support for Synchronization (con't)

- Must catch all exceptions in critical sections
 - Catch exceptions, release lock, and re-throw exception:

```
void Rtn() {
    lock.acquire();
    try {
        ...
        DoFoo();
        ...
    } catch (...) { // catch exception
        lock.release(); // release lock
        throw; // re-throw the exception
    }
    lock.release();
}
void DoFoo() {
    ...
    if (exception) throw errException;
    ...
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.82

Much better: C++ Lock Guards

```
#include <mutex>
int global_i = 0;
std::mutex global_mutex;

void safe_increment() {
    std::lock_guard<std::mutex> lock(global_mutex);
    ...
    global_i++;
    // Mutex released when 'lock' goes out of scope
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.83

Python with Keyword

- More versatile than we show here (can be used to close files, database connections, etc.)

```
lock = threading.Lock()
...
with lock: # Automatically calls acquire()
    some_var += 1
...
# release() called however we leave block
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.84

Java synchronized Keyword

- Every Java object has an associated lock:
 - Lock is acquired on entry and released on exit from a **synchronized** method
 - Lock is properly released if exception occurs inside a **synchronized** method
 - Mutex execution of synchronized methods (beware deadlock)

```
class Account {
    private int balance;

    // object constructor
    public Account (int initialBalance) {
        balance = initialBalance;
    }
    public synchronized int getBalance() {
        return balance;
    }
    public synchronized void deposit(int amount) {
        balance += amount;
    }
}
```

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.85

Java Support for Monitors

- Along with a lock, every object has a single condition variable associated with it
- To wait inside a synchronized method:
 - void wait();
 - void wait(long timeout);
- To signal while in a synchronized method:
 - void notify();
 - void notifyAll();

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.86

Conclusion

- **Semaphores**: Like integers with restricted interface
 - Two operations:
 - » **P()**: Wait if zero; decrement when becomes non-zero
 - » **V()**: Increment and wake a sleeping task (if exists)
 - » Can initialize value to any non-negative value
 - Use separate semaphore for each constraint
- **Monitors**: A lock plus one or more condition variables
 - Always acquire lock before accessing shared data
 - Use condition variables to wait inside critical section
 - » Three Operations: **wait()**, **Signal()**, and **Broadcast()**
- Monitors represent the logic of the program
 - Wait if necessary
 - Signal when change something so any waiting threads can proceed
 - Monitors supported natively in a number of languages
- Readers/Writers Monitor example
 - Shows how monitors allow sophisticated controlled entry to protected code

2/14/2023

Kubiatowicz CS162 © UCB Spring 2023

Lec 9.87