

## Foundations of Computer Graphics (Spring 2012)

CS 184, Lecture 2: Review of Basic Math  
<http://inst.eecs.berkeley.edu/~cs184>

### To Do

- Complete Assignment 0 (a due 26, b due 31)
- Get help if issues with compiling, programming
- Textbooks: access to OpenGL references
- About first few lectures
  - Somewhat technical: core math ideas in graphics
  - HW1 is simple (only few lines of code): Lets you see how to use some ideas discussed in lecture, create images

### Motivation and Outline


- Many graphics concepts need basic math like linear algebra
  - Vectors (dot products, cross products, ...)
  - Matrices (matrix-matrix, matrix-vector mult., ...)
  - E.g: a point is a vector, and an operation like translating or rotating points on object can be matrix-vector multiply
- Chapters 2.4 (vectors) and 5.2 (matrices)
  - Worthwhile to read all of chapters 2 and 5
- Should be refresher on very basic material for most of you
  - If you don't understand, talk to me (review in office hours)

### Vectors




- Length and direction. Absolute position not important  
Usually written as  $\vec{a}$  or in bold. Magnitude written as  $\|\vec{a}\|$
- Use to store offsets, displacements, locations
  - But strictly speaking, positions are not vectors and cannot be added: a location implicitly involves an origin, while an offset does not.

### Vector Addition



- Geometrically: Parallelogram rule
- In cartesian coordinates (next), simply add coords

### Cartesian Coordinates




- X and Y can be any (usually orthogonal **unit**) vectors

$$A = \begin{pmatrix} x \\ y \end{pmatrix} \quad A^T = (x \quad y) \quad \|A\| = \sqrt{x^2 + y^2}$$

## Vector Multiplication

- Dot product (2.4.3)
  - Cross product (2.4.4)
  - Orthonormal bases and coordinate frames (2.4.5,6)
- Note: book talks about right and left-handed coordinate systems. We *always* use right-handed

## Dot (scalar) product



$$a \cdot b = b \cdot a = ?$$

$$a \cdot b = \|a\| \|b\| \cos \phi$$

$$a \cdot (b + c) = a \cdot b + a \cdot c$$


$$\phi = \cos^{-1} \left( \frac{a \cdot b}{\|a\| \|b\|} \right)$$

$$(ka) \cdot b = a \cdot (kb) = k(a \cdot b)$$

## Dot product: some applications in CG

- Find angle between two vectors (e.g. cosine of angle between light source and surface for shading)
- Finding projection of one vector on another (e.g. coordinates of point in arbitrary coordinate system)
- Advantage: computed easily in cartesian components

## Projections (of b on a)



$$\|b \rightarrow a\| = ?$$

$$\|b \rightarrow a\| = \|b\| \cos \phi = \frac{a \cdot b}{\|a\|}$$

$$b \rightarrow a = ?$$

$$b \rightarrow a = \|b \rightarrow a\| \frac{a}{\|a\|} = \frac{a \cdot b}{\|a\|^2} a$$

## Dot product in Cartesian components


$$a \cdot b = \begin{pmatrix} x_a \\ y_a \end{pmatrix} \cdot \begin{pmatrix} x_b \\ y_b \end{pmatrix} = ?$$

$$a \cdot b = \begin{pmatrix} x_a \\ y_a \end{pmatrix} \cdot \begin{pmatrix} x_b \\ y_b \end{pmatrix} = x_a x_b + y_a y_b$$

## Vector Multiplication

- Dot product (2.4.3)
  - Cross product (2.4.4)
  - Orthonormal bases and coordinate frames (2.4.5,6)
- Note: book talks about right and left-handed coordinate systems. We *always* use right-handed

## Cross (vector) product



- Cross product orthogonal to two initial vectors
- Direction determined by right-hand rule
- Useful in constructing coordinate systems (later)

## Cross product: Properties

$$x \times y = +z$$

$$y \times x = -z$$

$$y \times z = +x$$

$$z \times y = -x$$

$$z \times x = +y$$

$$x \times z = -y$$

$$a \times b = -b \times a$$

$$a \times a = 0$$

$$a \times (b + c) = a \times b + a \times c$$

$$a \times (kb) = k(a \times b)$$

## Cross product: Cartesian formula?

$$a \times b = \begin{vmatrix} x & y & z \\ x_a & y_a & z_a \\ x_b & y_b & z_b \end{vmatrix} = \begin{pmatrix} y_a z_b - y_b z_a \\ z_a x_b - x_a z_b \\ x_a y_b - y_a x_b \end{pmatrix}$$

$$a \times b = A^* b = \begin{pmatrix} 0 & -z_a & y_a \\ z_a & 0 & -x_a \\ -y_a & x_a & 0 \end{pmatrix} \begin{pmatrix} x_b \\ y_b \\ z_b \end{pmatrix}$$

Dual matrix of vector a

## Vector Multiplication

- Dot product (2.4.3)
- Cross product (2.4.4)
- *Orthonormal bases and coordinate frames (2.4.5,6)*
- Note: book talks about right and left-handed coordinate systems. We *always* use right-handed

## Orthonormal bases/coordinate frames

- Important for representing points, positions, locations
- Often, many sets of coordinate systems (not just X, Y, Z)
  - Global, local, world, model, parts of model (head, hands, ...)
- Critical issue is transforming between these systems/bases
  - Topic of next 3 lectures

## Coordinate Frames

- Any set of 3 vectors (in 3D) so that

$$\|u\| = \|v\| = \|w\| = 1$$

$$u \cdot v = v \cdot w = u \cdot w = 0$$

$$w = u \times v$$

$$p = (p \cdot u)u + (p \cdot v)v + (p \cdot w)w$$

## Constructing a coordinate frame

- Often, given a vector **a** (viewing direction in HW1), want to construct an orthonormal basis
- Need a second vector **b** (up direction of camera in HW1)
- Construct an orthonormal basis (for instance, camera coordinate frame to transform world objects into in HW1)

## Constructing a coordinate frame?

- We want to associate **w** with **a**, and **v** with **b**
- But **a** and **b** are neither orthogonal nor unit norm
  - And we also need to find **u**

$$w = \frac{a}{\|a\|}$$

$$u = \frac{b \times w}{\|b \times w\|}$$

$$v = w \times u$$

## Matrices

- Can be used to transform points (vectors)
  - Translation, rotation, shear, scale (more detail next lecture)
- Section 5.2.1 and 5.2.2 of text
  - Instructive to read all of 5 but not that relevant to course

## What is a matrix

- Array of numbers ( $m \times n$  = m rows, n columns)

$$\begin{pmatrix} 1 & 3 \\ 5 & 2 \\ 0 & 4 \end{pmatrix}$$

- Addition, multiplication by a scalar simple: element by element

## Matrix-matrix multiplication

- Number of columns in first must = rows in second

$$\begin{pmatrix} 1 & 3 \\ 5 & 2 \\ 0 & 4 \end{pmatrix} \begin{pmatrix} 3 & 6 & 9 & 4 \\ 2 & 7 & 8 & 3 \end{pmatrix}$$

- Element (i,j) in product is dot product of row i of first matrix and column j of second matrix

## Matrix-matrix multiplication

- Number of columns in first must = rows in second

$$\begin{pmatrix} 1 & 3 \\ 5 & 2 \\ 0 & 4 \end{pmatrix} \begin{pmatrix} 3 & 6 & 9 & 4 \\ 2 & 7 & 8 & 3 \end{pmatrix} = \begin{pmatrix} 9 & 27 & 33 & 13 \\ 19 & 44 & 61 & 26 \\ 8 & 28 & 32 & 12 \end{pmatrix}$$

- Element (i,j) in product is dot product of row i of first matrix and column j of second matrix

### Matrix-matrix multiplication

- Number of columns in first must = rows in second

$$\begin{pmatrix} 1 & 3 \\ 5 & 2 \\ 0 & 4 \end{pmatrix} \begin{pmatrix} 3 & 6 & 9 & 4 \\ 2 & 7 & 8 & 3 \end{pmatrix} = \begin{pmatrix} 9 & 27 & 33 & 13 \\ 19 & 44 & 61 & 26 \\ 8 & 28 & 32 & 12 \end{pmatrix}$$

- Element (i,j) in product is dot product of row i of first matrix and column j of second matrix

### Matrix-matrix multiplication

- Number of columns in first must = rows in second

$$\begin{pmatrix} 1 & 3 \\ 5 & 2 \\ 0 & 4 \end{pmatrix} \begin{pmatrix} 3 & 6 & 9 & 4 \\ 2 & 7 & 8 & 3 \end{pmatrix} = \begin{pmatrix} 9 & 27 & 33 & 13 \\ 19 & 44 & 61 & 26 \\ 8 & 28 & 32 & 12 \end{pmatrix}$$

- Element (i,j) in product is dot product of row i of first matrix and column j of second matrix

### Matrix-matrix multiplication

- Number of columns in first must = rows in second

$$\begin{pmatrix} 3 & 6 & 9 & 4 \\ 2 & 7 & 8 & 3 \end{pmatrix} \begin{pmatrix} 1 & 3 \\ 5 & 2 \\ 0 & 4 \end{pmatrix} \text{ NOT EVEN LEGAL!!}$$

- Non-commutative (AB and BA are different in general)
- Associative and distributive
  - $A(B+C) = AB + AC$
  - $(A+B)C = AC + BC$

### Matrix-Vector Multiplication

- Key for transforming points (next lecture)
- Treat vector as a column matrix ( $m \times 1$ )
- E.g. 2D reflection about y-axis (from textbook)

$$\begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} -x \\ y \end{pmatrix}$$

### Transpose of a Matrix (or vector?)

$$\begin{pmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{pmatrix}^T = \begin{pmatrix} 1 & 3 & 5 \\ 2 & 4 & 6 \end{pmatrix}$$

$$(AB)^T = B^T A^T$$

### Identity Matrix and Inverses

$$I_{3 \times 3} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

$$AA^{-1} = A^{-1}A = I$$

$$(AB)^{-1} = B^{-1}A^{-1}$$

### Vector multiplication in Matrix form

- Dot product?

$$a \bullet b = a^T b$$

$$(x_a \quad y_a \quad z_a) \begin{pmatrix} x_b \\ y_b \\ z_b \end{pmatrix} = (x_a x_b + y_a y_b + z_a z_b)$$

- Cross product?

$$a \times b = A^* b = \begin{pmatrix} 0 & -z_a & y_a \\ z_a & 0 & -x_a \\ -y_a & x_a & 0 \end{pmatrix} \begin{pmatrix} x_b \\ y_b \\ z_b \end{pmatrix}$$

Dual matrix of vector a