

CS 188: Artificial Intelligence

Constraint Satisfaction Problems




Dan Klein, Pieter Abbeel
University of California, Berkeley

What is Search For?

- Assumptions about the world: a single agent, deterministic actions, fully observed state, discrete state space
- Planning: sequences of actions
 - The path to the goal is the important thing
 - Paths have various costs, depths
 - Heuristics give problem-specific guidance
- Identification: assignments to variables
 - The goal itself is important, not the path
 - All paths at the same depth (for some formulations)
 - CSPs are a specialized class of identification problems




Constraint Satisfaction Problems




Constraint Satisfaction Problems

- Standard search problems:
 - State is a "black box": arbitrary data structure
 - Goal test can be any function over states
 - Successor function can also be anything
- Constraint satisfaction problems (CSPs):
 - A special subset of search problems
 - State is defined by variables X_i with values from a domain D (sometimes D depends on i)
 - Goal test is a set of constraints specifying allowable combinations of values for subsets of variables
- Simple example of a formal representation language
- Allows useful general-purpose algorithms with more power than standard search algorithms





CSP Examples



Example: Map Coloring


- Variables: WA, NT, Q, NSW, V, SA, T
- Domains: $D = \{\text{red, green, blue}\}$
- Constraints: adjacent regions must have different colors
 - Implicit: $WA \neq NT$
 - Explicit: $(WA, NT) \in \{(\text{red, green}), (\text{red, blue}), \dots\}$
- Solutions are assignments satisfying all constraints, e.g.:
 - $\{WA=\text{red}, NT=\text{green}, Q=\text{red}, NSW=\text{green}, V=\text{red}, SA=\text{blue}, T=\text{green}\}$



Example: N-Queens

Formulation 1:

- Variables: X_{ij}
- Domains: $\{0, 1\}$
- Constraints




$$\begin{aligned} \forall i, j, k \quad (X_{ij}, X_{ik}) &\in \{(0, 0), (0, 1), (1, 0)\} \\ \forall i, j, k \quad (X_{ij}, X_{kj}) &\in \{(0, 0), (0, 1), (1, 0)\} \\ \forall i, j, k \quad (X_{ij}, X_{i+k, j+k}) &\in \{(0, 0), (0, 1), (1, 0)\} \\ \forall i, j, k \quad (X_{ij}, X_{i+k, j-k}) &\in \{(0, 0), (0, 1), (1, 0)\} \end{aligned}$$

$$\sum_{i,j} X_{ij} = N$$

Example: N-Queens

Formulation 2:

- Variables: Q_k
- Domains: $\{1, 2, 3, \dots, N\}$
- Constraints:




$$\text{Implicit: } \forall i, j \quad \text{non-threatening}(Q_i, Q_j)$$

$$\text{Explicit: } (Q_1, Q_2) \in \{(1, 3), (1, 4), \dots\}$$


...

Constraint Graphs



Constraint Graphs


- Binary CSP: each constraint relates (at most) two variables
- Binary constraint graph: nodes are variables, arcs show constraints
- General-purpose CSP algorithms use the graph structure to speed up search. E.g., Tasmania is an independent subproblem!




[Demo: CSP applet (made available by ayspace.org) -- n-queens]

Example: Cryptarithmic

- Variables:
 $F, T, U, W, R, O, X_1, X_2, X_3$
- Domains:
 $\{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$
- Constraints:
 $\text{alldiff}(F, T, U, W, R, O)$
 $O + O = R + 10 \cdot X_1$
 \dots





Example: Sudoku



- Variables:
Each (open) square
- Domains:
 $\{1, 2, \dots, 9\}$
- Constraints:
9-way alldiff for each column
9-way alldiff for each row
9-way alldiff for each region
(or can have a bunch of pairwise inequality constraints)


Example: The Waltz Algorithm

- The Waltz algorithm is for interpreting line drawings of solid polyhedra as 3D objects
- An early example of an AI computation posed as a CSP




- **Approach:**
 - Each intersection is a variable
 - Adjacent intersections impose constraints on each other
 - Solutions are physically realizable 3D interpretations

Varieties of CSPs and Constraints



Varieties of CSPs

- **Discrete Variables**
 - Finite domains
 - Size d means $O(d^n)$ complete assignments
 - E.g., Boolean CSPs, including Boolean satisfiability (NP-complete)
 - Infinite domains (integers, strings, etc.)
 - E.g., job scheduling, variables are start/end times for each job
 - Linear constraints solvable, nonlinear undecidable
- **Continuous variables**
 - E.g., start/end times for Hubble Telescope observations
 - Linear constraints solvable in polynomial time by LP methods (see cs170 for a bit of this theory)



Varieties of Constraints

- **Varieties of Constraints**
 - Unary constraints involve a single variable (equivalent to reducing domains), e.g.:


$$SA \neq \text{green}$$
 - Binary constraints involve pairs of variables, e.g.:

$$SA \neq WA$$
 - Higher-order constraints involve 3 or more variables: e.g., cryptarithmic column constraints
- **Preferences (soft constraints):**
 - E.g., red is better than green
 - Often representable by a cost for each variable assignment
 - Gives constrained optimization problems
 - (We'll ignore these until we get to Bayes' nets)



Real-World CSPs

- Scheduling problems: e.g., when can we all meet?
- Timetabling problems: e.g., which class is offered when and where?
- Assignment problems: e.g., who teaches what class
- Hardware configuration
- Transportation scheduling
- Factory scheduling
- Circuit layout
- Fault diagnosis
- ... lots more!




- Many real-world problems involve real-valued variables...

Solving CSPs




Standard Search Formulation

- Standard search formulation of CSPs
- States defined by the values assigned so far (partial assignments)
 - Initial state: the empty assignment, {}
 - Successor function: assign a value to an unassigned variable
 - Goal test: the current assignment is complete and satisfies all constraints
- We'll start with the straightforward, naïve approach, then improve it




Search Methods

- What would BFS do?
- What would DFS do?
- What problems does naïve search have?




[Demo: coloring -- dfs]


Backtracking Search




Backtracking Example



Backtracking Search

- Backtracking search is the basic uninformed algorithm for solving CSPs
 - Idea 1: One variable at a time
 - Variable assignments are commutative, so fix ordering
 - i.e., [WA = red then NT = green] same as [NT = green then WA = red]
 - Only need to consider assignments to a single variable at each step
 - Idea 2: Check constraints as you go
 - i.e. consider only values which do not conflict with previous assignments
 - Might have to do some computation to check the constraints
 - “Incremental goal test”
 - Depth-first search with these two improvements is called *backtracking search* (not the best name)
 - Can solve n-queens for $n \approx 25$
- 



Backtracking Search

```

function BACKTRACKING-SEARCH(csp) returns solution/failure
  return RECURSIVE-BACKTRACKING({ }, csp)


function RECURSIVE-BACKTRACKING(assignment, csp) returns soln/failure
  if assignment is complete then return assignment
  var ← SELECT-UNASSIGNED-VARIABLE(VARIABLES[csp], assignment, csp)
  for each value in ORDER-DOMAIN-VALUES(var, assignment, csp) do
    if value is consistent with assignment given CONSTRAINTS[csp] then
      add { var = value } to assignment
      result ← RECURSIVE-BACKTRACKING(assignment, csp)
      if result ≠ failure then return result
      remove { var = value } from assignment
  return failure

```

- Backtracking = DFS + variable-ordering + fail-on-violation
- What are the choice points?

Improving Backtracking

- General-purpose ideas give huge gains in speed
- Ordering:
 - Which variable should be assigned next?
 - In what order should its values be tried?
- Filtering: Can we detect inevitable failure early?
- Structure: Can we exploit the problem structure?




Filtering



Filtering: Forward Checking

- Filtering: Keep track of domains for unassigned variables and cross off bad options
- Forward checking: Cross off values that violate a constraint when added to the existing assignment



Filtering: Constraint Propagation

- Forward checking propagates information from assigned to unassigned variables, but doesn't provide early detection for all failures:




- NT and SA cannot both be blue!
- Why didn't we detect this yet?
- Constraint propagation*: reason from constraint to constraint

[Demo: coloring -- forward checking]

Consistency of A Single Arc


- An arc $X \rightarrow Y$ is **consistent** iff for *every* x in the tail there is *some* y in the head which could be assigned without violating a constraint



- Forward checking: Enforcing consistency of arcs pointing to each new assignment

Arc Consistency of an Entire CSP

- A simple form of propagation makes sure **all** arcs are consistent:



- Important: If X loses a value, neighbors of X need to be rechecked!
- Arc consistency detects failure earlier than forward checking
- Can be run as a preprocessor or after each assignment
- What's the downside of enforcing arc consistency?

Remember:
Delete from
the tail!

Enforcing Arc Consistency in a CSP

```

function AC-3(csp) returns the CSP, possibly with reduced domains
inputs: csp, a binary CSP with variables  $\{X_1, X_2, \dots, X_n\}$ 
local variables: queue, a queue of arcs, initially all the arcs in csp
while queue is not empty do
  ( $X_i, X_j$ ) ← REMOVE-FIRST(queue)
  if REMOVE-INCONSISTENT-VALUES( $X_i, X_j$ ) then
    for each  $X_k$  in NEIGHBORS[ $X_i$ ] do
      add ( $X_k, X_i$ ) to queue


function REMOVE-INCONSISTENT-VALUES( $X_i, X_j$ ) returns true iff succeeds
  removed ← false
  for each  $x$  in DOMAIN[ $X_i$ ] do
    if no value  $y$  in DOMAIN[ $X_j$ ] allows  $(x, y)$  to satisfy the constraint  $X_i \leftrightarrow X_j$ 
      then delete  $x$  from DOMAIN[ $X_i$ ]; removed ← true
  return removed
    
```

- Runtime: $O(n^2d^3)$, can be reduced to $O(n^2d^2)$
- ... but detecting all possible future problems is NP-hard – why?

[Demo: CSP applet (made available by ayspace.org) -- n-queens]

Limitations of Arc Consistency

- After enforcing arc consistency:
 - Can have one solution left
 - Can have multiple solutions left
 - Can have no solutions left (and not know it)
- Arc consistency still runs inside a backtracking search!



What went
wrong here?

[Demo: coloring -- forward checking]
[Demo: coloring -- arc consistency]

Ordering



Ordering: Minimum Remaining Values

- Variable Ordering: Minimum remaining values (MRV):
 - Choose the variable with the fewest legal left values in its domain




- Why min rather than max?
- Also called “most constrained variable”
- “Fail-fast” ordering



Ordering: Least Constraining Value


- Value Ordering: Least Constraining Value

- Given a choice of variable, choose the *least constraining value*
- I.e., the one that rules out the fewest values in the remaining variables
- Note that it may take some computation to determine this! (E.g., rerunning filtering)



- Why least rather than most?

- Combining these ordering ideas makes 1000 queens feasible



[Demo: coloring – backtracking + AC + ordering]