


HMMs

State variables W_t and observation (evidence) variables (O_t), which are supposed to be shaded below. Transition model $P(W_{t+1}|W_t)$. Sensor model $P(O_t|W_t)$. The joint distribution of the HMM can be factorized as

$$P(W_1, \dots, W_T, O_1, \dots, O_T) = P(W_1) \prod_{t=1}^{T-1} P(W_{t+1}|W_t) \prod_{t=1}^T P(O_t|W_t) \quad (1)$$



Define the following belief distribution

- $B(W_t) = P(W_t|O_1, \dots, O_t)$: Belief about state W_t given all the observations up until (and including) timestep t .
- $B'(W_t) = P(W_t|O_1, \dots, O_{t-1})$: Belief about state W_t given all the observations up until (but not including) timestep t .

Forward Algorithm

- *Prediction update*: $B'(W_{t+1}) = \sum_{w_t} P(W_{t+1}|w_t)B(w_t)$
- *Observation update*: $B(W_{t+1}) \propto P(O_{t+1}|W_{t+1})B'(W_{t+1})$

Particle Filtering

The Hidden Markov Model analog to Bayes' net sampling is called **particle filtering**, and involves simulating the motion of a set of particles through a state graph to approximate the probability (belief) distribution of the random variable in question.

Instead of storing a full probability table mapping each state to its belief probability, we'll instead store a list of n particles, where each particle is in one of the d possible states in the domain of our time-dependent random variable.


Once we've sampled an initial list of particles, the simulation takes on a similar form to the forward algorithm, with a time elapse update followed by an observation update at each timestep:

- *Prediction update* - Update the value of each particle according to the transition model. For a particle in state W_t , sample the updated value from the probability distribution given by $Pr(W_{t+1}|w_t)$. Note the similarity of the prediction update to prior sampling with Bayes' nets, since the frequency of particles in any given state reflects the transition probabilities.
- *Observation update* - During the observation update for particle filtering, we use the sensor model $Pr(O_t|W_t)$ to weight each particle according to the probability dictated by the observed evidence and the particle's state. Specifically, for a particle in state w_t with sensor reading o_t , assign a weight of $Pr(o_t|w_t)$. The algorithm for the observation update is as follows:
 1. Calculate the weights of all particles as described above.
 2. Calculate the total weight for each state.
 3. If the sum of all weights across all states is 0, reinitialize all particles.
 4. Else, normalize the distribution of total weights over states and resample your list of particles from this distribution.

Note the similarity of the observation update to likelihood weighting, where we again downweight samples based on our evidence.

1 HMMs

Consider the following Hidden Markov Model. O_1 and O_2 are supposed to be shaded.



W_1	$P(W_1)$
0	0.3
1	0.7

W_t	W_{t+1}	$P(W_{t+1} W_t)$
0	0	0.4
0	1	0.6
1	0	0.8
1	1	0.2

W_t	O_t	$P(O_t W_t)$
0	a	0.9
0	b	0.1
1	a	0.5
1	b	0.5

Suppose that we observe $O_1 = a$ and $O_2 = b$.

Using the forward algorithm, compute the probability distribution $P(W_2|O_1 = a, O_2 = b)$ one step at a time.

(a) Compute $P(W_1, O_1 = a)$.

$$P(W_1, O_1 = a) = P(W_1)P(O_1 = a|W_1)$$

$$P(W_1 = 0, O_1 = a) = (0.3)(0.9) = 0.27$$

$$P(W_1 = 1, O_1 = a) = (0.7)(0.5) = 0.35$$

(b) Using the previous calculation, compute $P(W_2, O_1 = a)$.

$$P(W_2, O_1 = a) = \sum_{w_1} P(w_1, O_1 = a)P(W_2|w_1)$$

$$P(W_2 = 0, O_1 = a) = (0.27)(0.4) + (0.35)(0.8) = 0.388$$

$$P(W_2 = 1, O_1 = a) = (0.27)(0.6) + (0.35)(0.2) = 0.232$$

(c) Using the previous calculation, compute $P(W_2, O_1 = a, O_2 = b)$.

$$P(W_2, O_1 = a, O_2 = b) = P(W_2, O_1 = a)P(O_2 = b|W_2)$$

$$P(W_2 = 0, O_1 = a, O_2 = b) = (0.388)(0.1) = 0.0388$$

$$P(W_2 = 1, O_1 = a, O_2 = b) = (0.232)(0.5) = 0.116$$

(d) Finally, compute $P(W_2|O_1 = a, O_2 = b)$.


Renormalizing the distribution above, we have

$$P(W_2 = 0|O_1 = a, O_2 = b) = 0.0388/(0.0388 + 0.116) \approx 0.25$$

$$P(W_2 = 1|O_1 = a, O_2 = b) = 0.116/(0.0388 + 0.116) \approx 0.75$$

2 Particle Filtering

Let's use Particle Filtering to estimate the distribution of $P(W_2|O_1 = a, O_2 = b)$. Here's the HMM again. O_1 and O_2 are supposed to be shaded.



W_1	$P(W_1)$
0	0.3
1	0.7

W_t	W_{t+1}	$P(W_{t+1} W_t)$
0	0	0.4
0	1	0.6
1	0	0.8
1	1	0.2

W_t	O_t	$P(O_t W_t)$
0	a	0.9
0	b	0.1
1	a	0.5
1	b	0.5

We start with two particles representing our distribution for W_1 .

$$P_1 : W_1 = 0$$

$$P_2 : W_1 = 1$$

Use the following random numbers to run particle filtering:

$$[0.22, 0.05, 0.33, 0.20, 0.84, 0.54, 0.79, 0.66, 0.14, 0.96]$$

(a) **Observe:** Compute the weight of the two particles after evidence $O_1 = a$.

$$w(P_1) = P(O_t = a|W_t = 0) = 0.9$$

$$w(P_2) = P(O_t = a|W_t = 1) = 0.5$$

(b) **Resample:** Using the random numbers, resample P_1 and P_2 based on the weights.

We now sample from the weighted distribution we found above. Using the first two random samples, we find:

$$P_1 = \text{sample}(\text{weights}, 0.22) = 0$$

$$P_2 = \text{sample}(\text{weights}, 0.05) = 0$$

(c) **Predict:** Sample P_1 and P_2 from applying the time update.

$$P_1 = \text{sample}(P(W_{t+1}|W_t = 0), 0.33) = 0$$

$$P_2 = \text{sample}(P(W_{t+1}|W_t = 0), 0.20) = 0$$

(d) **Update:** Compute the weight of the two particles after evidence $O_2 = b$.

$$w(P_1) = P(O_t = b|W_t = 0) = 0.1$$

$$w(P_2) = P(O_t = b|W_t = 0) = 0.1$$

(e) **Resample:** Using the random numbers, resample P_1 and P_2 based on the weights.

Because both of our particles have $X = 0$, resampling will still leave us with two particles with $X = 0$.

$$P_1 = 0$$

$$P_2 = 0$$

(f) What is our estimated distribution for $P(W_2|O_1 = a, O_2 = b)$?

$$P(W_2 = 0|O_1 = a, O_2 = b) = 2/2 = 1$$

$$P(W_2 = 1|O_1 = a, O_2 = b) = 0/2 = 0$$