

Q1. Search Party

Annie is throwing a party tonight, but she only has a couple hours to get ready. Luckily, she was recently gifted 4 one-armed robots! She will use them to rearrange her room for the guests. Here are the specifications:

- Her room is modeled as a W -by- L -by- H 3D grid in which there are N objects (which could be anywhere in the grid to start with) that need rearrangement.
- Each object occupies one grid cell, and no two objects can be in the same grid cell. Do not consider any part of the robot an "object."
- At each time-step, one robot may take an action $\in \{\text{move gripper to legal grid cell, close gripper, open gripper}\}$. Moving the gripper does not change whether the gripper was closed/open.
- A robot can move an object by
 1. Moving an open gripper into the object's grid cell
 2. Closing the gripper to grasp the object
 3. Moving to desired location
 4. Opening the gripper to release the object in-hand.
- The robots do not have unlimited range. The arm can move to any point *within* the room that is strictly less than R grid cells from its base per direction along each axis. Explicitly, if $R = 2$ and a robot's base is at $(0,0,0)$, the robot cannot reach $(0,0,2)$ but can reach $(1,1,1)$. Assume $R < W, L, H$.

(a) Annie stations one robot's stationary base at each of the 4 corners of the room. Thankfully, she knows where each of the N objects in the room should be and uses that to define the robots' goal. Complete the following expression such that it evaluates to the size of the minimal state space. Please approximate permutations as follows: X permute $Y \approx X^Y$. You may use scalars and the variables: W, L, H, R , and N in your answers.

$$2^{(a)} \cdot N^{(b)} \cdot R^{(c)} \cdot W^{(d)} \cdot L^{(e)} \cdot H^{(f)}$$

(a): (b): (c):
 (d): (e): (f):

$$(R^3)^4 \cdot (W \cdot L \cdot H)^N \cdot 2^4$$

We need to keep track of the positions of each of the robot's grippers one of which is R^3 . This comes from the fact that they are stationed at the corners of the room. Then, they can only move R in each direction (since it's 3D there are 3 directions). Since there are 4 robots, we have $(R^3)^4$.

To keep track of the objects (which could be anywhere), we have $(W * L * H)$ possibilities for N objects.

We need to the open/close status (boolean) of the gripper because we need to know that for picking up/dropping objects to move them, this gives us 2^4 .

(b) Each of the following describes a modification to the scenario previously described and depicted in the figure. **Consider each modification independently (that is, the modifications introduced in (i) are *not* present in (ii)).** For each scenario, give the size of the new minimal state space.

- (i) The robots are given wheels, so each base is able to slide along the floor (they still can't jump) from their original corners. That is, at each time-step, a robot has a new action that allows them to move its (once stationary) base arbitrarily far across the floor. When the robot slides its base, the relative arm position and status of the gripper remain the same.

$$(W \cdot L)^4 \cdot ((2R) \cdot (2R) \cdot R)^4 \cdot (W \cdot L \cdot H)^N \cdot 2^4$$

We need to keep track of where the base is now and it's no longer restricted, this is the $(W \cdot L)^4$ factor. Then we need to keep track of the relative position of the gripper to its base since it has limited range. $2R$ is technically incorrect but it's a simplifying approximation. Correct answer also given credit this is $(2R - 1)$ if it can move R in each direction). This is where $((2R)(2R)R)^4$ comes from. Then we still need the $(WLH)^N$ and 2^R from earlier.

- (ii) One robot is defective and can move for a maximum of T timesteps before it must rest for at least S timesteps. You may use S or T in your expression.

$$(S + T) \cdot (R^3)^4 \cdot (W \cdot L \cdot H)^N \cdot 2^4$$

We need to keep track of how long we've been moving/resting for. The minimal way to represent this is with a range 1 to $S+T$ where 1 represents that we're ready to move again and $S+T$ means we've moved since resting. Every step in between decrements. The successor function takes in a state and action, we need to know this piece in the state in order to use it in the successor function (it is changing unlike the range restriction from part (i))

Q2. SpongeBob and Pacman (Search Formulation)

Pacman bought a car called the Invisible Boat Mobile, was speeding in Pac-City, and SpongeBob wasn't able to catch him. Now Pacman has run out of gas, his car has stopped, and he is currently hiding out at an undisclosed location. In this problem, you are on the SpongeBob side, tryin' to catch Pacman!

There are still p SpongeBob cars in the Pac-city of dimension m by n . In this problem, **all SpongeBob cars can move, with two distinct integer controls: throttle and steering, but Pacman has to stay stationary**. Once one SpongeBob car takes an action which lands him in the same grid as Pacman, Pacman will be arrested and the game ends.

Throttle: $t_i \in \{1, 0, -1\}$, corresponding to {Gas, Coast, Brake}. This controls the **speed** of the car by determining its acceleration. The integer chosen here will be added to his velocity for the next state. For example, if a SpongeBob car is currently driving at 5 grid/s and chooses Gas (1) he will be traveling at 6 grid/s in the next turn.

Steering: $s_i \in \{1, 0, -1\}$, corresponding to {Turn Left, Go Straight, Turn Right}. This controls the **direction** of the car. For example, if a SpongeBob car is facing North and chooses Turn Left, it will be facing West in the next turn.

- (a) Suppose you can **only control 1 SpongeBob car**, and have absolutely no information about the remainder of $p - 1$ SpongeBob cars, or where Pacman stopped to hide. Also, the SpongeBob cars can travel up to 6 grid/s so $0 \leq v \leq 6$ at all times.

- (i) What is the **tightest upper bound** on the size of state space, if your goal is to use search to plan a sequence of actions that guarantees Pacman is caught, no matter where Pacman is hiding, or what actions other SpongeBob cars take. Please note that your state space representation must be able to represent **all** states in the search space.

$28mn * 2^{mn}$

There are mn positions in total. At each legal position, there are 7 possible speeds (0, 1, 2, 3, 4, 5, 6), so a factor of 7 is multiplied. In addition, since change of direction depends on orientation of the car, another factor of 4 is multiplied.

The only sequence of actions which guarantees that Pacman is caught is a sequence of actions which visits every location. Thus, we also need to a list of $m * n$ boolean to keep track of whether we have visited a specific grid location, and that is another factor of 2^{mn}

- (ii) What is the maximum branching factor? Your answer may contain integers, m, n .

9

3 possible throttle inputs, and 3 possible steering inputs. The list of boolean does not affect the branching factor.

- (iii) Which algorithm(s) is/are guaranteed to return a path passing through all grid locations on the grid, if one exists?

Depth First Tree Search

Breadth First Tree Search

Depth First Graph Search

Breadth First Graph Search

Please note the list of boolean is in the state space representation, so we can revisit the same grid position if we have to.

- (iv) Is Breadth First Graph Search guaranteed to return the path with the shortest number of **time steps**, if one exists?

Yes No

The Breadth First Graph Search is guaranteed to return the path with the shortest amount of time, because each edge here represent moving for 1 unit of time.

- (b) Now let's suppose you can control **all** p SpongeBob cars at the same time (and know all their locations), but you still have no information about where Pacman stopped to hide

- (i) Now, you still want to search a sequence of actions such that the paths of p SpongeBob car combined **pass through all $m * n$ grid locations**. Suppose the size of the state space in part (a) was N_1 , and the size of the state space in this part is N_p . Please select the correct relationship between N_p and N_1

$N_p = p * N_1$ $N_p = p^{N_1}$ $N_p = (N_1)^p$ None of the above

In this question, we only need one boolean list of size mn to keep track of whether we have visited a specific grid

location. So the size of the state space is bounded by $N_p = (28mn)^p 2^{mn}$, which is none of the above.

(ii) Suppose the maximum branching factor in part (a) was b_1 , and the maximum branching factor in this part is b_p . Please select the correct relationship between b_p and b_1

- $b_p = p * b_1$ $b_p = p^{b_1}$ $b_p = (b_1)^p$ None of the above

For example, the case of $p = 2$ means two cars can do all 9 options, so the branching factor is $9^2 = 81$. In general, the branching factor is then b_1^p .