

## 61A Lecture 7

Monday, September 16

## Announcements



- Homework 2 due Tuesday at 11:59pm
- Project 1 due Thursday at 11:59pm
  - Extra debugging office hours in Soda 405: Tuesday 6-8, Wednesday 6-7, Thursday 5-7
  - Readers hold these office hours; they are the ones who give you composition scores!
- Optional guerrilla section Monday 6pm-8pm, meeting outside of Soda 310
- Midterm 1 is next Monday 9/23 from 7pm to 9pm in various locations across campus
  - Closed book, paper-based exam.
  - You may bring one hand-written page of notes that you created (front & back).
  - You will have a study guide attached to your exam.
  - Midterm information: <http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/midterm1.html>
  - Review session: Saturday 9/21 (details TBD)
  - HKN Review session: Sunday 9/22 (details TBD)
  - Review office hours on Monday 9/23 (details TBD)

## Recursive Functions

### Recursive Functions

**Definition:** A function is called *recursive* if the body of that function calls itself, either directly or indirectly.

**Implication:** Executing the body of a recursive function may require applying that function again.



Drawing Hands, by M. C. Escher (Lithograph, 1948)

## Digit Sums

$$2+0+1+3 = 6$$

- If a number  $a$  is divisible by 9, then  $\text{sum\_digits}(a)$  is also divisible by 9.
- Useful for typo detection!



- Credit cards actually use the Luhn algorithm, which we'll implement after `digit_sum`.

## Sum Digits Without a While Statement

```
def split(n):  
    """Split positive n into all but its last digit and its last digit."""  
    return n // 10, n % 10  
  
def sum_digits(n):  
    """Return the sum of the digits of positive integer n."""  
    if n < 10:  
        return n  
    else:  
        all_but_last, last = split(n)  
        return sum_digits(all_but_last) + last
```

## The Anatomy of a Recursive Function

- The **def statement header** is similar to other functions
- Conditional statements check for **base cases**
- Base cases are evaluated **without recursive calls**
- Recursive cases are evaluated **with recursive calls**

```
def sum_digits(n):
    """Return the sum of the digits of positive integer n."""
    if n < 10:
        return n
    else:
        all_but_last, last = split(n)
        return sum_digits(all_but_last) + last
```


(Demo)

## Recursion in Environment Diagrams

### Recursion in Environment Diagrams

```
1 def fact(n):
2     if n == 0:
3         return 1
4     else:
5         return n * fact(n-1)
6
7 fact(3)
```

(Demo)



- The same function **fact** is called multiple times.
- Different frames keep track of the different arguments in each call.
- What **n** evaluates to depends upon which is the current environment.
- Each call to **fact** solves a simpler problem than the last: smaller **n**.

Example: <http://goo.gl/XOP9ps>

### Iteration vs Recursion

Iteration is a special case of recursion

$$4! = 4 \cdot 3 \cdot 2 \cdot 1 = 24$$

Using iterative control:

```
def fact_iter(n):
    total, k = 1, 1
    while k <= n:
        total, k = total*k, k+1
    return total
```

Math:  $n! = \prod_{k=1}^n k$

Names: n, total, k, fact\_iter

Using recursion:

```
def fact(n):
    if n == 0:
        return 1
    else:
        return n * fact(n-1)
```

Math:  $n! = \begin{cases} 1 & \text{if } n = 0 \\ n \cdot (n-1)! & \text{otherwise} \end{cases}$

Names: n, fact

Example: <http://goo.gl/Ngh3Lf>

## Verifying Recursive Functions

### The Recursive Leap of Faith

```
def fact(n):
    if n == 0:
        return 1
    else:
        return n * fact(n-1)
```

Is **fact** implemented correctly?

1. Verify the base case.
2. Treat **fact** as a functional abstraction!
3. Assume that **fact(n-1)** is correct.
4. Verify that **fact(n)** is correct, assuming that **fact(n-1)** correct.



Photo by Kevin Lee, Preikestølen, Norway

## Mutual Recursion

## The Luhn Algorithm

Used to verify credit card numbers

From Wikipedia: [http://en.wikipedia.org/wiki/Luhn\\_algorithm](http://en.wikipedia.org/wiki/Luhn_algorithm)

1. From the rightmost digit, which is the check digit, moving left, double the value of every second digit; if product of this doubling operation is greater than 9 (e.g.,  $7 * 2 = 14$ ), then sum the digits of the products (e.g., 10:  $1 + 0 = 1$ , 14:  $1 + 4 = 5$ ).
2. Take the sum of all the digits.

1	3	8	7	4	3
2	3	1+6=7	7	8	3

 = 30

The Luhn sum of a valid credit card number is a multiple of 10.

(Demo)

## Recursion and Iteration

## Converting Recursion to Iteration

**Can be tricky:** Iteration is a special case of recursion.

**Idea:** Figure out what state must be maintained by the iterative function.

```
def sum_digits(n):  
    """Return the sum of the digits of positive integer n."""  
    if n < 10:  
        return n  
    else:  
        all_but_last, last = split(n)  
        return sum_digits(all_but_last) + last
```

What's left to sum

A partial sum

(Demo)

## Converting Iteration to Recursion

**More formulaic:** Iteration is a special case of recursion.

**Idea:** The state of an iteration can be passed as arguments.

```
def sum_digits_iter(n):  
    digit_sum = 0  
    while n > 0:  
        n, last = split(n)  
        digit_sum = digit_sum + last  
    return digit_sum
```

Updates via assignment become...

```
def sum_digits_rec(n, digit_sum):  
    if n == 0:  
        return digit_sum  
    else:  
        n, last = split(n)  
        return sum_digits_rec(n, digit_sum + last)
```

...arguments to a recursive call