

61A Lecture 20

Friday, October 17

Announcements

- Guerrilla Section 4 on Sunday 10/19: Object-oriented programming and recursive data
 - Meet in 271 Soda: Vanguard section from 12–2pm; Main section from 2:30–4:30pm
- Homework 6 is due Monday 10/20 @ 11:59pm
 - Homework party on Monday 10/20 6pm–8pm in 2050 VLSB
- Project 3 is due Thursday 10/23 @ 11:59pm
- Midterm 2 is on Monday 10/27 7pm–9pm
 - Class Conflict? Fill out the conflict form at the top of <http://cs61a.org>
 - Review session on Saturday 10/25 3pm–6pm in 2050 VLSB
- CSUA and Hackers@Berkeley are holding a hack-a-thon on Saturday for 61A students
 - 10am – 11pm in Wozniak Lounge


Introducing Cohorts

Each of you has been randomly placed in the cohort of a patron computer scientist



00: Ada Lovelace

Wrote first program



10: George Boole

Invented boolean logic



01: Haskell Curry

Math for functional programming




11: Grace Hopper

Wrote first compiler

Measuring Efficiency

Recursive Computation of the Fibonacci Sequence

Our first example of tree recursion:



```
def fib(n):  
    if n == 0:  
        return 0  
    elif n == 1:  
        return 1  
    else:  
        return fib(n-2) + fib(n-1)
```



Memoization

Memoization

Idea: Remember the results that have been computed before


```
def memo(f):  
    cache = {}  
    def memoized(n):  
        if n not in cache:  
            cache[n] = f(n)  
        return cache[n]  
    return memoized
```

Keys are arguments that map to return values

Same behavior as f, if f is a pure function

(Demo)


Memoized Tree Recursion



Linked List Class

Linked Lists as Objects

Linked list idea: Pairs are sufficient to represent sequences of arbitrary length



Data abstraction (old way):

```
>>> s = link(1, link(2, link(3, link(4, empty))))
>>> len_link(s)
4
>>> getitem_link(s, 2)
3
>>> s
[1, [2, [3, [4, 'empty']]]]
```

Link class (new way):

```
>>> s = Link(1, Link(2, Link(3, Link(4))))
>>> len(s)
4
>>> s[2]
3
>>> s
Link(1, Link(2, Link(3, Link(4))))
```

Linked List Class

Linked list class: pairs are two-attribute objects

```
class Link:
```

```
empty = ()
```

Some zero length sequence

```
def __init__(self, first, rest=empty):  
    self.first = first  
    self.rest = rest
```

```
def __getitem__(self, i):  
    if i == 0:
```

```
        return self.first
```

```
    else:
```

```
        return self.rest[i-1]
```

Calls this method

This element selection syntax

```
def __len__(self):
```

```
    return 1 + len(self.rest)
```

Yes, this call is recursive too

More special method names:

`__getitem__` Element selection []

`__len__` Built-in len function

Methods can be recursive too!

(Demo)

Tree Class

Tree Class

A Tree has an entry (any value) at its root and a list of branches

```
class Tree:
    def __init__(self, entry, branches=()):
        self.entry = entry
        for branch in branches:
            assert isinstance(branch, Tree)
        self.branches = list(branches)
```

Built-in `isinstance` function:
returns True if `branch` has a class
that is or inherits from `Tree`

```
def fib_tree(n):
    if n == 0 or n == 1:
        return Tree(n)
    else:
        left = fib_tree(n-2)
        right = fib_tree(n-1)
        return Tree(left.entry + right.entry, (left, right))
```

(Demo)

Example: Hailstone Trees


Pick a positive integer n as the start

If n is even, divide it by 2

If n is odd, multiply it by 3 and add 1

Continue this process until n is 1

All starting n that give an 8-number-long hailstone sequence



(Demo)