

## 61A Lecture 24

Wednesday, October 29

## Announcements


- Homework 7 due Wednesday 11/5 @ 11:59pm
- Project 1 composition revisions due Wednesday 11/5 @ 11:59pm
  - Make changes to your project based on the **composition** feedback you received
  - Earn back any points you lost on **project 1 composition**
  - Composition of other projects is delayed, as we transition to new grading software
- Quiz 2 released Wednesday 11/5 & due Thursday 11/6 @ 11:59pm
  - Open note, open interpreter, closed classmates, closed Internet
- CS 61A flash mob Wednesday 3:03pm-3:09pm in Memorial Glade

## Scheme

## Scheme is a Dialect of Lisp

What are people saying about Lisp?

- "The greatest single programming language ever designed."
  - Alan Kay, co-inventor of Smalltalk and OOP
- "The only computer language that is beautiful."
  - Neal Stephenson, DeNero's favorite sci-fi author
- "God's programming language."
  - Brian Harvey, Berkeley CS instructor extraordinaire



## Scheme Fundamentals

Scheme programs consist of expressions, which can be:

- Primitive expressions: 2, 3.3, true, +, quotient, ...
- Combinations: (quotient 10 2), (not true), ...

Numbers are self-evaluating; symbols are bound to values

Call expressions include an operator and 0 or more operands in parentheses

```
> (quotient 10 2)
5
> (quotient (+ 8 7) 5)
3
> (+ (- 3)
      (* 2 4)
      (+ 3 5)))
6
> (- 10 7)
-3
```

"quotient" names Scheme's built-in integer division procedure (i.e., function)

Combinations can span multiple lines (spacing doesn't matter)

(Demo)

## Special Forms

## Special Forms

A combination that is not a call expression is a special form:

- if expression: (if <predicate> <consequent> <alternative>)
- and and or: (and <e1> ... <en>), (or <e1> ... <en>)
- Binding symbols: (define <symbol> <expression>)
- New procedures: (define (<symbol> <formal parameters>) <body>)

Evaluation:  
(1) Evaluate the predicate expression  
(2) Evaluate either the consequent or alternative

```
> (define pi 3.14)
> (* pi 2)
6.28
> (define (abs x)
      (if (< x 0)
          (- x)
          x))
> (abs -3)
3
```

The symbol "pi" is bound to 3.14 in the global frame

A procedure is created and bound to the symbol "abs"

(Demo)

## Scheme Interpreters

(Demo)

## Lambda Expressions

## Lambda Expressions

Lambda expressions evaluate to anonymous procedures

```
(lambda (<formal-parameters> <body>)
```



Two equivalent expressions:

```
(define (plus4 x) (+ x 4))
```

```
(define plus4 (lambda (x) (+ x 4)))
```

An operator can be a call expression too:

```
((lambda (x y z) (+ x y (square z))) 1 2 3) ► 12
```

Evaluates to the  $x+y+z^2$  procedure

## Pairs and Lists

## Pairs and Lists

In the late 1950s, computer scientists used confusing names

- **cons**: Two-argument procedure that creates a pair
- **car**: Procedure that returns the first element of a pair
- **cdr**: Procedure that returns the second element of a pair
- **nil**: The empty list

They also used a non-obvious notation for linked lists

- A (linked) list in Scheme is a pair in which the second element is **nil** or a Scheme list.
- **Important!** Scheme lists are written in parentheses separated by spaces
- A dotted list has any value for the second element of the last pair; maybe not a list!

```
> (define x (cons 1 2))
> x
(1 . 2)
> (car x)
1
> (cdr x)
2
> (cons 1 (cons 2 (cons 3 (cons 4 nil))))
(1 2 3 4)
```

Not a well-formed list!

(Demo)

## Symbolic Programming

## Symbolic Programming

Symbols normally refer to values; how do we refer to symbols?

```
> (define a 1)
> (define b 2)
> (list a b)
(1 2)
```

No sign of "a" and "b" in the resulting value

Quotation is used to refer to symbols directly in Lisp.

```
> (list 'a 'b)
(a b)
> (list 'a b)
(a 2)
```

Symbols are now values

Quotation can also be applied to combinations to form lists.

```
> (car '(a b c))
a
> (cdr '(a b c))
(b c)
```

## Sierpinski's Triangle


## Scheme Lists and Quotation

Dots can be used in a quoted list to specify the second element of the final pair.

```
> (cdr (cdr '(1 2 . 3)))
3
```

However, dots appear in the output only of ill-formed lists.

```
> '(1 2 . 3)
(1 2 . 3)
> '(1 2 . (3 4))
(1 2 3 4)
> '(1 2 3 . nil)
(1 2 3)
```



What is the printed result of evaluating this expression?

```
> (cdr '((1 2) . (3 4 . (5))))
(3 4 5)
```

(Demo)