

61A Lecture 28

Friday, November 7

Announcements

- Midterm survey due Monday 11/10 @ 11:59pm (Thanks!)
- Homework 8 due Wednesday 11/12 @ 11:59pm (Scheme!)
- Project 4 due Thursday 11/20 @ 11:59pm (Big!)

Dynamic Scope

Dynamic Scope

The way in which names are looked up in Scheme and Python is called lexical scope (or static scope)

Lexical scope: The parent of a frame is the environment in which a procedure was defined

Dynamic scope: The parent of a frame is the environment in which a procedure was called

Special form to create dynamically scoped procedures
(`mu` special form only exists in Project 4)

```
mu  
(define f (lambda (x) (+ x y)))  
(define g (lambda (x y) (f (+ x x))))  
(g 3 7)
```

Lexical scope: The parent for f's frame is the global frame

Error: unknown identifier: y

Dynamic scope: The parent for f's frame is g's frame

13

Tail Recursion

Functional Programming

All functions are pure functions.

No re-assignment and no mutable data types.

Name-value bindings are permanent.

Advantages of functional programming:

- The value of an expression is independent of the order in which sub-expressions are evaluated.
- Sub-expressions can safely be evaluated in parallel or on demand (lazily).
- Referential transparency: The value of an expression does not change when we substitute one of its subexpression with the value of that subexpression.

But... no for/while statements! Can we make basic iteration efficient? Yes!

Recursion and Iteration in Python

In Python, recursive calls always create new active frames

`factorial(n, k)` computes: $n! * k$

```
def factorial(n, k):  
    if n == 0:  
        return k  
    else:  
        return factorial(n-1, k*n)
```

```
def factorial(n, k):  
    while n > 0:  
        n, k = n-1, k*n  
    return k
```

Time	Space
$\Theta(n)$	$\Theta(n)$
$\Theta(n)$	$\Theta(1)$

Tail Recursion

From the Revised⁷ Report on the Algorithmic Language Scheme:

"Implementations of Scheme are required to be properly tail-recursive. This allows the execution of an iterative computation in constant space, even if the iterative computation is described by a syntactically recursive procedure."

```
(define (factorial n k)
  (if (zero? n) k
      (factorial (- n 1)
                  (* k n))))
```

Should use resources like

```
def factorial(n, k):
  while n > 0:
    n, k = n-1, k*n
  return k
```

How? Eliminate the middleman!

Time	Space
-------------	--------------

$\Theta(n)$	$\Theta(1)$
-------------	-------------

(Demo)

Tail Calls

Tail Calls

A procedure call that has not yet returned is active. Some procedure calls are tail calls. A Scheme interpreter should support an unbounded number of active tail calls using only a constant amount of space.

A tail call is a call expression in a tail context:

- The last body sub-expression in a lambda expression
- Sub-expressions 2 & 3 in a tail context if expression
- All non-predicate sub-expressions in a tail context cond
- The last sub-expression in a tail context and or or
- The last sub-expression in a tail context begin

```
(define (factorial n k)
  (if (= n 0) k
      (factorial (- n 1)
                  (* k n))))
```

Example: Length of a List

```
(define (length s)
  (if (null? s) 0
      (+ 1 (length (cdr s)))))
```

Not a tail context

A call expression is not a tail call if more computation is still required in the calling procedure

Linear recursive procedures can often be re-written to use tail calls

```
(define (length-tail s)
  (define (length-iter s n)
    (if (null? s) n
        (length-iter (cdr s) (+ 1 n))))
  (length-iter s 0))
```

Recursive call is a tail call

Eval with Tail Call Optimization

The return value of the tail call is the return value of the current procedure call

Therefore, tail calls shouldn't increase the environment size

(Demo)

Tail Recursion Examples

Which Procedures are Tail Recursive?

Which of the following procedures run in constant space? $\Theta(1)$

;; Compute the length of s.

```
(define (length s)
  (+ 1 (if (null? s)
           -1
           (length (cdr s)))))
```

;; Return the nth Fibonacci number.

```
(define (fib n)
  (define (fib-iter current k)
    (if (= k n)
        current
        (fib-iter (+ current
                     (fib (- k 1)))
                  (+ k 1))))
  (if (= 1 n) 0 (fib-iter 1 2)))
```

;; Return whether s contains v.

```
(define (contains s v)
  (if (null? s)
      false
      (if (= v (car s))
          true
          (contains (cdr s) v))))
```

;; Return whether s has any repeated elements.

```
(define (has-repeat s)
  (if (null? s)
      false
      (if (contains? (cdr s) (car s))
          true
          (has-repeat (cdr s)))))
```

Map and Reduce

Example: Reduce

```
(define (reduce procedure s start)
  (if (null? s) start
      (reduce procedure
                (cdr s)
                (procedure start (car s)))))
```

Recursive call is a tail call

Space depends on what `procedure` requires

```
(reduce * '(3 4 5) 2)
```

120


```
(reduce (lambda (x y) (cons y x)) '(3 4 5) '(2))
```

(5 4 3 2)

Example: Map with Only a Constant Number of Frames

```
(define (map procedure s)
  (if (null? s)
      nil
      (cons (procedure (car s))
            (map procedure (cdr s)))))
```

```
(map (lambda (x) (- 5 x)) (list 1 2))
```




```
(define (map procedure s)
  (define (map-reverse s m)
    (if (null? s)
        m
        (map-reverse (cdr s)
                      (cons (procedure (car s))
                            m))))
  (reverse (map-reverse s nil)))
```

```
(define (reverse s)
  (define (reverse-iter s r)
    (if (null? s)
        r
        (reverse-iter (cdr s)
                      (cons (car s) r))))
  (reverse-iter s nil))
```

General Computing Machines


An Analogy: Programs Define Machines

Programs specify the logic of a computational device



Interpreters are General Computing Machine

An interpreter can be parameterized to simulate any machine



```
(define (factorial n)
  (if (zero? n) 1 (* n (factorial (- n 1)))))
```

Our Scheme interpreter is a universal machine

A bridge between the data objects that are manipulated by our programming language and the programming language itself

Internally, it is just a set of evaluation rules