

## Recursion

---


## Announcements

# Self-Reference

(Demo)

# Returning a Function Using Its Own Name

```
1 def print_sums(n):  
2     print(n)  
3     def next_sum(k):  
4         return print_sums(n+k)  
5     return next_sum  
6  
→ 7 print_sums(1)(3)(5)
```





## Recursive Functions

## Recursive Functions

---

**Definition:** A function is called recursive if the body of that function calls itself, either directly or indirectly

**Implication:** Executing the body of a recursive function may require applying that function




Drawing Hands, by M. C. Escher (lithograph, 1948)

## Sum Digits

$$2+0+2+1 = 5$$

- If a number  $a$  is divisible by 9, then `sum_digits(a)` is also divisible by 9
- Useful for typo detection!



A checksum digit is a function of all the other digits; It can be computed to detect typos

- Credit cards actually use the Luhn algorithm, which we'll implement after `sum_digits`


## The Problem Within the Problem

---

The sum of the digits of 6 is 6.

Likewise for any one-digit (non-negative) number (i.e.,  $< 10$ ).

The sum of the digits of 2022 is



That is, we can break the problem of summing the digits of 2022 into a smaller instance of the same problem, plus some extra stuff.

We call this recursion.

## Sum Digits Without a While Statement

---

```
def split(n):
    """Split positive n into all but its last digit and its last digit."""
    return n // 10, n % 10

def sum_digits(n):
    """Return the sum of the digits of positive integer n."""
    if n < 10:
        return n
    else:
        all_but_last, last = split(n)
        return sum_digits(all_but_last) + last
```

## The Anatomy of a Recursive Function

---

- The def statement header is similar to other functions
- Conditional statements check for base cases
- Base cases are evaluated without recursive calls
- Recursive cases are evaluated with recursive calls

```
def sum_digits(n):  
    """Return the sum of the digits of positive integer n."""  
  
    if n < 10:  
        return n  
  
    else:  
        all_but_last, last = split(n)  
        return sum_digits(all_but_last) + last
```

(Demo)


## Recursion in Environment Diagrams

# Recursion in Environment Diagrams

```
1 def fact(n):
2     if n == 0:
3         return 1
4     else:
5         return n * fact(n-1)
6
7 fact(3)
```

- The same function **fact** is called multiple times
  - Different frames keep track of the different arguments in each call
  - What **n** evaluates to depends upon the current environment
  - Each call to **fact** solves a simpler problem than the last: smaller **n**

(Demo)



## Iteration vs Recursion

Iteration is a special case of recursion

$$4! = 4 \cdot 3 \cdot 2 \cdot 1 = 24$$

Using while:

```
def fact_iter(n):
    total, k = 1, 1
    while k <= n:
        total, k = total*k, k+1
    return total
```

Math:

$$n! = \prod_{k=1}^n k$$

Names:

n, total, k, fact\_iter

Using recursion:

```
def fact(n):
    if n == 0:
        return 1
    else:
        return n * fact(n-1)
```

$$n! = \begin{cases} 1 & \text{if } n = 0 \\ n \cdot (n-1)! & \text{otherwise} \end{cases}$$

n, fact

## Verifying Recursive Functions

## The Recursive Leap of Faith

```
def fact(n):
    if n == 0:
        return 1
    else:
        return n * fact(n-1)
```

Is `fact` implemented correctly?

1. Verify the base case
2. Treat `fact` as a functional abstraction!
3. Assume that `fact(n-1)` is correct
4. Verify that `fact(n)` is correct




Photo by Kevin Lee, Preikestolen, Norway

## Mutual Recursion

## The Luhn Algorithm

---

Used to verify credit card numbers

From Wikipedia: [http://en.wikipedia.org/wiki/Luhn\\_algorithm](http://en.wikipedia.org/wiki/Luhn_algorithm)

- **First:** From the rightmost digit, which is the check digit, moving left, double the value of every second digit; if product of this doubling operation is greater than 9 (e.g.,  $7 * 2 = 14$ ), then sum the digits of the products (e.g., 10:  $1 + 0 = 1$ , 14:  $1 + 4 = 5$ )
- **Second:** Take the sum of all the digits

1	3	8	7	4	3
2	3	$1+6=7$	7	8	3

$= 30$

The Luhn sum of a valid credit card number is a multiple of 10

(Demo)

## Recursion and Iteration

## Converting Recursion to Iteration

Idea: Figure out what state must be maintained by the iterative function.

```
def sum_digits(n):
    """Return the sum of the digits of positive integer n."""
    if n < 10:
        return n
    else:
        all_but_last, last = split(n)
        return sum_digits(all_but_last) + last
```

A partial sum

What's left to sum

(Demo)

## Converting Iteration to Recursion

Idea: The state of an iteration are passed as arguments.

```
def sum_digits_iter(n):
    digit_sum = 0
    while n > 0:
        n, last = split(n)
        digit_sum = digit_sum + last
    return digit_sum
```

Updates via assignment become...

```
def sum_digits_rec(n, digit_sum):
    if n > 0:
        n, last = split(n)
        return sum_digits_rec(n, digit_sum + last)
    else:
        return digit_sum
```

...arguments to a recursive call