

61A Lecture 22

Monday, March 16

Announcements

- Midterm 2 is on Thursday 3/19 7pm-9pm
- Topics and locations: <http://cs61a.org/exams/midterm2.html>
- Bring 1 hand-written, 2-sided sheet of notes; Two study guides will be provided
- Emphasis: mutable data, object-oriented programming, recursion, and recursive data
- Review session on Tuesday 5:00pm-6:30pm in 2050 VLSB
- Includes content through Friday 3/13 (today is review & examples)
- No lecture next Wednesday 3/18
- No discussion sections next Thursday 3/19 or Friday 3/20
- Lecture next Friday 3/20 is a video (but a great one)


Linked Lists

Recursive Lists Can Change

Attribute assignment statements can change first and rest attributes of a Link

The rest of a linked list can contain the linked list as a sub-list


```
>>> s = Link(1, Link(2, Link(3)))
>>> s.first = 5
>>> t = s.rest
>>> t.rest = s
>>> s.first
5
>>> s.rest.rest.rest.rest.rest.first
2
```



Note: The actual environment diagram is much more complicated.

Environment Diagrams

Go Bears!



Objects

Land Owners

Instance attributes are found before class attributes; class attributes are inherited



Binary Trees

Morse Code

Morse code is a signaling protocol that transmits messages by sequences of signals

Problem: Implement `morse` so that `decode` works correctly

```
abcde = {'a': '·-·', 'b': '·-·-·', 'c': '·-·-·', 'd': '·-·-·', 'e': '·-·'}
```

```
def decode(signals, tree):
    """Decode signals into a letter using a morse code tree.

    >>> t = morse(abcde)
    >>> [decode(s, t) for s in ['-·-·', '·-·', '·-·-·', '·-·', '·-·-·']]
    ['d', 'e', 'c', 'a', 'd', 'e']
    """
    for signal in signals:
        if signal == '·':
            tree = tree.left
        elif signal == '-':
            tree = tree.right
    return tree.entry
```

A: ·-
B: ·-·-·
C: ·-·-·
D: ·-·-·
E: ·-·
...

```
def morse(code):
    ....
```

(Demo)