

## Inheritance

## Announcements

## Attributes

## Methods and Functions

Python distinguishes between:

- *Functions*, which we have been creating since the beginning of the course, and
- *Bound methods*, which couple together a function and the object on which that method will be invoked

Object + Function = Bound Method

```
>>> type(Account.deposit)
<class 'function'>
>>> type(tom_account.deposit)
<class 'method'>
```

```
>>> Account.deposit(tom_account, 1001)
1011
>>> tom_account.deposit(1004)
2015
```

Function: all arguments within parentheses

Method: One object before the dot and other arguments within parentheses

## Terminology: Attributes, Functions, and Methods


All objects have attributes, which are name-value pairs

Classes are objects too, so they have attributes

Instance attribute: attribute of an instance

Class attribute: attribute of the class of an instance

### Terminology:



### Python object system:

Functions are objects

Bound methods are also objects: a function that has its first parameter "self" already bound to an instance

Dot expressions evaluate to bound methods for class attributes that are functions

<instance>.<method\_name>

## Looking Up Attributes by Name

<expression> . <name>

To evaluate a dot expression:

1. Evaluate the <expression> to the left of the dot, which yields the object of the dot expression
2. <name> is matched against the instance attributes of that object; if an attribute with that name exists, its value is returned
3. If not, <name> is looked up in the class, which yields a class attribute value
4. That value is returned unless it is a function, in which case a bound method is returned instead

## Class Attributes

Class attributes are "shared" across all instances of a class because they are attributes of the class, not the instance

```
class Account:
    interest = 0.02 # A class attribute

    def __init__(self, account_holder):
        self.balance = 0
        self.holder = account_holder

# Additional methods would be defined here
```

```
>>> tom_account = Account('Tom')
>>> jim_account = Account('Jim')
>>> tom_account.interest
0.02
>>> jim_account.interest
0.02
```

The interest attribute is *not* part of the instance; it's part of the class!

## Attribute Assignment

## Assignment to Attributes

Assignment statements with a dot expression on their left-hand side affect attributes for the object of that dot expression

- If the object is an instance, then assignment sets an instance attribute
- If the object is a class, then assignment sets a class attribute

```
class Account:
    interest = 0.02
    def __init__(self, holder):
        self.holder = holder
        self.balance = 0
    ...
tom_account = Account('Tom')
```

Instance : tom\_account, interest = 0.08  
Attribute Assignment

This expression evaluates to an object

But the name ("interest") is not looked up

Attribute assignment statement adds or modifies the attribute named "interest" of tom\_account

Class Attribute : Account.interest = 0.04  
Assignment

## Attribute Assignment Statements

Account class attributes: interest: 0.02, 0.04, 0.05 (withdraw, deposit, \_\_init\_\_)

Instance attributes of jim\_account: balance: 0, holder: 'Jim', interest: 0.08

Instance attributes of tom\_account: balance: 0, holder: 'Tom'

```
>>> jim_account = Account('Jim')
>>> tom_account = Account('Tom')
>>> tom_account.interest
0.02
>>> jim_account.interest
0.02
>>> Account.interest = 0.04
>>> tom_account.interest
0.04
>>> jim_account.interest
0.04
```

```
>>> jim_account.interest = 0.08
>>> jim_account.interest
0.08
>>> tom_account.interest
0.04
>>> Account.interest = 0.05
>>> tom_account.interest
0.05
>>> jim_account.interest
0.08
```

## Inheritance

### Inheritance

Inheritance is a technique for relating classes together

A common use: Two similar classes differ in their degree of specialization

The specialized class may have the same attributes as the general class, along with some special-case behavior

```
class <Name>(<Base Class>):
    <suite>
```

Conceptually, the new subclass inherits attributes of its base class

The subclass may override certain inherited attributes

Using inheritance, we implement a subclass by specifying its differences from the the base class

### Inheritance Example

A `CheckingAccount` is a specialized type of `Account`

```
>>> ch = CheckingAccount('Tom')
>>> ch.interest # Lower interest rate for checking accounts
0.01
>>> ch.deposit(20) # Deposits are the same
20
>>> ch.withdraw(5) # Withdrawals incur a $1 fee
14
```

Most behavior is shared with the base class `Account`

```
class CheckingAccount(Account):
    """A bank account that charges for withdrawals."""
    withdraw_fee = 1
    interest = 0.01
    def withdraw(self, amount):
        return Account.withdraw(self, amount + self.withdraw_fee)
        or
        return super().withdraw(
            amount + self.withdraw_fee)
```

### Looking Up Attribute Names on Classes

Base class attributes *aren't* copied into subclasses!

To look up a name in a class:

1. If it names an attribute in the class, return the attribute value.
2. Otherwise, look up the name in the base class, if there is one.

```
>>> ch = CheckingAccount('Tom') # Calls Account.__init__
>>> ch.interest # Found in CheckingAccount
0.01
>>> ch.deposit(20) # Found in Account
20
>>> ch.withdraw(5) # Found in CheckingAccount
14
```

(Demo)

## Object-Oriented Design

### Designing for Inheritance

Don't repeat yourself; use existing implementations

Attributes that have been overridden are still accessible via class objects

Look up attributes on instances whenever possible

```
class CheckingAccount(Account):
    """A bank account that charges for withdrawals."""
    withdraw_fee = 1
    interest = 0.01
    def withdraw(self, amount):
        return Account.withdraw(self, amount + self.withdraw_fee)
```

Attribute look-up on base class

Preferred to `CheckingAccount.withdraw_fee` to allow for specialized accounts

## Inheritance and Composition

Object-oriented programming shines when we adopt the metaphor

Inheritance is best for representing is-a relationships

- E.g., a checking account is a specific type of account
- So, CheckingAccount inherits from Account

Composition is best for representing has-a relationships

- E.g., a bank has a collection of bank accounts it manages
- So, A bank has a list of accounts as an attribute

(Demo)

## Attributes Lookup Practice

## Inheritance and Attribute Lookup

```
class A:
    z = -1
    def f(self, x):
        return B(x-1)

class B(A):
    n = 4
    def __init__(self, y):
        if y:
            self.z = self.f(y)
        else:
            self.z = C(y+1)

class C(B):
    def f(self, x):
        return x

a = A()
b = B(1)
b.n = 5
```

```
>>> C(2).n
4
>>> a.z == C.z
True
>>> a.z == b.z
False
Which evaluates to an integer?
b.z.z.z
b.z.z.z.z
None of these
```

## Multiple Inheritance

## Multiple Inheritance

```
class SavingsAccount(Account):
    deposit_fee = 2
    def deposit(self, amount):
        return Account.deposit(self, amount - self.deposit_fee)
```

A class may inherit from multiple base classes in Python

CleverBank marketing executive has an idea:

- Low interest rate of 1%
- A \$1 fee for withdrawals
- A \$2 fee for deposits
- A free dollar when you open your account

```
class AsSeenOnTVAccount(CheckingAccount, SavingsAccount):
    def __init__(self, account_holder):
        self.holder = account_holder
        self.balance = 1 # A free dollar!
```


## Multiple Inheritance

A class may inherit from multiple base classes in Python.

```
class AsSeenOnTVAccount(CheckingAccount, SavingsAccount):
    def __init__(self, account_holder):
        self.holder = account_holder
        self.balance = 1 # A free dollar!
```

```
Instance attribute >>> such_a_deal = AsSeenOnTVAccount('John')
>>> such_a_deal.balance
1
SavingsAccount method >>> such_a_deal.deposit(20)
19
CheckingAccount method >>> such_a_deal.withdraw(5)
13
```


## Resolving Ambiguous Class Attribute Names



```
Instance attribute >>> such_a_deal = AsSeenOnTVAccount('John')
>>> such_a_deal.balance
1
SavingsAccount method >>> such_a_deal.deposit(20)
19
CheckingAccount method >>> such_a_deal.withdraw(5)
13
```

## Complicated Inheritance

## Biological Inheritance



Moral of the story: Inheritance can be complicated, so don't overuse it!