

Representing Strings: UTF-8 Encoding

```
UTF (UCS (Universal Character Set) Transformation Format)
```

Unicode: Correspondence between characters and integers

UTF-8: Correspondence between those integers and bytes

A byte is 8 bits and can encode any integer 0-255.


| bytes | 0000000 | 0 | | |
|-------|----------|---|----------|--|
| | 0000001 | 1 | integers | |
| | 00000010 | 2 | integers | |
| | 00000011 | 3 | | |

0000000

Variable-length encoding: integers vary in the number of bytes required to encode them.

In Python: string length is measured in characters, bytes length in bytes.

(Demo)



A First Attempt

• Let's use an encoding

| Letter | Binary | Letter | Binary |
|--------|--------|--------|--------|
| а | 0 | n | 1 |
| b | 1 | 0 | 0 |
| С | 0 | р | 1 |
| d | 1 | q | 1 |
| е | 1 | r | 0 |
| f | 0 | S | 1 |
| g | 0 | t | 0 |
| h | 1 | u | 0 |
| i | 1 | V | 1 |
| j | 1 | W | 1 |
| k | 0 | X | 1 |
| I | 1 | У | 0 |
| m | 1 | Z | 0 |

Decoding

- An encoding without a deterministic decoding procedure is not very useful
- How many bits do we need to encode each letter uniquely?
 - lowercase alphabet
 - 5 bits

A Second Attempt

Let's try another encoding

| Letter | Binary | Letter | Binary |
|--------|--------|--------|--------|
| а | 00000 | n | 01101 |
| b | 00001 | 0 | 01110 |
| С | 00010 | р | 01111 |
| d | 00011 | q | 10000 |
| е | 00100 | r | 10001 |
| f | 00101 | S | 10010 |
| g | 00110 | t | 10011 |
| h | 00111 | u | 10100 |
| i | 01000 | V | 10101 |
| j | 01001 | W | 10110 |
| k | 01010 | X | 10111 |
| I | 01011 | У | 11000 |
| m | 01100 | Z | 11001 |

Analysis

Pros

- Encoding was easy
- Decoding was deterministic

Cons


- Takes more space...
- What restriction did we place that's unnecessary?
 - Fixed length

Variable-Length Encodings

Variable Length Encoding

- Encoding Candidate 1: A: 1, B:01, C: 10, D: 11, E: 100, F: 101, ...
 - What does 01111 encode?
- Encoding Candidate 2: A: 00, B: 01, C: 100, D: 101, E: 1100, F: 1101, ...
 - What does 0100101 encode? How about 10111001101001001100?
- Deterministic decoding from left to right is possible if the encoding of one character is never a proper prefix of the decoding of another character.


Deterministic Codes Have a Tree Structure




| Letter | Binary | |
|--------|--------|--|
| А | 00 | |
| В | 01 | |
| С | 1 | |

- Let's pretend we want to come up with the optimal encoding:
 - AAAAAAAAABBBBBCCCCCCCDDDDDDDDD
 - A appears 10 times
 - B appears 5 times
 - C appears 7 times
 - D appears 9 times


- Start with the two smallest frequencies
 - A appears 10 times, B appears 5 times, C appears 7 times, D appears 9 times



- Continue...
 - A appears 10 times, B & C appear a combined 12 times, D appears 9 times




• And finally…




- Another example...
 - AAAAAAAAAABCCD
 - A appears 10 times
 - B appears 1 time
 - C appears 2 times
 - D appears 1 time

- Start with the two smallest frequencies
 - A appears 10 times, B appears 1 time, C appears 2 times, D appears 1 time



- Start with the two smallest frequencies
 - A appears 10 times, B & D appear a combined 2 times, C appears 2 times



• And finally…

