

Programs as Data

A Scheme Expression is a Scheme List

Scheme programs consist of expressions, which can be:

- Primitive expressions: 2 3.3 true + quotient
- Combinations: (quotient 10 2) (not true)

The built-in Scheme list data structure (which is a linked list) can represent combinations

```
scm> (list 'quotient 10 2)
(quotient 10 2)

scm> (eval (list 'quotient 10 2))
5
```

In such a language, it is straightforward to write a program that writes a program

(Demo)

Macros

Macros Perform Code Transformations

A macro is an operation performed on the source code of a program before evaluation

Macros exist in many languages, but are easiest to define correctly in a language like Lisp

Scheme has a **define-macro** special form that defines a source code transformation

```
(define-macro (twice expr)
  (list 'begin expr expr))
> (twice (print 2))
2
2
```

Evaluation procedure of a macro call expression:

- Evaluate the operator sub-expression, which evaluates to a macro
- Call the macro procedure on the operand expressions *without evaluating them first*
- Evaluate the expression returned from the macro procedure

(Demo)

For Macro

Discussion Question

Define a macro that evaluates an expression for each value in a sequence

```
(define (map fn vals)
  (if (null? vals)
      ()
      (cons (fn (car vals))
            (map fn (cdr vals)))))
```

```
scm> (map (lambda (x) (* x x)) '(2 3 4 5))
(4 9 16 25)
```

```
(define-macro (for sym vals expr)
  (list 'map (lambda (x) (expr x)) (list 'lambda (list sym) vals)))
```

```
scm> (for x '(2 3 4 5) (* x x))
(4 9 16 25)
```

(Demo)

Quasi-Quotation

(Demo)