

1 Boxes and Pointers

Draw a box and pointer diagram to represent the IntLists L, M, and N after each statement.

```
IntList L = IntList.list(1, 2, 3, 4);
IntList M = L.tail.tail;
IntList N = IntList.list(5, 6, 7);
N.tail.tail.tail = N;
L.tail.tail = N.tail.tail.tail.tail;
M.tail.tail = L;
```

Extra: Draw a box and pointer diagram to represent the IntLists L1, L2, and L3 after each statement.

```
IntList L1 = IntList.list(1, 2, 3);
IntList L2 = new IntList(4, L1.tail);
L2.tail.head = 13;
L1.tail.tail.tail = L2;
IntList L3 = IntList.list(50);
L2.tail.tail = L3;
```

=====

2 Destructive or Nondestructive?

Below is a method that takes in an `IntList` and returns the value of the head of the `IntList`. Assume that `L` is never null.

```
/** Returns the head of IntList L. Assumes that L is not null. */  
public static int getHead(IntList L) {  
    int listHead = L.head;  
    L = new IntList(5, null);  
    return listHead;  
}
```

Is the above method destructive or nondestructive? Explain.

3 Reversing a Linked List

Implement the following method, which reverses an `IntList` nondestructively. The original `IntList` should not be modified. Instead, the method should return a new `IntList` that contains the elements of `L` in reverse order.

```
/** Nondestructively reverses IntList L. */
public static IntList reverseNondestructive(IntList L) {

}

}
```

Extra: Implement the following method which destructively reverses an `IntList`.

```
/** Destructively reverses IntList L. */
public static IntList reverseDestructive(IntList L) {

}

}
```

4 Inserting into a Linked List

Implement the following method to insert an element `item` at a given position `position` of an `IntList L`. For example, if `L` is (1 -> 2 -> 4) then the result of calling `insert(L, 3, 2)` yields the list (1 -> 2 -> 3 -> 4). This method should modify the original list (do not create an entirely new list from scratch). This method should return a pointer to the front of the resulting `IntList`. Use recursion.

```
/** Inserts item at the given position in IntList L and returns the resulting  
 * IntList. If the value of position is past the end of the list, inserts the  
 * item at the end of the list. Uses recursion. */  
public static IntList insertRecursive(IntList L, int item, int position) {
```

```
}
```

Extra: Implement the method described above using iteration. `insertIterative` is a destructive method and should therefore modify the original list (just like the previous problem, do not create an entirely new list from scratch).

```
/** Inserts item at the given position in IntList L and returns the resulting  
 * IntList. If the value of position is past the end of the list, inserts the  
 * item at the end of the list. Uses iteration. */  
public static IntList insertIterative(IntList L, int item, int position) {
```

```
}
```

5 *Extra*: Shifting a Linked List

Implement the following method to circularly shift an `IntList` to the left by one position *destructively*. For example, if the original list is (5 -> 4 -> 9 -> 1 -> 2 -> 3) then this method should return the list (4 -> 9 -> 1 -> 2 -> 3 -> 5). Because it is a destructive method, the original `IntList` should be modified. Do not use the word `new`.

```
/** Destructively shifts the elements of the given IntList L to the  
 * left by one position. Returns the first node in the shifted list. */  
public static IntList shiftListDestructive(IntList L) {
```

```
}
```