



**ATTEND LECTURE FRIDAY**

Senior Lecturer SOE Dan Garcia

www.cs.berkeley.edu/~ddgarcia

Drop your Cell Plan, use WiFi ⇒

In response to the high cost of cellular data plans, and the near-ubiquity of WiFi availability (at home, work, campus, other places), some are dropping their cell plans, and making use of Google Voice, Skype, a FreedomPop hotspot, and a tablet for calls & texts.


**I/O Review**

- I/O gives computers their **5 senses**
- I/O speed range is **12.5-million to one**
- Differences in processor and I/O speed → synchronize with I/O devices before use
- **Polling** works, but expensive
  - processor *repeatedly queries devices*
- **Interrupts** works, more complex
  - device *causes an exception*, causing OS to run and deal with the device
- I/O control leads to **Operating Systems**

**Why Networks?**


- Originally *sharing I/O devices* between **computers**  
 ex: printers
- Then *communicating* between **computers**  
 ex: file transfer protocol
- Then *communicating* between **people**  
 ex: e-mail
- Then *communicating* between **networks of computers**  
 ex: file sharing, www, ...

**Growth Rate**



**Shared vs. Switched Based Networks**


- **Shared vs. Switched:**
  - **Shared:** 1 at a time (CSMA/CD)
  - **Switched:** pairs ("point-to-point" connections) communicate at same time



- **Aggregate bandwidth (BW) in switched network is many times shared:**
  - point-to-point faster since **no arbitration**, simpler interface

**What makes networks work?**

- **links connecting switches to each other and to computers or devices**



- ability to **name** the components and to **route** packets of information - messages - from a source to a destination

- Layering, redundancy, protocols, and encapsulation as means of **abstraction (61C big idea)**

## Typical Types of Networks

- **Local Area Network (Ethernet)**
  - Inside a building: Up to 1 km
  - (peak) Data Rate: 10 Mbits/sec, 100 Mbits /sec, 1000 Mbits/sec (1.25, 12.5, 125 MBytes/s)
  - Run, installed by network administrators
- **Wide Area Network**
  - Across a continent (10km to 10000 km)
  - (peak) Data Rate: 1.5 Mb/s to 10000 Mb/s
  - Run, installed by telecommunications companies (Sprint, UUNet[MCI], AT&T)

**Wireless Networks (LAN), ...**

CS61C L36 /0 : Networks (7)

Garcia © UCB

## Administrivia

- **Crunch time**
  - Last Lecture and Course Surveys on Friday
  - Review Session M 12/8 12-3pm, 155 Dwinelle
  - Final Exam Tu 12/16 7-10pm, HERE!
- **Do the performance competition!**


**Cal**

CS61C L36 /0 : Networks (8)

Garcia © UCB

## ABCs of Networks: 2 Computers

- **Starting Point:** Send bits between 2 computers



- Queue (First In First Out) on each end
- Can send both ways (“**Full Duplex**”)
  - One-way information is called “**Half Duplex**”
- Information sent called a “**message**”
  - Note: Messages also called **packets**


**Cal**

CS61C L36 /0 : Networks (9)

Garcia © UCB

## A Simple Example: 2 Computers

- **What is Message Format?**
  - Similar idea to Instruction Format
  - Fixed size? Number bits?



- **Header (Trailer):** information to deliver message
- **Payload:** data in message
- **What can be in the data?**
  - anything that you can represent as bits
  - values, chars, commands, addresses...

**Cal**

CS61C L36 /0 : Networks (10)


Garcia © UCB

## Questions About Simple Example

- **What if more than 2 computers want to communicate?**
  - Need computer “**address field**” in packet to know:
    - which computer should receive it (**destination**)
    - which computer to reply to (**source**)

• **Just like envelopes!**

Dest. Source Len



Header


Payload

**Cal**

CS61C L36 /0 : Networks (11)

Garcia © UCB

## ABCs: many computers



- **switches and routers interpret the header in order to deliver the packet**
- **source encodes and destination decodes content of the payload**

**Cal**

CS61C L36 /0 : Networks (12)

Garcia © UCB

### Questions About Simple Example

- What if message is garbled in transit?
- Add redundant information that is checked when message arrives to be sure it is OK
- 8-bit sum of other bytes: called “**Checksum**”; upon arrival compare check sum to sum of rest of information in message. **xor** also popular.



### Questions About Simple Example

- What if message never arrives?
- Receiver tells sender when it arrives
  - Send an ACK (ACKnowledgement) [like registered mail]
  - Sender retries if waits too long
- Don't discard message until it is ACK'ed
- If check sum fails, don't send ACK



### Observations About Simple Example

- Simple questions (like those on the previous slides) lead to:
  - more complex procedures to send/receive message
  - more complex message formats
- **Protocol**: algorithm for properly sending and receiving messages (packets)
  - ...an agreement on how to communicate

### Software Protocol to Send and Receive

- SW Send steps
  - 1: Application copies data to OS buffer
  - 2: OS calculates checksum, starts timer
  - 3: OS sends data to network interface HW and says start
- SW Receive steps
  - 3: OS copies data from network interface HW to OS buffer
  - 2: OS calculates checksum, if OK, send ACK; if not, **delete message** (sender resends when timer expires)
  - 1: If OK, OS copies data to user address space, & signals application to continue


### Protocol for Networks of Networks?

- **Abstraction** to cope with **complexity of communication** (compare to Abstraction for complexity of computation)
- Networks are like onions
  - Hierarchy of layers:
    - Application (chat client, game, etc.)
    - Transport (TCP, UDP)
    - Network (IP)
    - Physical Link (wired, wireless, etc.)



Networks are like onions. They stink? Yes. No! Oh, they make you cry. No!... Layers. Onions have layers. Networks have layers.

### Protocol Family Concept



## Protocol Family Concept

- Key to **protocol families** is that communication occurs **logically** at the same level of the protocol, called **peer-to-peer**...
- ...but is **implemented via services** at the **next lower level**
- **Encapsulation**: carry higher level information within lower level “envelope”
- **Fragmentation**: break packet into multiple smaller packets and reassemble



CS61C L36 IO : Networks (15)

Garcia © UCB

## Protocol for Network of Networks

- **Transmission Control Protocol/Internet Protocol (TCP/IP)**  
(TCP :: a Transport Layer)
  - This protocol family is the **basis of the Internet**, a WAN protocol
  - IP makes best effort to deliver
    - Packets can be lost, corrupted
  - TCP guarantees delivery
  - TCP/IP so popular it is used even when communicating locally: even across homogeneous LAN




[en.wikipedia.org/wiki/IP\\_over\\_Avian\\_Carriers](http://en.wikipedia.org/wiki/IP_over_Avian_Carriers)

CS61C L36 IO : Networks (20)

Garcia © UCB

## TCP/IP packet, Ethernet packet, protocols

- Application sends message
- TCP breaks into 64KiB segments, adds 20B header
- IP adds 20B header, sends to network
- If Ethernet, broken into 1500B packets with headers, trailers (24B)
- All Headers, trailers have length field, destination, ...



CS61C L36 IO : Networks (21)

Garcia © UCB

## Overhead vs. Bandwidth

- Networks are typically advertised using peak bandwidth of network link: e.g., 100 Mbits/sec Ethernet (“100 base T”)
- Software overhead to put message into network or get message out of network often limits useful bandwidth
- Assume overhead to send and receive = 320 microseconds ( $\mu$ s), want to send 1000 Bytes over “100 Mbit/s” Ethernet
  - Network transmission time:  
 $1000 \text{B} \times 8 \text{b/B} / 100 \text{Mb/s}$   
 $= 8000 \text{b} / (100 \text{b}/\mu\text{s}) = 80 \mu\text{s}$



Effective bandwidth:  $8000 \text{b} / (320 + 80) \mu\text{s} = 20 \text{ Mb/s}$

CS61C L36 IO : Networks (22)

Garcia © UCB


## Example: Network Media

Twisted Pair (“Cat 5”):



Copper, 1mm thick, twisted to avoid antenna effect

Light:  
3 parts are cable, light source, light



CS61C L36 IO : Networks (23)

Garcia © UCB

## And in conclusion...

- Protocol suites allow networking of heterogeneous components
  - Another form of principle of abstraction
  - Protocols  $\Rightarrow$  operation in presence of failures
  - Standardization key for LAN, WAN
- Integrated circuit (“Moore’s Law”) revolutionizing network switches as well as processors
  - Switch just a specialized computer
- Trend from shared to switched networks to get faster links and scalable bandwidth

• Interested?



- EE122 (CS-based in Fall, EE-based in Spring)

CS61C L36 IO : Networks (24)

Garcia © UCB