

CS61c Spring 2014 Discussion 1 – C

1 C Introduction

C is syntactically very similar to Java, but there are a few key differences of which to be wary:

- C is function oriented, not object oriented, so no objects for you.
- C does not automatically handle memory for you.
 - In the case of stack memory (things allocated in the “usual” way), a datum is garbage immediately after the function in which it was defined returns.
 - In the case of heap memory (things allocated with `malloc` and friends), data is freed only when the programmer explicitly frees it.
 - In any case, allocated memory always holds garbage until it is initialized.
- C uses pointers explicitly. `*p` tells us to use the value that `p` points to, rather than the value of `p`, and `&x` gives the address of `x` rather than the value of `x`.

There are other differences of which you should be aware, but this should be enough for you to get your feet wet.

2 At Least There Are Comments.

Write the following functions so that they perform according to the provided comment.

1.

```
/* The first function you write in any language.
 * Prints the string "Hello World\n" to standard output. */
void hello_world() {
    printf("Hello World\n");
}
```
2.

```
/* Divides and takes the floor of a value exterior to this function by 2^POW.
 * Does not use the division function. */
void div(int *y, unsigned int pow) {
    *y = y[0] >> pow;
}
```
3.

```
/* For each bit position i in [0, sizeof(int)*8) calls hello_world i times
 * iff the ith bit of the value X points to is set. */
void HI_HI_HI_HI(int *x) {
    int i = 0, j = 0, int_bits = sizeof(int) * 8;
    for (i = 0; i < int_bits; i++) {
        if ((x[0] >> i) & 1)
            for (j = 0; j < i; j++)
                hello_world();
    }
}
```

```

4.      /* Computes and returns the nth fibonacci number, using an iterative approach. */
int fib_iter(unsigned int n) {
    int fib0 = 0, fib1 = 1, i, swap;
    for (i = 0; i < n; i++) {
        swap = fib1;
        fib1 += fib0;
        fib0 = swap;
    }
    return fib0;
}

```

3 Uncommented Code? Yuck!

The following functions work correctly (note, this does not mean intelligently), but have no comments. Document the code to prevent it from causing further confusion.

```

1.      /* Returns the sum of the first N elements in ARR. */
int foo(int *arr, size_t n) {
    return n ? arr[0] + foo(arr + 1, n - 1) : 0;
}

2.      /* Returns -1 times the number of zeroes in the first N elements of ARR. */
int bar(int *arr, size_t n) {
    int sum = 0, i;

    for (i = n; i > 0; i--) {
        sum += !arr[i - 1];
    }

    return ~sum + 1;
}

3.      /* Does nothing. */
void baz(int x, int y) {
    x = x ^ y;
    y = x ^ y;
    x = x ^ y;
}

```

4 Programming with Pointers

Write the following functions so that they perform according to the provided comment. Not all questions are guaranteed to be soluble.

```

1.      /* Swaps the value of two ints outside of this function. */

void swap(int *x, int *y) {
    int temp = *x;
    *x = *y;
    *y = temp;
}

```

2. `/* Increments the value of an int outside of this function by one. */`

```
void plus_plus(int *x) {
    x[0]++;
}
```

3. `/* Returns a buffer for N ints. */`

```
//Insoluble using provided machinery. Can of course be done using malloc.
int* allocate_buffer(unsigned int size) {
    return malloc(sizeof(int) * size); //note that this is an unchecked malloc
}
```

4. `/* Returns the number of bytes in a string. Does not use strlen. */`

```
int mystrlen(char* str) {
    int count = 0;
    while(*str++) {
        count++;
    }
    return count;
}
```

5. `/* Returns the number of elements in an array ARR of ints. */`

`insoluble`

5 Problem?

The following code segments may contain either logic or syntax errors. Find them.

1. `/* Returns the sum of all the elements in SUMMANDS. */`

```
int sum(int* summands) { //int sum(int* summands, unsigned int n)
    int sum = 0;
    for (int i = 0; i < sizeof(summands); i++) //i < n
        sum += *(summands + i);
    return sum;
}
```

2. `/* Increments all the letters in the string STRING, held in an array of length N.
* Does not modify any other memory which has been previously allocated. */`

```
void increment(char* string, int n) {
    for (int i = 0; i < n; i++) //for (i = 0; string[i] != 0; i++)
        *(string + i)++; //string[i]++; or (*(string + i))++;

    //consider the corner case of incrementing 0xff
}
```

3. `/* Copies the string SRC to DST. */`

```
void copy(char* src, char* dst) {
    while (*dst++ = *src++);
}
```