
Midterm Exam 2

Last name	First name	SID
-----------	------------	-----

Name of student on your left:
Name of student on your right:

- DO NOT open the exam until instructed to do so.
- The total number of points is **110**, but a score of ≥ 100 is considered perfect.
- You have 10 minutes to read this exam without writing anything and 105 minutes to work on the problems.
- Box your final answers.
- Partial credit will not be given to answers that have no proper reasoning.
- **Remember to write your name and SID on the top left corner of every sheet of paper.**
- **Do not write on the reverse sides of the pages.**
- All electronic devices must be turned off. Textbooks, computers, calculators, etc. are prohibited.
- No form of collaboration between students is allowed. If you are caught cheating, you may fail the course and face disciplinary consequences.
- **You must include explanations to receive credit.**

Problem	Part	Max	Points	Problem	Part	Max	Points
1	(a)	12		2		20	
	(b)	8		3		20	
	(c)	9		4		25	
	(d)	8					
	(e)	8					
Total						110	

NAME:

SID:

Problem 1. (a) (12 points) Evaluate the statements with *True* or *False*. Give brief explanations in the provided boxes. Anything written outside the boxes will not be graded.

- (1) A Discrete-Time Markov Chain that is not irreducible has no stationary distribution.

True or False:
Explanation:

- (2) Convergence in probability implies convergence almost surely.

True or False:
Explanation:

- (3) If buses have been arriving to Cory Hall according to a Poisson process with rate λ for an infinite amount of time and you arrive at 11:00AM, then the distribution of the interarrival time from the last bus that arrived before 11:00AM to the next bus to come is exponentially distributed with rate λ .

True or False:
Explanation:

NAME:

SID:

- (b) (8 points) Consider a random variable X with moment generating function (MGF)
 $M_X(s) = a_2 s^2 + a_1 s + a_0$ where a_1, a_2 are such that $a_1 + a_2 = 1$ and $E[X] = \text{Var}(X)$.
Determine a_0, a_1, a_2 .

NAME:

SID:

- (c) (9 points) Alice would like to encode a 100 MB file using a fountain code in order to send the file to Bob. She divides her file into 5 20 MB chunks and uses the following degree distribution: at the i th transmission, if $1 \leq i \leq 5$, she uniformly at random selects i of the five chunks and sends the mod 2 sum (or XOR) of these i chunks, while if $i > 5$, she uniformly at random selects 1 of the five chunks and sends that chunk. Assume that Bob uses a peeling decoder, as described in Lab 4. Find the probability that Bob is able to decode 3 packets after the 3rd transmission.

NAME:

SID:

(d) (8 points) You have a set of three coins: A , B , and C stacked in your hand. At each time instant, you shuffle the coins by taking the middle coin and putting it on top of the stack with probability $\frac{1}{2}$ and on the bottom of the stack with probability $\frac{1}{2}$.

(i) (4 points) Draw the state transition diagram.

(ii) (4 points) Starting from the order A, B, C find the expected number of shuffles until the coins are in the order C, B, A ? (It is not necessary to solve numerically, just set up the equations)

NAME:

SID:

- (e) (8 points) Consider two irreducible, aperiodic Markov Chains with the same state space such that P_1, P_2 give the transition matrices and π_1, π_2 give the stationary distributions. We construct a process $X_n, n \geq 0$ as follows. Let $X_0 = 1$. Now, you flip a coin such that if the coin toss results in a heads, the rest of the transitions are made according to P_1 , and if the coin toss results in a tails, the rest of the transitions are made according to P_2 . Is $X_n, n \geq 0$ a Markov Chain? If so, determine the transition probabilities. If not, provide a counterexample.

NAME:

SID:

Problem 2. (20 points) Empty taxis pass by a street corner at a Poisson rate of two per minute and pick up a passenger if one is waiting there. Passengers arrive at the street corner at a Poisson rate of one per minute and wait for a taxi only if there are less than four persons waiting; otherwise they leave and never return. John arrives at the street corner at a given time. Find his expected waiting time, given that he joins the queue. Assume that the process is in steady state.

NAME:

SID:

Problem 3. (20 points) The citizens of the country USD (the United States of Drumpf) vote in the following manner for their presidential election: if the country is liberal, then each citizen votes for a liberal candidate with probability p and a conservative candidate with probability $1 - p$, while if the country is conservative, then each citizen votes for a conservative candidate with probability p and a liberal candidate with probability $1 - p$. After the election, the country is declared to be of the party with the majority of the votes.

For part (a), assume that $p = \frac{3}{4}$, and use Chebyshev's inequality to obtain your results.

- (a) (10 points) Suppose that 100 citizens of USD vote in the election and that USD is known to be Conservative. Bound the probability that it is declared to be a Liberal country.

- (b) (10 points) For this part, we no longer assume that $p = \frac{3}{4}$, and would like to estimate the unknown p . Using the CLT, determine the number of voters necessary to determine p within an error of 0.01, with probability at least 0.95.

NAME:

SID:

Problem 4. (25 points) In this problem, we consider a scenario where we compute a sequence of functions, denoted by $\{f_1, f_2, \dots\}$, using two machines, denoted by machine 1 and 2. For every i and j , computing f_j at machine i takes a random amount of time, denoted by $T_{i,j}$. We assume that the $T_{i,j}$'s are i.i.d. exponential random variables of rate 1 (per second).

We now assume that a machine is assigned an infinitely long list of functions, and that the machine computes the functions in the list one by one.

Alice wants to compute as many *distinct* functions as possible in t seconds. She assigns the odd-indexed functions (f_1, f_3, f_5, \dots) to machine 1 and the even-indexed functions (f_2, f_4, f_6, \dots) to machine 2, so that the computations performed by the two machines do not overlap. Each machine computes the functions on its own list one by one for t seconds. We denote the number of functions computed by machine 1 by $N_1(t)$, and we denote the number of functions computed by machine 2 by $N_2(t)$.

- (a) (6 points) What is the distribution of the number of *distinct* functions computed for **$t=200$** seconds by machine 1 and machine 2?

- (b) (6 points) Conditioned on $N_1(200) + N_2(200) = 500$, what are the distributions of $N_1(200)$ and $N_2(200)$? Are they (conditionally) independent?

NAME:

SID:

Bob proposes a new idea, as described below. Both machines are assigned the same list of functions, say (f_1, f_2, \dots) , and they concurrently compute the functions in the list one by one. As soon as one of the two machines completes a function computation, the other machine immediately cancels its ongoing task, and both machines start working on the next function on the list. This process is repeated for t seconds. Denote the number of computed functions for t seconds under this strategy by $B(t)$.

- (c) (6 points) Assume $t = 200$. What is the distribution of $B(t)$?

Bob starts implementing his strategy but, unfortunately, he realizes that his system does not support task cancellation, which is a crucial component of his strategy.

After struggling for a while, he comes up with a modified version of his strategy, which does not require task cancellation. The new strategy is the following. Both machines are assigned the same list of functions, say (f_1, f_2, \dots) . In the beginning, both machine start concurrently computing f_1 . A machine is called ‘head’ if it is computing f_i and the other one is computing f_j , and $i \geq j$. When a ‘head’ machine finishes a function computation, it proceeds to the next function on the list. When a non-‘head’ machine finishes a function computation, it skips down on the list and proceeds to the function being computed by the head machine.




Figure 1: Illustration of the new strategy

See Fig. 1 for illustration. For $t_0 \leq t \leq t_1$, both machines are head. At $t = t_1$, machine 1 finishes computing f_1 , and it starts computing f_2 since it is a head. Similarly, at $t = t_2$, machine 1 finishes computing f_2 and proceeds to f_3 . At $t = t_3$, machine 2 finishes computing f_1 , and it proceeds to f_3 , the function being computed by the head. At $t = t_4$, machine 2 finishes computing f_3 , and it proceeds to f_4 , becoming a new head.

This process is repeated for t seconds.

- (d) (7 points) Denote the number of computed functions for t seconds under the modified strategy by $B(t)$. Find $\lim_{t \rightarrow \infty} \frac{B(t)}{t}$.

NAME:

SID:

END OF THE EXAM.

Please check whether you have written your name and SID on every page.