
Midterm Exam

Last Name	First Name	SID
-----------	------------	-----

Rules.

- You have 80 minutes (12:40pm - 2:00pm) to complete this exam.
- The maximum you can score is 120.
- The exam is not open book, but you are allowed one side of a sheet of handwritten notes; calculators will be allowed. No phones.
- No form of collaboration between the students is allowed. If you are caught cheating, you may fail the course and face disciplinary consequences.

Please read the following remarks carefully.

- Show all work to get any partial credit.
- Take into account the points that may be earned for each problem when splitting your time between the problems.

Problem	points earned	out of
Problem 1		45
Problem 2		35
Problem 3		20
Problem 4		20
Total		120

Problem 1: Answer these questions briefly but clearly.

(a) [10] X is a uniform random variable over $[0, 1]$. Calculate the coefficient of correlation, $\rho(X, Y)$, for X and $Y = X^2$.

(b) [10] X is uniformly distributed in the interval $[a, b]$, $a \geq 0$. Find $f_Y(y)$ for $Y = X^2$.

(c) [10] Let X be uniformly distributed in the interval $[0, 1]$. For what function g is $Y = g(X)$ an exponential random variable with parameter 1?


(d) [15] Bob plays the following game: He is given a real number X drawn from the uniform distribution over $[0, 1]$. Then Bob must keep drawing numbers from the same distribution until he has drawn a number $> X$. If Bob has drawn N numbers, he wins $N - 1$ dollars. If W represents the amount Bob wins, what is $\mathbb{E}[W]$?

Problem 2

(a) [10] Alice and Bob are both taking EE 126 in a classroom with r rows of m seats each. If there are exactly $r m$ students attending each class (so there are no empty seats) and the students take their seats at random, what is the probability that Alice and Bob are sitting on the same row in adjacent seats?

(b) [10] A deck of 52 cards is dealt to four players. What is the probability that one of the players is dealt all four aces?

(c) [15] A coin shows Heads with probability p . Let X_n be the number of tosses required to get n heads in a row. Find $\mathbb{E}[X_n]$. (Hint: Use conditioning.)



Problem 3

(a) [10] The joint density function $f_{X,Y}(x, y)$ in the Figure. It has the same value in the shaded region and is zero outside the shaded region. What is $f_Z(z)$ for $Z = X + Y$?

(b) [10] X and Y are independent and identically distributed exponential random variables with parameter λ . Let $Z = X - Y$. Find $f_Z(z)$, $\text{var}(Z)$, and $M_Z(s)$.

Problem 4

(a) [10] Let X_1, \dots, X_N be independent exponential random variables with parameter λ . Let $X_{\max} = \max\{X_1, \dots, X_N\}$ and $X_{\min} = \min\{X_1, \dots, X_N\}$. Use the conditioning and the memoryless property of the exponential distribution to find $\mathbb{P}(X_{\max} - X_{\min} \leq r)$ for $r \geq 0$.

(b) [10] Bob has n pairs of different colored socks in the dryer. He pulls out k socks at random. Of the k socks he has X matching pairs. What is $\mathbb{E}[X]$?