

EECS 16B

Designing Information Devices and Systems II

Lecture 24

Prof. Yi Ma

Department of Electrical Engineering and Computer Sciences, UC Berkeley,
yima@eecs.berkeley.edu

Outline


- Singular Value Decomposition (Geometry)
 - Minimum Norm Solution and Optimal Control
- Low-rank Matrix Approximation (Algebra)
- Principal Component Analysis (Statistics)



Computation

Interpretation of SVD (Geometry)


$$\vec{y} = A\vec{x} : A = U\Sigma V^T = [U_r, U_{m-r}] \begin{bmatrix} \Sigma_r & \mathbf{0}_{r \times (n-r)} \\ \mathbf{0}_{(m-r) \times r} & \mathbf{0}_{(m-r) \times (n-r)} \end{bmatrix} \begin{bmatrix} V_r^T \\ V_{n-r}^T \end{bmatrix}$$



Applications of SVD: Minimum Norm Solution

$$\min_{\vec{x}} \|\vec{x}\|_2^2 \text{ s.t. } \vec{y} = A\vec{x}, \text{ with } A \in \mathbb{R}^{m \times n} \text{ and } \text{rank}(A) = m : \vec{x}_\star = A^\top (AA^\top)^{-1} \vec{y}$$

Show: $\vec{x}_\star = A^\dagger \vec{y} (= A^\top (AA^\top)^{-1} \vec{y})$.



Applications of SVD: Minimum Norm Solution



Optimal Control: $\vec{x}[i + 1] = A\vec{x}[i] + Bu[i]$

$$\vec{x}[\ell] = A^\ell \vec{x}[0] + C_\ell \vec{u}[\ell] \quad C_\ell \doteq [A^{\ell-1}B \mid \cdots \mid AB \mid B] \in \mathbb{R}^{n \times \ell} \quad \vec{u}[\ell] = \begin{bmatrix} u[0] \\ \vdots \\ u[\ell-2] \\ u[\ell-1] \end{bmatrix} \in \mathbb{R}^\ell$$

Low-Rank Approximation (Algebra)

Modeling data as a low-rank matrix:

$$A = [\vec{a}_1, \vec{a}_2, \dots, \vec{a}_n] \in \mathbb{R}^{m \times n}$$






Low-Rank Approximation (Algebra)

Approximate a matrix by a lower-rank matrix:

[Beltrami, 1873, Jordan, 1874]

$$A = [\vec{a}_1, \vec{a}_2, \dots, \vec{a}_n] \in \mathbb{R}^{m \times n}$$



Low-Rank Approximation: Eckart-Young Theorem

Approximate a matrix $A \in \mathbb{R}^{m \times n}$ with rank $r \leq \min\{m, n\}$ by a lower-rank matrix.

$$A = [\vec{a}_1, \vec{a}_2, \dots, \vec{a}_n] = \sum_{i=1}^r \sigma_i \vec{u}_i \vec{v}_i^\top = \sum_{i=1}^{\ell} \sigma_i \vec{u}_i \vec{v}_i^\top + \sum_{i=\ell+1}^r \sigma_i \vec{u}_i \vec{v}_i^\top \quad \text{with } \sigma_1 \geq \sigma_2 \geq \dots \geq \sigma_r \geq 0$$

Theorem [Eckart-Young 1936]: The optimal solution to the low-rank approximation problem:

$$\min_{B \in \mathbb{R}^{m \times n}} \|A - B\|_F^2 \quad \text{subject to } \text{rank}(B) = \ell$$

is given by: $B_\star = A_\ell = \sum_{i=1}^{\ell} \sigma_i \vec{u}_i \vec{v}_i^\top$.

Low-Rank Approximation: Rank Minimization

Approximate a matrix $A \in \mathbb{R}^{m \times n}$ with rank $r \leq \min\{m, n\}$ by a lower-rank matrix.

$$A = [\vec{a}_1, \vec{a}_2, \dots, \vec{a}_n] = \sum_{i=1}^r \sigma_i \vec{u}_i \vec{v}_i^\top = \sum_{i=1}^{\ell} \sigma_i \vec{u}_i \vec{v}_i^\top + \sum_{i=\ell+1}^r \sigma_i \vec{u}_i \vec{v}_i^\top$$

Rank minimization problem: $\min_{B \in \mathbb{R}^{m \times n}} \text{rank}(B)$ subject to $\|A - B\|_F^2 \leq \epsilon^2$?


Low-Rank Approximation: Model Selection

Approximate a matrix $A \in \mathbb{R}^{m \times n}$ with rank $r \leq \min\{m, n\}$ by a lower-rank matrix.

$$A = [\vec{a}_1, \vec{a}_2, \dots, \vec{a}_n] = \sum_{i=1}^r \sigma_i \vec{u}_i \vec{v}_i^\top = \sum_{i=1}^{\ell} \sigma_i \vec{u}_i \vec{v}_i^\top + \sum_{i=\ell+1}^r \sigma_i \vec{u}_i \vec{v}_i^\top$$


Selecting a good tradeoff between rank and residual:

1. $\min_{B \in \mathbb{R}^{m \times n}} \text{rank}(B) = d$ subject to $\sigma_{d+1}^2 \leq \tau$?
2. $\min_{B \in \mathbb{R}^{m \times n}} \alpha \cdot \text{rank}(B) + \beta \cdot \sigma_{d+1}^2$?



Principal Component Analysis (Statistics)

Problem [Pearson, 1901, Hotelling, 1933]: given $A = [\vec{a}_1, \vec{a}_2, \dots, \vec{a}_n] \in \mathbb{R}^{m \times n}$ $\vec{\mu} = \frac{1}{n}(\vec{a}_1 + \vec{a}_2 + \dots + \vec{a}_n) = \mathbf{0}$
find a normal vector $\|\vec{u}\|_2 = 1$ such that $\max_{\vec{u}} \|\vec{u}^\top A\|_2^2 = \|\vec{u}\vec{u}^\top A\|_2^2$.




Principal Component Analysis (Statistics)

Problem [Pearson, 1901, Hotelling, 1933]: $A = [\vec{a}_1, \vec{a}_2, \dots, \vec{a}_n] \in \mathbb{R}^{m \times n}$ find \vec{u} such that $\max_{\vec{u}} \|\vec{u}^\top A\|_2^2$.

Multiple principal components: $U_\ell = [\vec{u}_1, \dots, \vec{u}_\ell] \in \mathbb{R}^{m \times \ell}$ orthogonal such that


$$\max_{U_\ell} \|U_\ell U_\ell^\top A\|_F^2$$



Principal Component Analysis (Statistics)


$$U = [U_\ell, U_{m-\ell}] \in \mathbb{R}^{m \times m} \text{ orthogonal} \quad \|A\|_F^2 = \|UU^\top A\|_F^2 = \|U_\ell U_\ell^\top A\|_F^2 + \|U_{m-\ell} U_{m-\ell}^\top A\|_F^2$$

$$\max_{U_\ell} \|U_\ell U_\ell^\top A\|_F^2 \quad \Leftrightarrow \quad \min_{U_\ell} \|A - U_\ell U_\ell^\top A\|_F^2 \quad \Leftrightarrow \quad \min_{U_{m-\ell}} \|U_{m-\ell} U_{m-\ell}^\top A\|_F^2$$




Applications of PCA

- Eigenfaces [Turk & Pentland 1991]:



=



Cell

The Code for Facial Identity in the Primate Brain

Graphical Abstract

1. We recorded responses to parameterized faces from macaque face patches

2. We found that single cells are tuned to single face axes, and are blind to changes orthogonal to this axis

3. We found that an axis model allows precise encoding and decoding of neural responses

Authors: Le Chang, Doris Y. Tsao


Correspondence: lechang@caltech.edu (L.C.), dortsao@caltech.edu (D.Y.T.)

In Brief: Facial identity is encoded via a remarkably simple neural code that relies on the ability of neurons to distinguish facial features along specific axes in face space, disallowing the long-standing assumption that single face cells encode individual faces.

Highlights:

- Facial images can be linearly reconstructed using responses of ~200 face cells
- Face cells display flat tuning along dimensions orthogonal to the axis being coded
- The axis model is more efficient, robust, and flexible than the exemplar model
- Face patches LM/MF and AM carry complementary information about faces


- PCANet [Chan & Ma et. al. 2015]:



Recognition rates (%) on FERET dataset.

Probe sets	F_b	F_c	$Dup-I$	$Dup-II$	Avg.
LBP [18]	93.00	51.00	61.00	50.00	63.75
DMMA [25]	98.10	98.50	81.60	83.20	89.60
P-LBP [21]	98.00	98.00	90.00	85.00	92.75
POEM [26]	99.60	99.50	88.80	85.00	93.20
G-LQP [27]	99.90	100	93.20	91.00	96.03
LGBP-LGXP [28]	99.00	99.00	94.00	93.00	96.25
sPOEM+POD [29]	99.70	100	94.90	94.00	97.15
GOM [30]	99.90	100	95.70	93.10	97.18
PCANet-1 (Trn. CD)	99.33	99.48	88.92	84.19	92.98
PCANet-2 (Trn. CD)	99.67	99.48	95.84	94.02	97.25
PCANet-1	99.50	98.97	89.89	86.75	93.78
PCANet-2	99.58	100	95.43	94.02	97.26

Least Squares (Regression) versus PCA



Least Squares (Regression) versus PCA

Example: $A = \begin{bmatrix} -1 & 0 & 1 \\ -2 & 1 & 1 \end{bmatrix}$

Prediction versus Correlation

